

LSB Qt4 Toolkit Module Specification for the IA64 Architecture 3.1

LSB Qt4 Toolkit Module Specification for the IA64 Architecture 3.1

Copyright © 2006 Free Standards Group

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.1; with no Invariant Sections, with no Front-Cover Texts, and with no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

Portions of the text are copyrighted by the following parties:

- The Regents of the University of California
- Free Software Foundation
- Ian F. Darwin
- Paul Vixie
- BSDI (now Wind River)
- Andrew G Morgan
- Jean-loup Gailly and Mark Adler
- Massachusetts Institute of Technology

These excerpts are being used in accordance with their respective licenses.

Linux is the registered trademark of Linus Torvalds in the U.S. and other countries.

UNIX is a registered trademark of The Open Group.

LSB is a trademark of the Free Standards Group in the United States and other countries.

AMD is a trademark of Advanced Micro Devices, Inc.

Intel and Itanium are registered trademarks and Intel386 is a trademark of Intel Corporation.

PowerPC is a registered trademark and PowerPC Architecture is a trademark of the IBM Corporation.

S/390 is a registered trademark of the IBM Corporation.

OpenGL is a registered trademark of Silicon Graphics, Inc.

Contents

I Introductory Elements	1
1 Scope.....	1
2 Normative References.....	2
3 Requirements	3
3.1 Relevant Libraries	3
4 Definitions	4
5 Terminology	5
II Qt Libraries	6
6 Libraries	7
6.1 Introduction	7
6.2 Interfaces for libQtCore.....	8
6.3 Data Definitions for libQtCore	44
6.4 Interfaces for libQtGui.....	53
6.5 Data Definitions for libQtGui.....	382
6.6 Interfaces for libQtXml	402
6.7 Data Definitions for libQtXml	416
6.8 Interfaces for libQtOpenGL	417
6.9 Data Definitions for libQtOpenGL	422
6.10 Interfaces for libQtSql.....	422
6.11 Data Definitions for libQtSql	436
6.12 Interfaces for libQtSvg.....	438
6.13 Data Definitions for libQtSvg.....	442
6.14 Interfaces for libQtNetwork.....	442
6.15 Data Definitions for libQtNetwork.....	452
A GNU Free Documentation License (Informative).....	455
A.1 PREAMBLE	455
A.2 APPLICABILITY AND DEFINITIONS	455
A.3 VERBATIM COPYING	456
A.4 COPYING IN QUANTITY	456
A.5 MODIFICATIONS.....	457
A.6 COMBINING DOCUMENTS	458
A.7 COLLECTIONS OF DOCUMENTS	459
A.8 AGGREGATION WITH INDEPENDENT WORKS	459
A.9 TRANSLATION.....	459
A.10 TERMINATION.....	459
A.11 FUTURE REVISIONS OF THIS LICENSE	460
A.12 How to use this License for your documents	460

List of Tables

2-1 Normative References	2
3-1 Standard Library Names.....	3
6-1 libQtCore Definition.....	8
6-2 Primary vtable for QObject.....	8
6-3 typeinfo for QObject.....	9
6-4 Primary vtable for QObjectUserData	9
6-5 typeinfo for QObjectUserData	9
6-6 Primary vtable for QIODevice	9
6-7 typeinfo for QIODevice.....	10
6-8 Primary vtable for QDataStream	11
6-9 typeinfo for QDataStream.....	11
6-10 Primary vtable for QTextCodec	11
6-11 typeinfo for QTextCodec	11
6-12 Primary vtable for QTextStream.....	12
6-13 typeinfo for QTextStream	12
6-14 Primary vtable for QFile	12
6-15 typeinfo for QFile.....	13
6-16 Primary vtable for QTemporaryFile.....	13
6-17 typeinfo for QTemporaryFile.....	14
6-18 Primary vtable for QAbstractFileEngine	15
6-19 typeinfo for QAbstractFileEngine.....	16
6-20 Primary vtable for QAbstractFileEngineHandler.....	17
6-21 typeinfo for QAbstractFileEngineHandler	17
6-22 Primary vtable for QFSFileEngine.....	17
6-23 typeinfo for QFSFileEngine	19
6-24 Primary vtable for QProcess.....	19
6-25 typeinfo for QProcess	20
6-26 Primary vtable for QBuffer	20
6-27 typeinfo for QBuffer	21
6-28 Primary vtable for QSettings.....	22
6-29 typeinfo for QSettings	22
6-30 Primary vtable for QFactoryInterface	22
6-31 typeinfo for QFactoryInterface.....	23
6-32 Primary vtable for QTextCodecFactoryInterface.....	23
6-33 typeinfo for QTextCodecFactoryInterface	23
6-34 Primary vtable for QTextCodecPlugin	23
6-35 Secondary vtable for QTextCodecPlugin	24
6-36 typeinfo for QTextCodecPlugin.....	25
6-37 Primary vtable for QTranslator.....	25
6-38 typeinfo for QTranslator	26
6-39 Primary vtable for QMimeData	26
6-40 typeinfo for QMimeData.....	27
6-41 Primary vtable for QEventLoop	27
6-42 typeinfo for QEventLoop.....	27
6-43 Primary vtable for QEvent.....	28
6-44 typeinfo for QEvent	28
6-45 Primary vtable for QTimerEvent	28
6-46 typeinfo for QTimerEvent	28
6-47 Primary vtable for QChildEvent.....	29
6-48 typeinfo for QChildEvent	29
6-49 Primary vtable for QCustomEvent.....	29

6-50	typeinfo for QCustomEvent	29
6-51	Primary vtable for QCoreApplication.....	29
6-52	typeinfo for QCoreApplication.....	30
6-53	Primary vtable for QAbstractItemModel	30
6-54	typeinfo for QAbstractItemModel.....	32
6-55	Primary vtable for QAbstractTableModel.....	33
6-56	typeinfo for QAbstractTableModel	35
6-57	Primary vtable for QAbstractListModel.....	35
6-58	typeinfo for QAbstractListModel	37
6-59	Primary vtable for QSignalMapper	37
6-60	typeinfo for QSignalMapper	38
6-61	Primary vtable for QObjectCleanupHandler	38
6-62	typeinfo for QObjectCleanupHandler	38
6-63	Primary vtable for QSocketNotifier.....	39
6-64	typeinfo for QSocketNotifier.....	39
6-65	Primary vtable for QTimer	40
6-66	typeinfo for QTimer.....	40
6-67	Primary vtable for QAbstractEventDispatcher.....	40
6-68	typeinfo for QAbstractEventDispatcher	41
6-69	Primary vtable for QPluginLoader.....	42
6-70	typeinfo for QPluginLoader	42
6-71	Primary vtable for QLibrary.....	42
6-72	typeinfo for QLibrary	43
6-73	Primary vtable for QThread	43
6-74	typeinfo for QThread.....	44
6-75	libQtCore - QtCore Function Interfaces.....	44
6-76	libQtGui Definition.....	53
6-77	Primary vtable for QTextObject.....	54
6-78	typeinfo for QTextObject	54
6-79	Primary vtable for QTextBlockGroup.....	54
6-80	typeinfo for QTextBlockGroup	55
6-81	Primary vtable for QTextFrameLayoutData.....	55
6-82	typeinfo for QTextFrameLayoutData.....	56
6-83	Primary vtable for QTextFrame	56
6-84	typeinfo for QTextFrame	57
6-85	Primary vtable for QTextBlockUserData.....	57
6-86	typeinfo for QTextBlockUserData	57
6-87	Primary vtable for QTextDocument.....	57
6-88	typeinfo for QTextDocument.....	58
6-89	Primary vtable for QTextTable	58
6-90	typeinfo for QTextTable.....	59
6-91	Primary vtable for QMimeSource.....	59
6-92	typeinfo for QMimeSource	59
6-93	Primary vtable for QDrag	59
6-94	typeinfo for QDrag	60
6-95	Primary vtable for QInputEvent.....	60
6-96	typeinfo for QInputEvent	60
6-97	Primary vtable for QMouseEvent.....	61
6-98	typeinfo for QMouseEvent	61
6-99	Primary vtable for QHoverEvent	61
6-100	typeinfo for QHoverEvent.....	61
6-101	Primary vtable for QWheelEvent	62
6-102	typeinfo for QWheelEvent.....	62
6-103	Primary vtable for QTabletEvent.....	62

6-104	typeinfo for QTabletEvent	62
6-105	Primary vtable for QKeyEvent.....	62
6-106	typeinfo for QKeyEvent.....	63
6-107	Primary vtable for QFocusEvent	63
6-108	typeinfo for QFocusEvent.....	63
6-109	Primary vtable for QPaintEvent.....	63
6-110	typeinfo for QPaintEvent.....	64
6-111	Primary vtable for QMoveEvent.....	64
6-112	typeinfo for QMoveEvent	64
6-113	Primary vtable for QResizeEvent	64
6-114	typeinfo for QResizeEvent.....	64
6-115	Primary vtable for QCloseEvent.....	65
6-116	typeinfo for QCloseEvent	65
6-117	Primary vtable for QIconDragEvent	65
6-118	typeinfo for QIconDragEvent.....	65
6-119	Primary vtable for QShowEvent.....	66
6-120	typeinfo for QShowEvent	66
6-121	Primary vtable for QHideEvent.....	66
6-122	typeinfo for QHideEvent	66
6-123	Primary vtable for QContextMenuEvent	67
6-124	typeinfo for QContextMenuEvent.....	67
6-125	Primary vtable for QInputMethodEvent	67
6-126	typeinfo for QInputMethodEvent	67
6-127	Primary vtable for QDropEvent	68
6-128	Secondary vtable for QDropEvent	68
6-129	typeinfo for QDropEvent.....	68
6-130	Primary vtable for QDragMoveEvent.....	69
6-131	Secondary vtable for QDragMoveEvent.....	69
6-132	typeinfo for QDragMoveEvent	69
6-133	Primary vtable for QDragEnterEvent	70
6-134	Secondary vtable for QDragEnterEvent	70
6-135	typeinfo for QDragEnterEvent.....	71
6-136	Primary vtable for QDragResponseEvent	71
6-137	typeinfo for QDragResponseEvent.....	71
6-138	Primary vtable for QDragLeaveEvent	71
6-139	typeinfo for QDragLeaveEvent.....	72
6-140	Primary vtable for QHelpEvent.....	72
6-141	typeinfo for QHelpEvent	72
6-142	Primary vtable for QStatusTipEvent.....	72
6-143	typeinfo for QStatusTipEvent	72
6-144	Primary vtable for QWhatsThisClickedEvent	73
6-145	typeinfo for QWhatsThisClickedEvent.....	73
6-146	Primary vtable for QActionEvent.....	73
6-147	typeinfo for QActionEvent	73
6-148	Primary vtable for QFileOpenEvent.....	74
6-149	typeinfo for QFileOpenEvent.....	74
6-150	Primary vtable for QToolBarChangeEvent	74
6-151	typeinfo for QToolBarChangeEvent.....	74
6-152	Primary vtable for QShortcutEvent.....	75
6-153	typeinfo for QShortcutEvent	75
6-154	Primary vtable for QClipboardEvent.....	75
6-155	typeinfo for QClipboardEvent	75
6-156	Primary vtable for QWindowStateChangeEvent	76
6-157	typeinfo for QWindowStateChangeEvent.....	76

6-158 Primary vtable for QMenuBarUpdatedEvent	76
6-159 typeinfo for QMenuBarUpdatedEvent	76
6-160 Primary vtable for QTextList	77
6-161 typeinfo for QTextList	77
6-162 Primary vtable for QAbstractTextDocumentLayout	78
6-163 typeinfo for QAbstractTextDocumentLayout	79
6-164 Primary vtable for QTextObjectInterface	79
6-165 typeinfo for QTextObjectInterface	79
6-166 Primary vtable for QSyntaxHighlighter	79
6-167 typeinfo for QSyntaxHighlighter	80
6-168 Primary vtable for QPaintDevice	80
6-169 typeinfo for QPaintDevice	81
6-170 Primary vtable for QWidget	81
6-171 Secondary vtable for QWidget	83
6-172 typeinfo for QWidget	83
6-173 Primary vtable for QDialog	84
6-174 Secondary vtable for QDialog	86
6-175 typeinfo for QDialog	86
6-176 Primary vtable for QAbstractPageSetupDialog	87
6-177 Secondary vtable for QAbstractPageSetupDialog	89
6-178 typeinfo for QAbstractPageSetupDialog	89
6-179 Primary vtable for QColorDialog	90
6-180 Secondary vtable for QColorDialog	92
6-181 typeinfo for QColorDialog	92
6-182 Primary vtable for QFontDialog	93
6-183 Secondary vtable for QFontDialog	95
6-184 typeinfo for QFontDialog	95
6-185 Primary vtable for QMessageBox	95
6-186 Secondary vtable for QMessageBox	98
6-187 typeinfo for QMessageBox	98
6-188 Primary vtable for QProgressDialog	98
6-189 Secondary vtable for QProgressDialog	101
6-190 typeinfo for QProgressDialog	101
6-191 Primary vtable for QErrorMessage	101
6-192 Secondary vtable for QErrorMessage	104
6-193 typeinfo for QErrorMessage	104
6-194 Primary vtable for QFileDialog	104
6-195 Secondary vtable for QFileDialog	107
6-196 typeinfo for QFileDialog	107
6-197 Primary vtable for QAbstractPrintDialog	107
6-198 Secondary vtable for QAbstractPrintDialog	109
6-199 typeinfo for QAbstractPrintDialog	110
6-200 Primary vtable for QPrintDialog	110
6-201 Secondary vtable for QPrintDialog	112
6-202 typeinfo for QPrintDialog	113
6-203 Primary vtable for QPageSetupDialog	113
6-204 Secondary vtable for QPageSetupDialog	115
6-205 typeinfo for QPageSetupDialog	116
6-206 Primary vtable for QFrame	116
6-207 Secondary vtable for QFrame	118
6-208 typeinfo for QFrame	119
6-209 Primary vtable for QLineEdit	119
6-210 Secondary vtable for QLineEdit	121
6-211 typeinfo for QLineEdit	121

6-212	Primary vtable for QDialog	122
6-213	Secondary vtable for QDialog	124
6-214	typeinfo for QDialog	124
6-215	Primary vtable for QImage	124
6-216	typeinfo for QImage	125
6-217	Primary vtable for QPixmap	125
6-218	typeinfo for QPixmap	125
6-219	Primary vtable for QImageIOHandler	126
6-220	typeinfo for QImageIOHandler	127
6-221	Primary vtable for QImageIOHandlerFactoryInterface	127
6-222	typeinfo for QImageIOHandlerFactoryInterface	127
6-223	Primary vtable for QImageIOPlugin	127
6-224	Secondary vtable for QImageIOPlugin	128
6-225	typeinfo for QImageIOPlugin	128
6-226	Primary vtable for QPixmap	129
6-227	typeinfo for QPixmap	129
6-228	Primary vtable for QMovie	129
6-229	typeinfo for QMovie	130
6-230	Primary vtable for QIconEngineFactoryInterface	130
6-231	typeinfo for QIconEngineFactoryInterface	130
6-232	Primary vtable for QIconEnginePlugin	131
6-233	Secondary vtable for QIconEnginePlugin	131
6-234	typeinfo for QIconEnginePlugin	132
6-235	Primary vtable for QIconEngine	132
6-236	typeinfo for QIconEngine	133
6-237	Primary vtable for QPixmap	133
6-238	typeinfo for QPixmap	133
6-239	Primary vtable for QPixmapFormatInterface	133
6-240	typeinfo for QPixmapFormatInterface	134
6-241	Primary vtable for QPixmapFormatPlugin	134
6-242	Secondary vtable for QPixmapFormatPlugin	135
6-243	typeinfo for QPixmapFormatPlugin	135
6-244	Primary vtable for QPainter	136
6-245	typeinfo for QPainter	136
6-246	Primary vtable for QPainterEngine	136
6-247	typeinfo for QPainterEngine	137
6-248	Primary vtable for QStyle	137
6-249	typeinfo for QStyle	138
6-250	Primary vtable for QPainterEngine	138
6-251	typeinfo for QPainterEngine	139
6-252	Primary vtable for QItemSelectionModel	140
6-253	typeinfo for QItemSelectionModel	140
6-254	Primary vtable for QAbstractScrollArea	141
6-255	Secondary vtable for QAbstractScrollArea	143
6-256	typeinfo for QAbstractScrollArea	144
6-257	Primary vtable for QValidator	144
6-258	typeinfo for QValidator	144
6-259	Primary vtable for QIntValidator	145
6-260	typeinfo for QIntValidator	145
6-261	Primary vtable for QDoubleValidator	146
6-262	typeinfo for QDoubleValidator	146
6-263	Primary vtable for QRegExpValidator	147
6-264	typeinfo for QRegExpValidator	147
6-265	Primary vtable for QAbstractSpinBox	147

6-266	Secondary vtable for QAbstractSpinBox	150
6-267	typeinfo for QAbstractSpinBox.....	151
6-268	Primary vtable for QAbstractSlider.....	151
6-269	Secondary vtable for QAbstractSlider.....	153
6-270	typeinfo for QAbstractSlider	153
6-271	Primary vtable for QSlider.....	154
6-272	Secondary vtable for QSlider	156
6-273	typeinfo for QSlider.....	156
6-274	Primary vtable for QTabBar	157
6-275	Secondary vtable for QTabBar	159
6-276	typeinfo for QTabBar.....	159
6-277	Primary vtable for QTabWidget	159
6-278	Secondary vtable for QTabWidget.....	162
6-279	typeinfo for QTabWidget.....	162
6-280	Primary vtable for QRubberBand.....	162
6-281	Secondary vtable for QRubberBand.....	165
6-282	typeinfo for QRubberBand	165
6-283	Primary vtable for QAbstractItemDelegate.....	165
6-284	typeinfo for QAbstractItemDelegate.....	166
6-285	Primary vtable for QAbstractItemView.....	167
6-286	Secondary vtable for QAbstractItemView.....	171
6-287	typeinfo for QAbstractItemView	171
6-288	Primary vtable for QStringListModel	171
6-289	typeinfo for QStringListModel.....	173
6-290	Primary vtable for QListView	174
6-291	Secondary vtable for QListView	178
6-292	typeinfo for QListView	178
6-293	Primary vtable for QListWidgetItem	179
6-294	typeinfo for QListWidgetItem.....	179
6-295	Primary vtable for QListWidget	179
6-296	Secondary vtable for QListWidget	184
6-297	typeinfo for QListWidget.....	184
6-298	Primary vtable for QFileIconProvider	184
6-299	typeinfo for QFileIconProvider.....	185
6-300	Primary vtable for QDirModel.....	185
6-301	typeinfo for QDirModel.....	187
6-302	Primary vtable for QStandardItemModel	187
6-303	typeinfo for QStandardItemModel.....	189
6-304	Primary vtable for QAbstractProxyModel	189
6-305	typeinfo for QAbstractProxyModel.....	191
6-306	Primary vtable for QSortFilterProxyModel.....	192
6-307	typeinfo for QSortFilterProxyModel.....	194
6-308	Primary vtable for QItemDelegate	195
6-309	typeinfo for QItemDelegate.....	196
6-310	Primary vtable for QTableView	196
6-311	Secondary vtable for QTableView	200
6-312	typeinfo for QTableView	201
6-313	Primary vtable for QTableWidgetItem	201
6-314	typeinfo for QTableWidgetItem.....	202
6-315	Primary vtable for QTableWidget	202
6-316	Secondary vtable for QTableWidget	206
6-317	typeinfo for QTableWidget.....	207
6-318	Primary vtable for QTreeView.....	207
6-319	Secondary vtable for QTreeView.....	211

6-320	typeinfo for QTreeView	212
6-321	Primary vtable for QProxyModel	212
6-322	typeinfo for QProxyModel	214
6-323	Primary vtable for QHeaderView	214
6-324	Secondary vtable for QHeaderView	218
6-325	typeinfo for QHeaderView	219
6-326	Primary vtable for QItemEditorFactory	219
6-327	typeinfo for QItemEditorFactory	219
6-328	Primary vtable for QTreeWidgetItem	220
6-329	typeinfo for QTreeWidgetItem	220
6-330	Primary vtable for QTreeWidgetItem	220
6-331	Secondary vtable for QTreeWidgetItem	225
6-332	typeinfo for QTreeWidgetItem	225
6-333	Primary vtable for QAccessibleBridgeFactoryInterface	226
6-334	typeinfo for QAccessibleBridgeFactoryInterface	226
6-335	Primary vtable for QAccessibleBridgePlugin	226
6-336	Secondary vtable for QAccessibleBridgePlugin	227
6-337	typeinfo for QAccessibleBridgePlugin	227
6-338	Primary vtable for QAccessibleInterface	228
6-339	typeinfo for QAccessibleInterface	228
6-340	Primary vtable for QAccessibleObject	229
6-341	typeinfo for QAccessibleObject	229
6-342	Primary vtable for QAccessibleApplication	230
6-343	typeinfo for QAccessibleApplication	231
6-344	Primary vtable for QAccessibleWidget	231
6-345	typeinfo for QAccessibleWidget	232
6-346	Primary vtable for QAccessibleFactoryInterface	232
6-347	typeinfo for QAccessibleFactoryInterface	232
6-348	Primary vtable for QAccessiblePlugin	233
6-349	Secondary vtable for QAccessiblePlugin	233
6-350	typeinfo for QAccessiblePlugin	234
6-351	Primary vtable for QClipboard	234
6-352	typeinfo for QClipboard	235
6-353	Primary vtable for QDesktopWidget	235
6-354	Secondary vtable for QDesktopWidget	237
6-355	typeinfo for QDesktopWidget	238
6-356	Primary vtable for QLayoutItem	238
6-357	typeinfo for QLayoutItem	238
6-358	Primary vtable for QSpacerItem	239
6-359	typeinfo for QSpacerItem	239
6-360	Primary vtable for QWidgetItem	240
6-361	typeinfo for QWidgetItem	240
6-362	Primary vtable for QLayout	240
6-363	Secondary vtable for QLayout	241
6-364	typeinfo for QLayout	242
6-365	Primary vtable for QGridLayout	243
6-366	Secondary vtable for QGridLayout	244
6-367	typeinfo for QGridLayout	245
6-368	Primary vtable for QBoxLayout	245
6-369	Secondary vtable for QBoxLayout	246
6-370	typeinfo for QBoxLayout	247
6-371	Primary vtable for QHBoxLayout	247
6-372	Secondary vtable for QHBoxLayout	249
6-373	typeinfo for QHBoxLayout	250

6-374 Primary vtable for QVBoxLayout.....	250
6-375 Secondary vtable for QVBoxLayout.....	251
6-376 typeinfo for QVBoxLayout.....	252
6-377 Primary vtable for QShortcut.....	252
6-378 typeinfo for QShortcut.....	253
6-379 Primary vtable for QSessionManager.....	253
6-380 typeinfo for QSessionManager.....	254
6-381 Primary vtable for QApplication.....	254
6-382 typeinfo for QApplication.....	255
6-383 Primary vtable for QAction.....	255
6-384 typeinfo for QAction.....	255
6-385 Primary vtable for QActionGroup.....	256
6-386 typeinfo for QActionGroup.....	256
6-387 Primary vtable for QSound.....	256
6-388 typeinfo for QSound.....	257
6-389 Primary vtable for QStackedLayout.....	257
6-390 Secondary vtable for QStackedLayout.....	258
6-391 typeinfo for QStackedLayout.....	259
6-392 Primary vtable for QCommonStyle.....	259
6-393 typeinfo for QCommonStyle.....	261
6-394 Primary vtable for QMotifStyle.....	262
6-395 typeinfo for QMotifStyle.....	264
6-396 Primary vtable for QStyleFactoryInterface.....	264
6-397 typeinfo for QStyleFactoryInterface.....	264
6-398 Primary vtable for QStylePlugin.....	264
6-399 Secondary vtable for QStylePlugin.....	265
6-400 typeinfo for QStylePlugin.....	265
6-401 Primary vtable for QWindowsStyle.....	266
6-402 typeinfo for QWindowsStyle.....	268
6-403 Primary vtable for QCDEStyle.....	268
6-404 typeinfo for QCDEStyle.....	270
6-405 Primary vtable for QPlastiqueStyle.....	270
6-406 typeinfo for QPlastiqueStyle.....	272
6-407 Primary vtable for QInputContextFactoryInterface.....	272
6-408 typeinfo for QInputContextFactoryInterface.....	273
6-409 Primary vtable for QInputContextPlugin.....	273
6-410 Secondary vtable for QInputContextPlugin.....	274
6-411 typeinfo for QInputContextPlugin.....	274
6-412 Primary vtable for QInputContext.....	274
6-413 typeinfo for QInputContext.....	275
6-414 Primary vtable for QAbstractButton.....	276
6-415 Secondary vtable for QAbstractButton.....	278
6-416 typeinfo for QAbstractButton.....	278
6-417 Primary vtable for QCheckBox.....	279
6-418 Secondary vtable for QCheckBox.....	281
6-419 typeinfo for QCheckBox.....	281
6-420 Primary vtable for QMenu.....	282
6-421 Secondary vtable for QMenu.....	284
6-422 typeinfo for QMenu.....	284
6-423 Primary vtable for QWorkspace.....	284
6-424 Secondary vtable for QWorkspace.....	287
6-425 typeinfo for QWorkspace.....	287
6-426 Primary vtable for QButtonGroup.....	287
6-427 typeinfo for QButtonGroup.....	288

6-428 Primary vtable for QSpinBox	288
6-429 Secondary vtable for QSpinBox	291
6-430 typeinfo for QSpinBox.....	291
6-431 Primary vtable for QDoubleSpinBox	291
6-432 Secondary vtable for QDoubleSpinBox	294
6-433 typeinfo for QDoubleSpinBox.....	294
6-434 Primary vtable for QLCDNumber.....	294
6-435 Secondary vtable for QLCDNumber.....	297
6-436 typeinfo for QLCDNumber	297
6-437 Primary vtable for QStackedWidget	297
6-438 Secondary vtable for QStackedWidget	300
6-439 typeinfo for QStackedWidget.....	300
6-440 Primary vtable for QPushButton	300
6-441 Secondary vtable for QPushButton	303
6-442 typeinfo for QPushButton.....	303
6-443 Primary vtable for QSplashScreen.....	303
6-444 Secondary vtable for QSplashScreen.....	305
6-445 typeinfo for QSplashScreen	306
6-446 Primary vtable for QDateTimeEdit	306
6-447 Secondary vtable for QDateTimeEdit	309
6-448 typeinfo for QDateTimeEdit.....	309
6-449 Primary vtable for QTimeEdit.....	309
6-450 Secondary vtable for QTimeEdit	312
6-451 typeinfo for QTimeEdit	312
6-452 Primary vtable for QDateEdit	313
6-453 Secondary vtable for QDateEdit	315
6-454 typeinfo for QDateEdit.....	316
6-455 Primary vtable for QLabel	316
6-456 Secondary vtable for QLabel	318
6-457 typeinfo for QLabel.....	318
6-458 Primary vtable for QDockWidget.....	319
6-459 Secondary vtable for QDockWidget.....	321
6-460 typeinfo for QDockWidget.....	321
6-461 Primary vtable for QGroupBox.....	321
6-462 Secondary vtable for QGroupBox.....	324
6-463 typeinfo for QGroupBox	324
6-464 Primary vtable for QMainWindow	324
6-465 Secondary vtable for QMainWindow	327
6-466 typeinfo for QMainWindow.....	327
6-467 Primary vtable for QTextEdit.....	327
6-468 Secondary vtable for QTextEdit.....	330
6-469 typeinfo for QTextEdit	330
6-470 Primary vtable for QProgressBar.....	330
6-471 Secondary vtable for QProgressBar.....	333
6-472 typeinfo for QProgressBar	333
6-473 Primary vtable for QScrollBar	333
6-474 Secondary vtable for QScrollBar	335
6-475 typeinfo for QScrollBar	336
6-476 Primary vtable for QSizeGrip.....	336
6-477 Secondary vtable for QSizeGrip.....	338
6-478 typeinfo for QSizeGrip	339
6-479 Primary vtable for QTextBrowser.....	339
6-480 Secondary vtable for QTextBrowser	342
6-481 typeinfo for QTextBrowser.....	342

6-482 Primary vtable for QStatusBar	342
6-483 Secondary vtable for QStatusBar	344
6-484 typeinfo for QStatusBar.....	345
6-485 Primary vtable for QScrollArea	345
6-486 Secondary vtable for QScrollArea	347
6-487 typeinfo for QScrollArea.....	348
6-488 Primary vtable for QToolButton.....	348
6-489 Secondary vtable for QToolButton.....	350
6-490 typeinfo for QToolButton	351
6-491 Primary vtable for QComboBox	351
6-492 Secondary vtable for QComboBox	353
6-493 typeinfo for QComboBox.....	354
6-494 Primary vtable for QMenuItem	354
6-495 typeinfo for QMenuItem.....	354
6-496 Primary vtable for QRadioButton.....	355
6-497 Secondary vtable for QRadioButton.....	357
6-498 typeinfo for QRadioButton.....	357
6-499 Primary vtable for QMenuBar	358
6-500 Secondary vtable for QMenuBar	360
6-501 typeinfo for QMenuBar	360
6-502 Primary vtable for QFocusFrame	360
6-503 Secondary vtable for QFocusFrame	363
6-504 typeinfo for QFocusFrame.....	363
6-505 Primary vtable for QToolBar	363
6-506 Secondary vtable for QToolBar.....	365
6-507 typeinfo for QToolBar	366
6-508 Primary vtable for QToolBox	366
6-509 Secondary vtable for QToolBox	368
6-510 typeinfo for QToolBox.....	369
6-511 Primary vtable for QSplitter	369
6-512 Secondary vtable for QSplitter	371
6-513 typeinfo for QSplitter	372
6-514 Primary vtable for QSplitterHandle.....	372
6-515 Secondary vtable for QSplitterHandle.....	374
6-516 typeinfo for QSplitterHandle	374
6-517 Primary vtable for QDial	375
6-518 Secondary vtable for QDial	377
6-519 typeinfo for QDial.....	377
6-520 libQtGui - QtGui Function Interfaces.....	377
6-521 libQtXml Definition.....	402
6-522 Primary vtable for QXmlAttributes.....	402
6-523 typeinfo for QXmlAttributes	403
6-524 Primary vtable for QXmlInputSource	403
6-525 typeinfo for QXmlInputSource	403
6-526 Primary vtable for QXmlReader	403
6-527 typeinfo for QXmlReader	404
6-528 Primary vtable for QXmlSimpleReader.....	404
6-529 typeinfo for QXmlSimpleReader	406
6-530 Primary vtable for QXmlLocator	406
6-531 typeinfo for QXmlLocator.....	406
6-532 Primary vtable for QXmlContentHandler.....	406
6-533 typeinfo for QXmlContentHandler	407
6-534 Primary vtable for QXmlErrorHandler.....	407
6-535 typeinfo for QXmlErrorHandler.....	408

6-536 Primary vtable for QDomDTDHandler	408
6-537 typeinfo for QDomDTDHandler.....	408
6-538 Primary vtable for QDomEntityResolver.....	408
6-539 typeinfo for QDomEntityResolver	409
6-540 Primary vtable for QDomLexicalHandler	409
6-541 typeinfo for QDomLexicalHandler	409
6-542 Primary vtable for QDomDeclHandler	410
6-543 typeinfo for QDomDeclHandler	410
6-544 Primary vtable for QDomDefaultHandler	410
6-545 Secondary vtable for QDomDefaultHandler.....	412
6-546 Secondary vtable for QDomDefaultHandler.....	412
6-547 Secondary vtable for QDomDefaultHandler.....	413
6-548 Secondary vtable for QDomDefaultHandler.....	413
6-549 Secondary vtable for QDomDefaultHandler.....	414
6-550 typeinfo for QDomDefaultHandler	415
6-551 libQtXml - QtXml Function Interfaces	415
6-552 libQtOpenGL Definition	417
6-553 Primary vtable for QGLContext.....	417
6-554 typeinfo for QGLContext.....	418
6-555 Primary vtable for QGLWidget	418
6-556 Secondary vtable for QGLWidget	420
6-557 typeinfo for QGLWidget.....	421
6-558 Primary vtable for QGLPixelBuffer.....	421
6-559 typeinfo for QGLPixelBuffer	421
6-560 libQtOpenGL - QtOpenGL Function Interfaces.....	421
6-561 libQtSql Definition.....	422
6-562 Primary vtable for QSqlResult	423
6-563 typeinfo for QSqlResult.....	424
6-564 Primary vtable for QSqlDriverFactoryInterface	424
6-565 typeinfo for QSqlDriverFactoryInterface.....	424
6-566 Primary vtable for QSqlDriverPlugin	425
6-567 Secondary vtable for QSqlDriverPlugin	425
6-568 typeinfo for QSqlDriverPlugin.....	426
6-569 Primary vtable for QSqlDriver	426
6-570 typeinfo for QSqlDriver	427
6-571 Primary vtable for QSqlQueryModel.....	427
6-572 typeinfo for QSqlQueryModel	430
6-573 Primary vtable for QSqlTableModel	430
6-574 typeinfo for QSqlTableModel.....	432
6-575 Primary vtable for QSqlRelationalTableModel.....	433
6-576 typeinfo for QSqlRelationalTableModel.....	435
6-577 libQtSql - QSql Function Interfaces	436
6-578 libQtSvg Definition.....	438
6-579 Primary vtable for QSvgRenderer	438
6-580 typeinfo for QSvgRenderer	439
6-581 Primary vtable for QSvgWidget	439
6-582 Secondary vtable for QSvgWidget	441
6-583 typeinfo for QSvgWidget.....	441
6-584 libQtSvg - QtSvg Function Interfaces.....	442
6-585 libQtNetwork Definition.....	442
6-586 Primary vtable for QHttpHeader	443
6-587 typeinfo for QHttpHeader	443
6-588 Primary vtable for QHttpResponseHeader.....	443
6-589 typeinfo for QHttpResponseHeader	444

6-590 Primary vtable for QHttpRequestHeader	444
6-591 typeinfo for QHttpRequestHeader.....	444
6-592 Primary vtable for QHttp.....	445
6-593 typeinfo for QHttp.....	445
6-594 Primary vtable for QAbstractSocket.....	445
6-595 typeinfo for QAbstractSocket.....	447
6-596 Primary vtable for QUrlInfo.....	447
6-597 typeinfo for QUrlInfo	447
6-598 Primary vtable for QFtp.....	448
6-599 typeinfo for QFtp	448
6-600 Primary vtable for QTcpServer.....	448
6-601 typeinfo for QTcpServer	449
6-602 Primary vtable for QUdpSocket.....	449
6-603 typeinfo for QUdpSocket.....	450
6-604 Primary vtable for QTcpSocket.....	451
6-605 typeinfo for QTcpSocket	452

Foreword

This is version 3.1 of the LSB-Toolkit-Qt4 Module Specification. An implementation of this version of the specification may not claim to be an implementation of LSB-Toolkit-Qt4 Module unless it has successfully completed the compliance process as defined by the Free Standards Group.

Introduction

The LSB-Toolkit-Qt4 Module defines the Qt4 toolkit components that are required to be present on a conforming system.

This document should be used in conjunction with the documents it references. Information referenced in this way is as much a part of this document as is the information explicitly included here.

I Introductory Elements

1 Scope

The LSB Toolkit-Qt4 defines the Qt4 Application framework libraries interface found on an LSB conforming system.

2 Normative References

The specifications listed below are referenced in whole or in part by the LSB-Toolkit-Qt4 Module Standard. Such references may be normative or informative; a reference to specification shall only be considered normative if it is explicitly cited as such. The LSB-Toolkit-Qt4 Module may make normative references to a portion of these specifications (that is, to define a specific function or group of functions); in such cases, only the explicitly referenced portion of the specification is to be considered normative.

Table 2-1 Normative References

Name	Title	URL
ISO C (1999)	ISO/IEC 9899: 1999, Programming Languages --C	
ISO/IEC 14882: 2003 C++ Language	ISO/IEC 14882: 2003 Programming languages --C++	
QtCore 4.1.0	Qt 4.1.0 Reference Manual	http://doc.trolltech.com/4.1/qtcore.html
QtGui 4.1.0	Qt 4.1.0 Reference Manual	http://doc.trolltech.com/4.1/qtgui.html
QtNetwork 4.1.0	Qt 4.1.0 Reference Manual	http://doc.trolltech.com/4.1/qtnetwork.html
QtOpenGL 4.1.0	Qt 4.1.0 Reference Manual	http://doc.trolltech.com/4.1/qtOpenGL.html
QtSql 4.1.0	Qt 4.1.0 Reference Manual	http://doc.trolltech.com/4.1/qtSql.html
QtSvg 4.1.0	Qt 4.1.0 Reference Manual	http://doc.trolltech.com/4.1/qtSvg.html
QtXml 4.1.0	Qt 4.1.0 Reference Manual	http://doc.trolltech.com/4.1/qtXml.html

3 Requirements

3.1 Relevant Libraries

The libraries listed in Table 3-1 shall be available on a Linux Standard Base system, with the specified runtime names. This list may be supplemented or amended by the architecture-specific specification.

Table 3-1 Standard Library Names

Library	Runtime Name
libQtCore	libQtCore.so.4
libQtGui	libQtGui.so.4
libQtNetwork	libQtNetwork.so.4
libQtXml	libQtXml.so.4
libQtOpenGL	libQtOpenGL.so.4
libQtSql	libQtSql.so.4
libQtSvg	libQtSvg.so.4

These libraries will be in an implementation-defined directory which the dynamic linker shall search by default.

4 Definitions

For the purposes of this document, the following definitions, as specified in the *ISO/IEC Directives, Part 2, 2001, 4th Edition*, apply:

can

be able to; there is a possibility of; it is possible to

cannot

be unable to; there is no possibility of; it is not possible to

may

is permitted; is allowed; is permissible

need not

it is not required that; no...is required

shall

is to; is required to; it is required that; has to; only...is permitted; it is necessary

shall not

is not allowed [permitted] [acceptable] [permissible]; is required to be not; is required that...be not; is not to be

should

it is recommended that; ought to

should not

it is not recommended that; ought not to

5 Terminology

For the purposes of this document, the following terms apply:

implementation-defined

Describes a value or behavior that is not defined by this document but is selected by an implementor. The value or behavior may vary among implementations that conform to this document. An application should not rely on the existence of the value or behavior. An application that relies on such a value or behavior cannot be assured to be portable across conforming implementations. The implementor shall document such a value or behavior so that it can be used correctly by an application.

Shell Script

A file that is read by an interpreter (e.g., awk). The first line of the shell script includes a reference to its interpreter binary.

undefined

Describes the nature of a value or behavior not defined by this document which results from use of an invalid program construct or invalid data input. The value or behavior may vary among implementations that conform to this document. An application should not rely on the existence or validity of the value or behavior. An application that relies on any particular value or behavior cannot be assured to be portable across conforming implementations.

unspecified

Describes the nature of a value or behavior not specified by this document which results from use of a valid program construct or valid data input. The value or behavior may vary among implementations that conform to this document. An application should not rely on the existence or validity of the value or behavior. An application that relies on any particular value or behavior cannot be assured to be portable across conforming implementations.

II Qt Libraries

6 Libraries

6.1 Introduction

An conforming implementation shall support the following Qt libraries which provide interfaces for creating rich user applications, either graphical or console.

QtCore

A general-purpose application development library, not specific to graphical user interfaces. QtCore provides a main loop, threading classes, tool classes, template container classes, IO classes, and so on.

QtGui

The GUI part of Qt, provides a paint engine, text rendering engine, widgets, printing, PDF generation, accessibility classes, and so on.

QtXml

The XML support for Qt, provides fast XML parsing and DOM classes to traverse the XML tree.

QtOpenGL

The OpenGL integration for Qt, provides OpenGL rendering and embedding.

QtSql

The database part of Qt, provides access to databases and models that connect databases into the model/view framework of QtGui.

QtSvg

Renders Svg files into any context, for displaying on the screen, printing or embedding in PDF.

QtNetwork

Provides network server and client classes, TCP/IP, UDP, Http, Ftp, Url parsing support, and so on.

There are three main parts to the definition of each of these libraries.

The "Interfaces" section defines the required library name and version, and the required public symbols (interfaces and global data), as well as symbol versions, if any.

The "Interface Definitions" section provides complete or partial definitions of certain interfaces where either this specification is the source specification, or where there are variations from the source specification. If an interface definition requires one or more header files, one of those headers shall include the function prototype for the interface.

For source definitions of interfaces which include a reference to a header file, the contents of such header files form a part of the specification. The "Data Definitions" section provides the binary-level details for the header files from the source specifications, such as values for macros and enumerated types, as well as structure layouts, sizes and padding, etc. These data definitions,

although presented in the form of header files for convenience, should not be taken a representing complete header files, as they are a supplement to the source specifications. Application developers should follow the guidelines of the source specifications when determining which header files need to be included to completely resolve all references.

Note: While the Data Definitions supplement the source specifications, this specification itself does not require conforming implementations to supply any header files.

6.2 Interfaces for libQtCore

Table 6-1 defines the library name and shared object name for the libQtCore library

Table 6-1 libQtCore Definition

Library:	libQtCore
SONAME:	libQtCore.so.4

The behavior of the interfaces in this library is specified by the following specifications:

[QtCore] QtCore 4.1.0

6.2.1 QtCore

6.2.1.1 Class data for QObject

The virtual table for the QObject class is described by Table 6-2

Table 6-2 Primary vtable for QObject

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QObject
vfunc[0]:	QObject::metaObject() const
vfunc[1]:	QObject::qt_metacast(char const*)
vfunc[2]:	QObject::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QObject::~~QObject()
vfunc[4]:	QObject::~~QObject()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)

vfunc[11]:	QObject::disconnectNotify(char const*)
------------	--

The Run Time Type Information for the QObject class is described by Table 6-3

Table 6-3 typeinfo for QObject

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QObject

6.2.1.2 Class data for QObjectUserData

The virtual table for the QObjectUserData class is described by Table 6-4

Table 6-4 Primary vtable for QObjectUserData

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QObjectUserData
vfunc[0]:	QObjectUserData::~~QObjectUserDat a()
vfunc[1]:	QObjectUserData::~~QObjectUserDat a()

The Run Time Type Information for the QObjectUserData class is described by Table 6-5

Table 6-5 typeinfo for QObjectUserData

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QObjectUserData

6.2.1.3 Class data for QIODevice

The virtual table for the QIODevice class is described by Table 6-6

Table 6-6 Primary vtable for QIODevice

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QIODevice
vfunc[0]:	QIODevice::metaObject() const
vfunc[1]:	QIODevice::qt_metacast(char const*)
vfunc[2]:	QIODevice::qt_metacall(QMetaObjec t::Call, int, void**)
vfunc[3]:	QIODevice::~~QIODevice()
vfunc[4]:	QIODevice::~~QIODevice()

vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QIODevice::isSequential() const
vfunc[13]:	QIODevice::open(QFlags<QIODevice::OpenModeFlag>)
vfunc[14]:	QIODevice::close()
vfunc[15]:	QIODevice::pos() const
vfunc[16]:	QIODevice::size() const
vfunc[17]:	QIODevice::seek(long long)
vfunc[18]:	QIODevice::atEnd() const
vfunc[19]:	QIODevice::reset()
vfunc[20]:	QIODevice::bytesAvailable() const
vfunc[21]:	QIODevice::bytesToWrite() const
vfunc[22]:	QIODevice::canReadLine() const
vfunc[23]:	QIODevice::waitForReadyRead(int)
vfunc[24]:	QIODevice::waitForBytesWritten(int)
vfunc[25]:	__cxa_pure_virtual
vfunc[26]:	QIODevice::readLineData(char*, long long)
vfunc[27]:	__cxa_pure_virtual

The Run Time Type Information for the QIODevice class is described by Table 6-7

Table 6-7 typeid for QIODevice

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QIODevice
basetype:	typeid for QObject

6.2.1.4 Class data for QDataStream

The virtual table for the QDataStream class is described by Table 6-8

Table 6-8 Primary vtable for QDataStream

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QDataStream
vfunc[0]:	QDataStream::~~QDataStream()
vfunc[1]:	QDataStream::~~QDataStream()

The Run Time Type Information for the QDataStream class is described by Table 6-9

Table 6-9 typeinfo for QDataStream

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QDataStream

6.2.1.5 Class data for QTextCodec

The virtual table for the QTextCodec class is described by Table 6-10

Table 6-10 Primary vtable for QTextCodec

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTextCodec
vfunc[0]:	__cxa_pure_virtual
vfunc[1]:	QTextCodec::aliases() const
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual
vfunc[4]:	__cxa_pure_virtual
vfunc[5]:	QTextCodec::~~QTextCodec()
vfunc[6]:	QTextCodec::~~QTextCodec()

The Run Time Type Information for the QTextCodec class is described by Table 6-11

Table 6-11 typeinfo for QTextCodec

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QTextCodec

6.2.1.6 Class data for QTextStream

The virtual table for the QTextStream class is described by Table 6-12

Table 6-12 Primary vtable for QTextStream

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QTextStream
vfunc[0]:	QTextStream::~~QTextStream()
vfunc[1]:	QTextStream::~~QTextStream()

The Run Time Type Information for the QTextStream class is described by Table 6-13

Table 6-13 typeid for QTextStream

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeid name for QTextStream

6.2.1.7 Class data for QFile

The virtual table for the QFile class is described by Table 6-14

Table 6-14 Primary vtable for QFile

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QFile
vfunc[0]:	QFile::metaObject() const
vfunc[1]:	QFile::qt_metacast(char const*)
vfunc[2]:	QFile::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QFile::~~QFile()
vfunc[4]:	QFile::~~QFile()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QFile::isSequential() const
vfunc[13]:	QFile::open(QFlags<QIODevice::OpenModeFlag>)

vfunc[14]:	QFile::close()
vfunc[15]:	QFile::pos() const
vfunc[16]:	QFile::size() const
vfunc[17]:	QFile::seek(long long)
vfunc[18]:	QFile::atEnd() const
vfunc[19]:	QIODevice::reset()
vfunc[20]:	QIODevice::bytesAvailable() const
vfunc[21]:	QIODevice::bytesToWrite() const
vfunc[22]:	QIODevice::canReadLine() const
vfunc[23]:	QIODevice::waitForReadyRead(int)
vfunc[24]:	QIODevice::waitForBytesWritten(int)
vfunc[25]:	QFile::readData(char*, long long)
vfunc[26]:	QFile::readLineData(char*, long long)
vfunc[27]:	QFile::writeData(char const*, long long)
vfunc[28]:	QFile::fileEngine() const

The Run Time Type Information for the QFile class is described by Table 6-15

Table 6-15 typeinfo for QFile

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QFile
basetype:	typeinfo for QIODevice

6.2.1.8 Class data for QTemporaryFile

The virtual table for the QTemporaryFile class is described by Table 6-16

Table 6-16 Primary vtable for QTemporaryFile

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTemporaryFile
vfunc[0]:	QTemporaryFile::metaObject() const
vfunc[1]:	QTemporaryFile::qt_metacast(char const*)
vfunc[2]:	QTemporaryFile::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QTemporaryFile::~QTemporaryFile()
vfunc[4]:	QTemporaryFile::~QTemporaryFile()

vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QFile::isSequential() const
vfunc[13]:	QTemporaryFile::open(QFlags<QIODevice::OpenModeFlag>)
vfunc[14]:	QFile::close()
vfunc[15]:	QFile::pos() const
vfunc[16]:	QFile::size() const
vfunc[17]:	QFile::seek(long long)
vfunc[18]:	QFile::atEnd() const
vfunc[19]:	QIODevice::reset()
vfunc[20]:	QIODevice::bytesAvailable() const
vfunc[21]:	QIODevice::bytesToWrite() const
vfunc[22]:	QIODevice::canReadLine() const
vfunc[23]:	QIODevice::waitForReadyRead(int)
vfunc[24]:	QIODevice::waitForBytesWritten(int)
vfunc[25]:	QFile::readData(char*, long long)
vfunc[26]:	QFile::readLineData(char*, long long)
vfunc[27]:	QFile::writeData(char const*, long long)
vfunc[28]:	QTemporaryFile::fileEngine() const

The Run Time Type Information for the QTemporaryFile class is described by Table 6-17

Table 6-17 typeinfo for QTemporaryFile

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QTemporaryFile
basetype:	typeinfo for QFile

6.2.1.9 Class data for QAbstractFileEngine

The virtual table for the QAbstractFileEngine class is described by Table 6-18

Table 6-18 Primary vtable for QAbstractFileEngine

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QAbstractFileEngine
vfunc[0]:	QAbstractFileEngine::~~QAbstractFileEngine()
vfunc[1]:	QAbstractFileEngine::~~QAbstractFileEngine()
vfunc[2]:	QAbstractFileEngine::open(QFlags<QIODevice::OpenModeFlag>)
vfunc[3]:	QAbstractFileEngine::close()
vfunc[4]:	QAbstractFileEngine::flush()
vfunc[5]:	QAbstractFileEngine::size() const
vfunc[6]:	QAbstractFileEngine::pos() const
vfunc[7]:	QAbstractFileEngine::seek(long long)
vfunc[8]:	QAbstractFileEngine::isSequential() const
vfunc[9]:	QAbstractFileEngine::remove()
vfunc[10]:	QAbstractFileEngine::copy(QString const&)
vfunc[11]:	QAbstractFileEngine::rename(QString const&)
vfunc[12]:	QAbstractFileEngine::link(QString const&)
vfunc[13]:	QAbstractFileEngine::mkdir(QString const&, bool) const
vfunc[14]:	QAbstractFileEngine::rmdir(QString const&, bool) const
vfunc[15]:	QAbstractFileEngine::setSize(long long)
vfunc[16]:	QAbstractFileEngine::caseSensitive() const
vfunc[17]:	QAbstractFileEngine::isRelativePath() const
vfunc[18]:	QAbstractFileEngine::entryList(QFlags<QDir::Filter>, QStringList const&) const
vfunc[19]:	QAbstractFileEngine::fileFlags(QFlag)

	s<QAbstractFileEngine::FileFlag> const
vfunc[20]:	QAbstractFileEngine::setPermissions(unsigned int)
vfunc[21]:	QAbstractFileEngine::fileName(QAb stractFileEngine::FileName) const
vfunc[22]:	QAbstractFileEngine::ownerId(QAbs tractFileEngine::FileOwner) const
vfunc[23]:	QAbstractFileEngine::owner(QAbstr actFileEngine::FileOwner) const
vfunc[24]:	QAbstractFileEngine::fileTime(QAbst ractFileEngine::FileTime) const
vfunc[25]:	QAbstractFileEngine::setFileName(Q String const&)
vfunc[26]:	QAbstractFileEngine::handle() const
vfunc[27]:	QAbstractFileEngine::beginEntryList (QFlags<QDir::Filter>, QStringList const&)
vfunc[28]:	QAbstractFileEngine::endEntryList()
vfunc[29]:	QAbstractFileEngine::read(char*, long long)
vfunc[30]:	QAbstractFileEngine::readLine(char*, long long)
vfunc[31]:	QAbstractFileEngine::write(char const*, long long)
vfunc[32]:	QAbstractFileEngine::extension(QAb stractFileEngine::Extension, QAbstractFileEngine::ExtensionOptio n const*, QAbstractFileEngine::ExtensionRetur n*)
vfunc[33]:	QAbstractFileEngine::supportsExtens ion(QAbstractFileEngine::Extension) const

The Run Time Type Information for the QAbstractFileEngine class is described by Table 6-19

Table 6-19 typeinfo for QAbstractFileEngine

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QAbstractFileEngine

6.2.1.10 Class data for QAbstractFileEngineHandler

The virtual table for the QAbstractFileEngineHandler class is described by Table 6-20

Table 6-20 Primary vtable for QAbstractFileEngineHandler

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QAbstractFileEngineHandler
vfunc[0]:	QAbstractFileEngineHandler::~~QAbstractFileEngineHandler()
vfunc[1]:	QAbstractFileEngineHandler::~~QAbstractFileEngineHandler()
vfunc[2]:	__cxa_pure_virtual

The Run Time Type Information for the QAbstractFileEngineHandler class is described by Table 6-21

Table 6-21 typeinfo for QAbstractFileEngineHandler

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QAbstractFileEngineHandler

6.2.1.11 Class data for QFSFileEngine

The virtual table for the QFSFileEngine class is described by Table 6-22

Table 6-22 Primary vtable for QFSFileEngine

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QFSFileEngine
vfunc[0]:	QFSFileEngine::~~QFSFileEngine()
vfunc[1]:	QFSFileEngine::~~QFSFileEngine()
vfunc[2]:	QFSFileEngine::open(QFlags<QIODevice::OpenModeFlag>)
vfunc[3]:	QFSFileEngine::close()
vfunc[4]:	QFSFileEngine::flush()
vfunc[5]:	QFSFileEngine::size() const
vfunc[6]:	QFSFileEngine::pos() const
vfunc[7]:	QFSFileEngine::seek(long long)
vfunc[8]:	QFSFileEngine::isSequential() const

vfunc[9]:	QFSFileEngine::remove()
vfunc[10]:	QFSFileEngine::copy(QString const&)
vfunc[11]:	QFSFileEngine::rename(QString const&)
vfunc[12]:	QFSFileEngine::link(QString const&)
vfunc[13]:	QFSFileEngine::mkdir(QString const&, bool) const
vfunc[14]:	QFSFileEngine::rmdir(QString const&, bool) const
vfunc[15]:	QFSFileEngine::setSize(long long)
vfunc[16]:	QFSFileEngine::caseSensitive() const
vfunc[17]:	QFSFileEngine::isRelativePath() const
vfunc[18]:	QFSFileEngine::entryList(QFlags<QDir::Filter>, QStringList const&) const
vfunc[19]:	QFSFileEngine::fileFlags(QFlags<QAbstractFileEngine::FileFlag>) const
vfunc[20]:	QFSFileEngine::setPermissions(unsigned int)
vfunc[21]:	QFSFileEngine::fileName(QAbstractFileEngine::FileName) const
vfunc[22]:	QFSFileEngine::ownerId(QAbstractFileEngine::FileOwner) const
vfunc[23]:	QFSFileEngine::owner(QAbstractFileEngine::FileOwner) const
vfunc[24]:	QFSFileEngine::fileTime(QAbstractFileEngine::FileTime) const
vfunc[25]:	QFSFileEngine::setFileName(QString const&)
vfunc[26]:	QFSFileEngine::handle() const
vfunc[27]:	QFSFileEngine::beginEntryList(QFlags<QDir::Filter>, QStringList const&)
vfunc[28]:	QFSFileEngine::endEntryList()
vfunc[29]:	QFSFileEngine::read(char*, long long)
vfunc[30]:	QFSFileEngine::readLine(char*, long long)
vfunc[31]:	QFSFileEngine::write(char const*, long long)
vfunc[32]:	QFSFileEngine::extension(QAbstract

	FileEngine::Extension, QAbstractFileEngine::ExtensionOption const*, QAbstractFileEngine::ExtensionReturn*)
vfunc[33]:	QFSFileEngine::supportsExtension(QAbstractFileEngine::Extension) const

The Run Time Type Information for the QFSFileEngine class is described by Table 6-23

Table 6-23 typeinfo for QFSFileEngine

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QFSFileEngine
basetype:	typeinfo for QAbstractFileEngine

6.2.1.12 Class data for QProcess

The virtual table for the QProcess class is described by Table 6-24

Table 6-24 Primary vtable for QProcess

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QProcess
vfunc[0]:	QProcess::metaObject() const
vfunc[1]:	QProcess::qt_metacast(char const*)
vfunc[2]:	QProcess::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QProcess::~~QProcess()
vfunc[4]:	QProcess::~QProcess()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QProcess::isSequential() const
vfunc[13]:	QIODevice::open(QFlags<QIODevice

	::OpenModeFlag>)
vfunc[14]:	QProcess::close()
vfunc[15]:	QIODevice::pos() const
vfunc[16]:	QIODevice::size() const
vfunc[17]:	QIODevice::seek(long long)
vfunc[18]:	QProcess::atEnd() const
vfunc[19]:	QIODevice::reset()
vfunc[20]:	QProcess::bytesAvailable() const
vfunc[21]:	QProcess::bytesToWrite() const
vfunc[22]:	QProcess::canReadLine() const
vfunc[23]:	QProcess::waitForReadyRead(int)
vfunc[24]:	QProcess::waitForBytesWritten(int)
vfunc[25]:	QProcess::readData(char*, long long)
vfunc[26]:	QIODevice::readLineData(char*, long long)
vfunc[27]:	QProcess::writeData(char const*, long long)
vfunc[28]:	QProcess::setupChildProcess()

The Run Time Type Information for the QProcess class is described by Table 6-25

Table 6-25 typeinfo for QProcess

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QProcess
basetype:	typeinfo for QIODevice

6.2.1.13 Class data for QBuffer

The virtual table for the QBuffer class is described by Table 6-26

Table 6-26 Primary vtable for QBuffer

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QBuffer
vfunc[0]:	QBuffer::metaObject() const
vfunc[1]:	QBuffer::qt_metacast(char const*)
vfunc[2]:	QBuffer::qt_metacall(QMetaObject::Call, int, void**)

vfunc[3]:	QBuffer::~~QBuffer()
vfunc[4]:	QBuffer::~~QBuffer()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QIODevice::isSequential() const
vfunc[13]:	QBuffer::open(QFlags<QIODevice::OpenModeFlag>)
vfunc[14]:	QBuffer::close()
vfunc[15]:	QBuffer::pos() const
vfunc[16]:	QBuffer::size() const
vfunc[17]:	QBuffer::seek(long long)
vfunc[18]:	QBuffer::atEnd() const
vfunc[19]:	QIODevice::reset()
vfunc[20]:	QIODevice::bytesAvailable() const
vfunc[21]:	QIODevice::bytesToWrite() const
vfunc[22]:	QBuffer::canReadLine() const
vfunc[23]:	QIODevice::waitForReadyRead(int)
vfunc[24]:	QIODevice::waitForBytesWritten(int)
vfunc[25]:	QBuffer::readData(char*, long long)
vfunc[26]:	QIODevice::readLineData(char*, long long)
vfunc[27]:	QBuffer::writeData(char const*, long long)

The Run Time Type Information for the QBuffer class is described by Table 6-27

Table 6-27 typeinfo for QBuffer

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QBuffer
basetype:	typeinfo for QIODevice

6.2.1.14 Class data for QSettings

The virtual table for the QSettings class is described by Table 6-28

Table 6-28 Primary vtable for QSettings

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSettings
vfunc[0]:	QSettings::metaObject() const
vfunc[1]:	QSettings::qt_metacast(char const*)
vfunc[2]:	QSettings::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QSettings::~QSettings()
vfunc[4]:	QSettings::~QSettings()
vfunc[5]:	QSettings::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QSettings class is described by Table 6-29

Table 6-29 typeinfo for QSettings

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSettings
basetype:	typeinfo for QObject

6.2.1.15 Class data for QFactoryInterface

The virtual table for the QFactoryInterface class is described by Table 6-30

Table 6-30 Primary vtable for QFactoryInterface

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QFactoryInterface
vfunc[0]:	QFactoryInterface::~QFactoryInterface()

vfunc[1]:	QFactoryInterface::~QFactoryInterface()
vfunc[2]:	__cxa_pure_virtual

The Run Time Type Information for the QFactoryInterface class is described by Table 6-31

Table 6-31 typeinfo for QFactoryInterface

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QFactoryInterface

6.2.1.16 Class data for QTextCodecFactoryInterface

The virtual table for the QTextCodecFactoryInterface class is described by Table 6-32

Table 6-32 Primary vtable for QTextCodecFactoryInterface

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTextCodecFactoryInterface
vfunc[0]:	QTextCodecFactoryInterface::~QTextCodecFactoryInterface()
vfunc[1]:	QTextCodecFactoryInterface::~QTextCodecFactoryInterface()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual

The Run Time Type Information for the QTextCodecFactoryInterface class is described by Table 6-33

Table 6-33 typeinfo for QTextCodecFactoryInterface

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QTextCodecFactoryInterface
basetype:	typeinfo for QFactoryInterface

6.2.1.17 Class data for QTextCodecPlugin

The virtual table for the QTextCodecPlugin class is described by Table 6-34

Table 6-34 Primary vtable for QTextCodecPlugin

Base Offset	0
Virtual Base Offset	0

RTTI	typeinfo for QTextCodecPlugin
vfunc[0]:	QTextCodecPlugin::metaObject() const
vfunc[1]:	QTextCodecPlugin::qt_metacast(char const*)
vfunc[2]:	QTextCodecPlugin::qt_metacall(QMe taObject::Call, int, void**)
vfunc[3]:	QTextCodecPlugin::~~QTextCodecPlu gin()
vfunc[4]:	QTextCodecPlugin::~~QTextCodecPlu gin()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	__cxa_pure_virtual
vfunc[14]:	__cxa_pure_virtual
vfunc[15]:	__cxa_pure_virtual
vfunc[16]:	__cxa_pure_virtual
vfunc[17]:	QTextCodecPlugin::keys() const
vfunc[18]:	QTextCodecPlugin::create(QString const&)

Table 6-35 Secondary vtable for QTextCodecPlugin

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QTextCodecPlugin
vfunc[0]:	non-virtual thunk to QTextCodecPlugin::~~QTextCodecPlu gin()
vfunc[1]:	non-virtual thunk to QTextCodecPlugin::~~QTextCodecPlu gin()

vfunc[2]:	non-virtual thunk to QTextCodecPlugin::keys() const
vfunc[3]:	non-virtual thunk to QTextCodecPlugin::create(QString const&)

The Run Time Type Information for the QTextCodecPlugin class is described by Table 6-36

Table 6-36 typeinfo for QTextCodecPlugin

Base Vtable	vtable for __cxxabiv1::__vmi_class _type_info	
Name	typeinfo name for QTextCodecPlugin	
flags:	0	
basetype:	typeinfo for QObject	2
basetype:	typeinfo for QTextCodecFactoryInte rface	2050

6.2.1.18 Class data for QTranslator

The virtual table for the QTranslator class is described by Table 6-37

Table 6-37 Primary vtable for QTranslator

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTranslator
vfunc[0]:	QTranslator::metaObject() const
vfunc[1]:	QTranslator::qt_metacast(char const*)
vfunc[2]:	QTranslator::qt_metacall(QMetaObje ct::Call, int, void**)
vfunc[3]:	QTranslator::~~QTranslator()
vfunc[4]:	QTranslator::~~QTranslator()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)

vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QTranslator::translate(char const*, char const*, char const*) const
vfunc[13]:	QTranslator::isEmpty() const

The Run Time Type Information for the QTranslator class is described by Table 6-38

Table 6-38 typeinfo for QTranslator

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QTranslator
basetype:	typeinfo for QObject

6.2.1.19 Class data for QMimeData

The virtual table for the QMimeData class is described by Table 6-39

Table 6-39 Primary vtable for QMimeData

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QMimeData
vfunc[0]:	QMimeData::metaObject() const
vfunc[1]:	QMimeData::qt_metacast(char const*)
vfunc[2]:	QMimeData::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QMimeData::~QMimeData()
vfunc[4]:	QMimeData::~QMimeData()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QMimeData::hasFormat(QString const&) const
vfunc[13]:	QMimeData::formats() const

vfunc[14]:	QMimeData::retrieveData(QString const&, QVariant::Type) const
------------	---

The Run Time Type Information for the QMimeData class is described by Table 6-40

Table 6-40 typeinfo for QMimeData

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QMimeData
basetype:	typeinfo for QObject

6.2.1.20 Class data for QEventLoop

The virtual table for the QEventLoop class is described by Table 6-41

Table 6-41 Primary vtable for QEventLoop

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QEventLoop
vfunc[0]:	QEventLoop::metaObject() const
vfunc[1]:	QEventLoop::qt_metacast(char const*)
vfunc[2]:	QEventLoop::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QEventLoop::~~QEventLoop()
vfunc[4]:	QEventLoop::~QEventLoop()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QEventLoop class is described by Table 6-42

Table 6-42 typeinfo for QEventLoop

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
-------------	--

Name	typeid name for QEventLoop
basetype:	typeid for QObject

6.2.1.21 Class data for QEvent

The virtual table for the QEvent class is described by Table 6-43

Table 6-43 Primary vtable for QEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QEvent
vfunc[0]:	QEvent::~~QEvent()
vfunc[1]:	QEvent::~~QEvent()

The Run Time Type Information for the QEvent class is described by Table 6-44

Table 6-44 typeid for QEvent

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeid name for QEvent

6.2.1.22 Class data for QTimerEvent

The virtual table for the QTimerEvent class is described by Table 6-45

Table 6-45 Primary vtable for QTimerEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QTimerEvent
vfunc[0]:	QTimerEvent::~~QTimerEvent()
vfunc[1]:	QTimerEvent::~~QTimerEvent()

The Run Time Type Information for the QTimerEvent class is described by Table 6-46

Table 6-46 typeid for QTimerEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QTimerEvent
basetype:	typeid for QEvent

6.2.1.23 Class data for QChildEvent

The virtual table for the QChildEvent class is described by Table 6-47

Table 6-47 Primary vtable for QChildEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QChildEvent
vfunc[0]:	QChildEvent::~~QChildEvent()
vfunc[1]:	QChildEvent::~~QChildEvent()

The Run Time Type Information for the QChildEvent class is described by Table 6-48

Table 6-48 typeid for QChildEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QChildEvent
basetype:	typeid for QEvent

6.2.1.24 Class data for QCustomEvent

The virtual table for the QCustomEvent class is described by Table 6-49

Table 6-49 Primary vtable for QCustomEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QCustomEvent
vfunc[0]:	QCustomEvent::~~QCustomEvent()
vfunc[1]:	QCustomEvent::~~QCustomEvent()

The Run Time Type Information for the QCustomEvent class is described by Table 6-50

Table 6-50 typeid for QCustomEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QCustomEvent
basetype:	typeid for QEvent

6.2.1.25 Class data for QCoreApplication

The virtual table for the QCoreApplication class is described by Table 6-51

Table 6-51 Primary vtable for QCoreApplication

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QCoreApplication

vfunc[0]:	QCoreApplication::metaObject() const
vfunc[1]:	QCoreApplication::qt_metacast(char const*)
vfunc[2]:	QCoreApplication::qt_metacall(QMet aObject::Call, int, void**)
vfunc[3]:	QCoreApplication::~~QCoreApplication() ()
vfunc[4]:	QCoreApplication::~~QCoreApplication() ()
vfunc[5]:	QCoreApplication::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QCoreApplication::notify(QObject*, QEvent*)
vfunc[13]:	QCoreApplication::compressEvent(Q Event*, QObject*, QPostEventList*)

The Run Time Type Information for the QCoreApplication class is described by Table 6-52

Table 6-52 typeinfo for QCoreApplication

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QCoreApplication
basetype:	typeinfo for QObject

6.2.1.26 Class data for QAbstractItemModel

The virtual table for the QAbstractItemModel class is described by Table 6-53

Table 6-53 Primary vtable for QAbstractItemModel

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QAbstractItemModel
vfunc[0]:	QAbstractItemModel::metaObject() const

vfunc[1]:	QAbstractItemModel::qt_metacast(char const*)
vfunc[2]:	QAbstractItemModel::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QAbstractItemModel::~~QAbstractItemModel()
vfunc[4]:	QAbstractItemModel::~~QAbstractItemModel()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	__cxa_pure_virtual
vfunc[14]:	__cxa_pure_virtual
vfunc[15]:	__cxa_pure_virtual
vfunc[16]:	QAbstractItemModel::hasChildren(QModelIndex const&) const
vfunc[17]:	__cxa_pure_virtual
vfunc[18]:	QAbstractItemModel::setData(QModelIndex const&, QVariant const&, int)
vfunc[19]:	QAbstractItemModel::headerData(int, Qt::Orientation, int) const
vfunc[20]:	QAbstractItemModel::setHeaderData(int, Qt::Orientation, QVariant const&, int)
vfunc[21]:	QAbstractItemModel::itemData(QModelIndex const&) const
vfunc[22]:	QAbstractItemModel::setItemData(QModelIndex const&, QMap<int, QVariant> const&)
vfunc[23]:	QAbstractItemModel::mimeTypes() const
vfunc[24]:	QAbstractItemModel::mimeData(QList<QModelIndex> const&) const

vfunc[25]:	QAbstractItemModel::dropMimeData(QMimeData const*, Qt::DropAction, int, int, QModelIndex const&)
vfunc[26]:	QAbstractItemModel::supportedDropActions() const
vfunc[27]:	QAbstractItemModel::insertRows(int, int, QModelIndex const&)
vfunc[28]:	QAbstractItemModel::insertColumns(int, int, QModelIndex const&)
vfunc[29]:	QAbstractItemModel::removeRows(int, int, QModelIndex const&)
vfunc[30]:	QAbstractItemModel::removeColumns(int, int, QModelIndex const&)
vfunc[31]:	QAbstractItemModel::fetchMore(QModelIndex const&)
vfunc[32]:	QAbstractItemModel::canFetchMore(QModelIndex const&) const
vfunc[33]:	QAbstractItemModel::flags(QModelIndex const&) const
vfunc[34]:	QAbstractItemModel::sort(int, Qt::SortOrder)
vfunc[35]:	QAbstractItemModel::buddy(QModelIndex const&) const
vfunc[36]:	QAbstractItemModel::match(QModelIndex const&, int, QVariant const&, int, QFlags<Qt::MatchFlag>) const
vfunc[37]:	QAbstractItemModel::span(QModelIndex const&) const
vfunc[38]:	QAbstractItemModel::submit()
vfunc[39]:	QAbstractItemModel::revert()

The Run Time Type Information for the QAbstractItemModel class is described by Table 6-54

Table 6-54 typeinfo for QAbstractItemModel

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QAbstractItemModel
basetype:	typeinfo for QObject

6.2.1.27 Class data for QAbstractTableModel

The virtual table for the QAbstractTableModel class is described by Table 6-55

Table 6-55 Primary vtable for QAbstractTableModel

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QAbstractTableModel
vfunc[0]:	QAbstractTableModel::metaObject() const
vfunc[1]:	QAbstractTableModel::qt_metacast(char const*)
vfunc[2]:	QAbstractTableModel::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QAbstractTableModel::~QAbstractTableModel()
vfunc[4]:	QAbstractTableModel::~QAbstractTableModel()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QAbstractTableModel::index(int, int, QModelIndex const&) const
vfunc[13]:	QAbstractTableModel::parent(QModelIndex const&) const
vfunc[14]:	__cxa_pure_virtual
vfunc[15]:	__cxa_pure_virtual
vfunc[16]:	QAbstractTableModel::hasChildren(QModelIndex const&) const
vfunc[17]:	__cxa_pure_virtual
vfunc[18]:	QAbstractItemModel::setData(QModelIndex const&, QVariant const&, int)
vfunc[19]:	QAbstractItemModel::headerData(int, Qt::Orientation, int) const
vfunc[20]:	QAbstractItemModel::setHeaderData(int, Qt::Orientation, QVariant const&, int)
vfunc[21]:	QAbstractItemModel::itemData(QMo

	delIndex const&) const
vfunc[22]:	QAbstractItemModel::setItemData(QModelIndex const&, QMap<int, QVariant> const&)
vfunc[23]:	QAbstractItemModel::mimeTypes() const
vfunc[24]:	QAbstractItemModel::mimeData(QList<QModelIndex> const&) const
vfunc[25]:	QAbstractTableModel::dropMimeData(QMimeData const*, Qt::DropAction, int, int, QModelIndex const&)
vfunc[26]:	QAbstractItemModel::supportedDropActions() const
vfunc[27]:	QAbstractItemModel::insertRows(int, int, QModelIndex const&)
vfunc[28]:	QAbstractItemModel::insertColumns(int, int, QModelIndex const&)
vfunc[29]:	QAbstractItemModel::removeRows(int, int, QModelIndex const&)
vfunc[30]:	QAbstractItemModel::removeColumns(int, int, QModelIndex const&)
vfunc[31]:	QAbstractItemModel::fetchMore(QModelIndex const&)
vfunc[32]:	QAbstractItemModel::canFetchMore(QModelIndex const&) const
vfunc[33]:	QAbstractItemModel::flags(QModelIndex const&) const
vfunc[34]:	QAbstractItemModel::sort(int, Qt::SortOrder)
vfunc[35]:	QAbstractItemModel::buddy(QModelIndex const&) const
vfunc[36]:	QAbstractItemModel::match(QModelIndex const&, int, QVariant const&, int, QFlags<Qt::MatchFlag>) const
vfunc[37]:	QAbstractItemModel::span(QModelIndex const&) const
vfunc[38]:	QAbstractItemModel::submit()
vfunc[39]:	QAbstractItemModel::revert()

The Run Time Type Information for the QAbstractTableModel class is described by Table 6-56

Table 6-56 typeinfo for QAbstractTableModel

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QAbstractTableModel
basetype:	typeinfo for QAbstractItemModel

6.2.1.28 Class data for QAbstractListModel

The virtual table for the QAbstractListModel class is described by Table 6-57

Table 6-57 Primary vtable for QAbstractListModel

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QAbstractListModel
vfunc[0]:	QAbstractListModel::metaObject() const
vfunc[1]:	QAbstractListModel::qt_metacast(char const*)
vfunc[2]:	QAbstractListModel::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QAbstractListModel::~~QAbstractListModel()
vfunc[4]:	QAbstractListModel::~~QAbstractListModel()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QAbstractListModel::index(int, int, QModelIndex const&) const
vfunc[13]:	QAbstractListModel::parent(QModelIndex const&) const
vfunc[14]:	__cxa_pure_virtual
vfunc[15]:	QAbstractListModel::columnCount(QModelIndex const&) const

vfunc[16]:	QAbstractListModel::hasChildren(QModelIndex const&) const
vfunc[17]:	__cxa_pure_virtual
vfunc[18]:	QAbstractItemModel::setData(QModelIndex const&, QVariant const&, int)
vfunc[19]:	QAbstractItemModel::headerData(int, Qt::Orientation, int) const
vfunc[20]:	QAbstractItemModel::setHeaderData(int, Qt::Orientation, QVariant const&, int)
vfunc[21]:	QAbstractItemModel::itemData(QModelIndex const&) const
vfunc[22]:	QAbstractItemModel::setItemData(QModelIndex const&, QMap<int, QVariant> const&)
vfunc[23]:	QAbstractItemModel::mimeTypes() const
vfunc[24]:	QAbstractItemModel::mimeData(QList<QModelIndex> const&) const
vfunc[25]:	QAbstractListModel::dropMimeData(QMimeData const*, Qt::DropAction, int, int, QModelIndex const&)
vfunc[26]:	QAbstractItemModel::supportedDropActions() const
vfunc[27]:	QAbstractItemModel::insertRows(int, int, QModelIndex const&)
vfunc[28]:	QAbstractItemModel::insertColumns(int, int, QModelIndex const&)
vfunc[29]:	QAbstractItemModel::removeRows(int, int, QModelIndex const&)
vfunc[30]:	QAbstractItemModel::removeColumns(int, int, QModelIndex const&)
vfunc[31]:	QAbstractItemModel::fetchMore(QModelIndex const&)
vfunc[32]:	QAbstractItemModel::canFetchMore(QModelIndex const&) const
vfunc[33]:	QAbstractItemModel::flags(QModelIndex const&) const
vfunc[34]:	QAbstractItemModel::sort(int, Qt::SortOrder)
vfunc[35]:	QAbstractItemModel::buddy(QModelIndex const&) const

vfunc[36]:	QAbstractItemModel::match(QModelIndex const&, int, QVariant const&, int, QFlags<Qt::MatchFlag>) const
vfunc[37]:	QAbstractItemModel::span(QModelIndex const&) const
vfunc[38]:	QAbstractItemModel::submit()
vfunc[39]:	QAbstractItemModel::revert()

The Run Time Type Information for the QAbstractListModel class is described by Table 6-58

Table 6-58 typeinfo for QAbstractListModel

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QAbstractListModel
basetype:	typeinfo for QAbstractItemModel

6.2.1.29 Class data for QSignalMapper

The virtual table for the QSignalMapper class is described by Table 6-59

Table 6-59 Primary vtable for QSignalMapper

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSignalMapper
vfunc[0]:	QSignalMapper::metaObject() const
vfunc[1]:	QSignalMapper::qt_metacast(char const*)
vfunc[2]:	QSignalMapper::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QSignalMapper::~~QSignalMapper()
vfunc[4]:	QSignalMapper::~~QSignalMapper()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the `QSignalMapper` class is described by Table 6-60

Table 6-60 typeinfo for `QSignalMapper`

Base Vtable	vtable for <code>__cxxabiv1::__si_class_type_info</code>
Name	typeinfo name for <code>QSignalMapper</code>
basetype:	typeinfo for <code>QObject</code>

6.2.1.30 Class data for `QObjectCleanupHandler`

The virtual table for the `QObjectCleanupHandler` class is described by Table 6-61

Table 6-61 Primary vtable for `QObjectCleanupHandler`

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for <code>QObjectCleanupHandler</code>
<code>vfunc[0]:</code>	<code>QObjectCleanupHandler::metaObject()</code> const
<code>vfunc[1]:</code>	<code>QObjectCleanupHandler::qt_metacast(char const*)</code>
<code>vfunc[2]:</code>	<code>QObjectCleanupHandler::qt_metacall(QMetaObject::Call, int, void**)</code>
<code>vfunc[3]:</code>	<code>QObjectCleanupHandler::~~QObjectCleanupHandler()</code>
<code>vfunc[4]:</code>	<code>QObjectCleanupHandler::~~QObjectCleanupHandler()</code>
<code>vfunc[5]:</code>	<code>QObject::event(QEvent*)</code>
<code>vfunc[6]:</code>	<code>QObject::eventFilter(QObject*, QEvent*)</code>
<code>vfunc[7]:</code>	<code>QObject::timerEvent(QTimerEvent*)</code>
<code>vfunc[8]:</code>	<code>QObject::childEvent(QChildEvent*)</code>
<code>vfunc[9]:</code>	<code>QObject::customEvent(QEvent*)</code>
<code>vfunc[10]:</code>	<code>QObject::connectNotify(char const*)</code>
<code>vfunc[11]:</code>	<code>QObject::disconnectNotify(char const*)</code>

The Run Time Type Information for the `QObjectCleanupHandler` class is described by Table 6-62

Table 6-62 typeinfo for `QObjectCleanupHandler`

Base Vtable	vtable for <code>__cxxabiv1::__si_class_type_info</code>
-------------	---

Name	typeinfo name for QObjectCleanupHandler
basetype:	typeinfo for QObject

6.2.1.31 Class data for QSocketNotifier

The virtual table for the QSocketNotifier class is described by Table 6-63

Table 6-63 Primary vtable for QSocketNotifier

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSocketNotifier
vfunc[0]:	QSocketNotifier::metaObject() const
vfunc[1]:	QSocketNotifier::qt_metacast(char const*)
vfunc[2]:	QSocketNotifier::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QSocketNotifier::~~QSocketNotifier()
vfunc[4]:	QSocketNotifier::~~QSocketNotifier()
vfunc[5]:	QSocketNotifier::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QSocketNotifier class is described by Table 6-64

Table 6-64 typeinfo for QSocketNotifier

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSocketNotifier
basetype:	typeinfo for QObject

6.2.1.32 Class data for QTimer

The virtual table for the QTimer class is described by Table 6-65

Table 6-65 Primary vtable for QTimer

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QTimer
vfunc[0]:	QTimer::metaObject() const
vfunc[1]:	QTimer::qt_metacast(char const*)
vfunc[2]:	QTimer::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QTimer::~~QTimer()
vfunc[4]:	QTimer::~~QTimer()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QTimer::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QTimer class is described by Table 6-66

Table 6-66 typeid for QTimer

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QTimer
basetype:	typeid for QObject

6.2.1.33 Class data for QAbstractEventDispatcher

The virtual table for the QAbstractEventDispatcher class is described by Table 6-67

Table 6-67 Primary vtable for QAbstractEventDispatcher

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QAbstractEventDispatcher
vfunc[0]:	QAbstractEventDispatcher::metaObject() const
vfunc[1]:	QAbstractEventDispatcher::qt_metac

	ast(char const*)
vfunc[2]:	QAbstractEventDispatcher::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QAbstractEventDispatcher::~~QAbstractEventDispatcher()
vfunc[4]:	QAbstractEventDispatcher::~~QAbstractEventDispatcher()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	__cxa_pure_virtual
vfunc[14]:	__cxa_pure_virtual
vfunc[15]:	__cxa_pure_virtual
vfunc[16]:	__cxa_pure_virtual
vfunc[17]:	__cxa_pure_virtual
vfunc[18]:	__cxa_pure_virtual
vfunc[19]:	__cxa_pure_virtual
vfunc[20]:	__cxa_pure_virtual
vfunc[21]:	__cxa_pure_virtual
vfunc[22]:	__cxa_pure_virtual
vfunc[23]:	QAbstractEventDispatcher::startingUp()
vfunc[24]:	QAbstractEventDispatcher::closingDown()

The Run Time Type Information for the QAbstractEventDispatcher class is described by Table 6-68

Table 6-68 typeid for QAbstractEventDispatcher

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QAbstractEventDispatcher

basetype:	typeinfo for QObject
-----------	----------------------

6.2.1.34 Class data for QPluginLoader

The virtual table for the QPluginLoader class is described by Table 6-69

Table 6-69 Primary vtable for QPluginLoader

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QPluginLoader
vfunc[0]:	QPluginLoader::metaObject() const
vfunc[1]:	QPluginLoader::qt_metacast(char const*)
vfunc[2]:	QPluginLoader::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QPluginLoader::~~QPluginLoader()
vfunc[4]:	QPluginLoader::~QPluginLoader()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QPluginLoader class is described by Table 6-70

Table 6-70 typeinfo for QPluginLoader

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QPluginLoader
basetype:	typeinfo for QObject

6.2.1.35 Class data for QLibrary

The virtual table for the QLibrary class is described by Table 6-71

Table 6-71 Primary vtable for QLibrary

Base Offset	0
Virtual Base Offset	0

RTTI	typeinfo for QLibrary
vfunc[0]:	QLibrary::metaObject() const
vfunc[1]:	QLibrary::qt_metacast(char const*)
vfunc[2]:	QLibrary::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QLibrary::~~QLibrary()
vfunc[4]:	QLibrary::~~QLibrary()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QLibrary class is described by Table 6-72

Table 6-72 typeinfo for QLibrary

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QLibrary
basetype:	typeinfo for QObject

6.2.1.36 Class data for QThread

The virtual table for the QThread class is described by Table 6-73

Table 6-73 Primary vtable for QThread

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QThread
vfunc[0]:	QThread::metaObject() const
vfunc[1]:	QThread::qt_metacast(char const*)
vfunc[2]:	QThread::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QThread::~~QThread()
vfunc[4]:	QThread::~~QThread()

vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	__cxa_pure_virtual

The Run Time Type Information for the QThread class is described by Table 6-74

Table 6-74 typeinfo for QThread

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QThread
basetype:	typeinfo for QObject

6.2.1.37 Interfaces for QtCore

An LSB conforming implementation shall provide the architecture specific functions for QtCore specified in Table 6-75, with the full mandatory functionality as described in the referenced underlying specification.

Table 6-75 libQtCore - QtCore Function Interfaces

_Z10qvsprintfPcmPKcPv [QtCore]	_Z7qMallocm [QtCore]
_Z7qMemSetPvim [QtCore]	_Z8qMemCopyPvPKvm [QtCore]
_Z8qReallocPvm [QtCore]	_Z9qsprintfPcmPKcz [QtCore]
_ZThn16_N16QTextCodecPlugin6createERK7QString [QtCore]	_ZThn16_N16QTextCodecPluginD0Ev [QtCore]
_ZThn16_N16QTextCodecPluginD1Ev [QtCore]	_ZThn16_NK16QTextCodecPlugin4keysEv [QtCore]

6.3 Data Definitions for libQtCore

This section defines global identifiers and their values that are associated with interfaces contained in libQtCore. These definitions are organized into groups that correspond to system headers. This convention is used as a convenience for the reader, and does not imply the existence of these headers, or their content. Where an interface is defined as requiring a particular system header file all of the data definitions for that system header file presented here shall be in effect.

This section gives data definitions to promote binary application portability, not to repeat source interface definitions available elsewhere. System providers and

application developers should use this ABI to supplement - not to replace - source interface definition specifications.

This specification uses the ISO C (1999) C Language as the reference programming language, and data definitions are specified in ISO C format. The C language is used here as a convenient notation. Using a C language description of these data objects does not preclude their use by other programming languages.

6.3.1 QtCore/qabstracteventdispatcher.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.2 QtCore/qabstractfileengine.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.3 QtCore/qabstractitemmodel.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.4 QtCore/qatomic.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.5 QtCore/qbasictimer.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.6 QtCore/qbitarray.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.7 QtCore/qbuffer.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

```
*/
```

6.3.8 QtCore/qbytearray.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.9 QtCore/qbytearraymatcher.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.10 QtCore/qchar.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.11 QtCore/qcoreapplication.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.12 QtCore/qcoreevent.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.13 QtCore/qdatastream.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.14 QtCore/qdatetime.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.15 QtCore/qdebug.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details
```

```
*/
```

6.3.16 QtCore/qdir.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.17 QtCore/qeventloop.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.18 QtCore/qfactoryinterface.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.19 QtCore/qfile.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.20 QtCore/qfileinfo.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.21 QtCore/qfsfileengine.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.22 QtCore/qglobal.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.23 QtCore/qhash.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

```
*/
```

6.3.24 QtCore/qiodevice.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.25 QtCore/qlibrary.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.26 QtCore/qlibraryinfo.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.27 QtCore/qline.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.28 QtCore/qlinkedlist.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.29 QtCore/qlist.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.30 QtCore/qlocale.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.31 QtCore/qmap.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details
```

```
*/
```

6.3.32 QtCore/qmetaobject.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.33 QtCore/qmetatype.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.34 QtCore/qmimedata.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.35 QtCore/qmutex.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.36 QtCore/qnamespace.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.37 QtCore/qobject.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.38 QtCore/qobjectcleanuphandler.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.39 QtCore/qobjectdefs.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
```

*/

6.3.40 QtCore/qpair.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.41 QtCore/qplugin.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.42 QtCore/qpluginloader.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.43 QtCore/qpoint.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.44 QtCore/qprocess.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.45 QtCore/qreadwritelock.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.46 QtCore/qrect.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.47 QtCore/qregexp.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

```
*/
```

6.3.48 QtCore/qsemaphore.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.49 QtCore/qsettings.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.50 QtCore/qshareddata.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.51 QtCore/qsignalmapper.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.52 QtCore/qsize.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.53 QtCore/qsocketnotifier.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.54 QtCore/qstring.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.55 QtCore/qstringlist.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

```
*/
```

6.3.56 QtCore/qstringmatcher.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.57 QtCore/qtemporaryfile.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.58 QtCore/qtextcodec.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.59 QtCore/qtextcodecplugin.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.60 QtCore/qtextstream.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.61 QtCore/qthread.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.62 QtCore/qthreadstorage.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.3.63 QtCore/qtimer.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details
```



```
*/
```

6.3.64 QtCore/qtranslator.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.65 QtCore/qurl.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.66 QtCore/quuid.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.67 QtCore/qvariant.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.68 QtCore/qvector.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.3.69 QtCore/qwaitcondition.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.4 Interfaces for libQtGui

Table 6-76 defines the library name and shared object name for the libQtGui library

Table 6-76 libQtGui Definition

Library:	libQtGui
SONAME:	libQtGui.so.4

The behavior of the interfaces in this library is specified by the following specifications:

[QtGui] QtGui 4.1.0

6.4.1 QtGui**6.4.1.1 Class data for QTextObject**

The virtual table for the QTextObject class is described by Table 6-77

Table 6-77 Primary vtable for QTextObject

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTextObject
vfunc[0]:	QTextObject::metaObject() const
vfunc[1]:	QTextObject::qt_metacast(char const*)
vfunc[2]:	QTextObject::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QTextObject::~~QTextObject()
vfunc[4]:	QTextObject::~~QTextObject()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QTextObject class is described by Table 6-78

Table 6-78 typeinfo for QTextObject

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QTextObject
basetype:	typeinfo for QObject

6.4.1.2 Class data for QTextBlockGroup

The virtual table for the QTextBlockGroup class is described by Table 6-79

Table 6-79 Primary vtable for QTextBlockGroup

Base Offset	0
-------------	---

Virtual Base Offset	0
RTTI	typeid for QTextBlockGroup
vfunc[0]:	QTextBlockGroup::metaObject() const
vfunc[1]:	QTextBlockGroup::qt_metacast(char const*)
vfunc[2]:	QTextBlockGroup::qt_metacall(QMet aObject::Call, int, void**)
vfunc[3]:	QTextBlockGroup::~~QTextBlockGrou p()
vfunc[4]:	QTextBlockGroup::~~QTextBlockGrou p()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QTextBlockGroup::blockInserted(QT extBlock const&)
vfunc[13]:	QTextBlockGroup::blockRemoved(Q TextBlock const&)
vfunc[14]:	QTextBlockGroup::blockFormatChan ged(QTextBlock const&)

The Run Time Type Information for the QTextBlockGroup class is described by Table 6-80

Table 6-80 typeid for QTextBlockGroup

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QTextBlockGroup
basetype:	typeid for QTextObject

6.4.1.3 Class data for QTextFrameLayoutData

The virtual table for the QTextFrameLayoutData class is described by Table 6-81

Table 6-81 Primary vtable for QTextFrameLayoutData

Base Offset	0
-------------	---

Virtual Base Offset	0
RTTI	typeid for QTextFrameLayoutData
vfunc[0]:	QTextFrameLayoutData::~~QTextFrameLayoutData()
vfunc[1]:	QTextFrameLayoutData::~~QTextFrameLayoutData()

The Run Time Type Information for the QTextFrameLayoutData class is described by Table 6-82

Table 6-82 typeid for QTextFrameLayoutData

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeid name for QTextFrameLayoutData

6.4.1.4 Class data for QTextFrame

The virtual table for the QTextFrame class is described by Table 6-83

Table 6-83 Primary vtable for QTextFrame

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QTextFrame
vfunc[0]:	QTextFrame::metaObject() const
vfunc[1]:	QTextFrame::qt_metacast(char const*)
vfunc[2]:	QTextFrame::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QTextFrame::~~QTextFrame()
vfunc[4]:	QTextFrame::~~QTextFrame()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QTextFrame class is described by Table 6-84

Table 6-84 typeinfo for QTextFrame

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QTextFrame
basetype:	typeinfo for QTextObject

6.4.1.5 Class data for QTextBlockUserData

The virtual table for the QTextBlockUserData class is described by Table 6-85

Table 6-85 Primary vtable for QTextBlockUserData

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTextBlockUserData
vfunc[0]:	QTextBlockUserData::~~QTextBlockU serData()
vfunc[1]:	QTextBlockUserData::~~QTextBlockU serData()

The Run Time Type Information for the QTextBlockUserData class is described by Table 6-86

Table 6-86 typeinfo for QTextBlockUserData

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QTextBlockUserData

6.4.1.6 Class data for QTextDocument

The virtual table for the QTextDocument class is described by Table 6-87

Table 6-87 Primary vtable for QTextDocument

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTextDocument
vfunc[0]:	QTextDocument::metaObject() const
vfunc[1]:	QTextDocument::qt_metacast(char const*)
vfunc[2]:	QTextDocument::qt_metacall(QMeta Object::Call, int, void**)
vfunc[3]:	QTextDocument::~~QTextDocument()
vfunc[4]:	QTextDocument::~~QTextDocument()
vfunc[5]:	QObject::event(QEvent*)

vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QTextDocument::clear()
vfunc[13]:	QTextDocument::createObject(QTextFormat const&)
vfunc[14]:	QTextDocument::loadResource(int, QUrl const&)

The Run Time Type Information for the QTextDocument class is described by Table 6-88

Table 6-88 typeinfo for QTextDocument

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QTextDocument
basetype:	typeinfo for QObject

6.4.1.7 Class data for QTextTable

The virtual table for the QTextTable class is described by Table 6-89

Table 6-89 Primary vtable for QTextTable

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTextTable
vfunc[0]:	QTextTable::metaObject() const
vfunc[1]:	QTextTable::qt_metacast(char const*)
vfunc[2]:	QTextTable::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QTextTable::~~QTextTable()
vfunc[4]:	QTextTable::~~QTextTable()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)

vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QTextTable class is described by Table 6-90

Table 6-90 typeinfo for QTextTable

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QTextTable
basetype:	typeinfo for QTextFrame

6.4.1.8 Class data for QMimeSource

The virtual table for the QMimeSource class is described by Table 6-91

Table 6-91 Primary vtable for QMimeSource

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QMimeSource
vfunc[0]:	QMimeSource::~~QMimeSource()
vfunc[1]:	QMimeSource::~~QMimeSource()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	QMimeSource::provides(char const*) const
vfunc[4]:	__cxa_pure_virtual

The Run Time Type Information for the QMimeSource class is described by Table 6-92

Table 6-92 typeinfo for QMimeSource

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QMimeSource

6.4.1.9 Class data for QDrag

The virtual table for the QDrag class is described by Table 6-93

Table 6-93 Primary vtable for QDrag

Base Offset	0
-------------	---

Virtual Base Offset	0
RTTI	typeid for QDrag
vfunc[0]:	QDrag::metaObject() const
vfunc[1]:	QDrag::qt_metacast(char const*)
vfunc[2]:	QDrag::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QDrag::~QDrag()
vfunc[4]:	QDrag::~QDrag()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QDrag class is described by Table 6-94

Table 6-94 typeid for QDrag

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QDrag
basetype:	typeid for QObject

6.4.1.10 Class data for QInputEvent

The virtual table for the QInputEvent class is described by Table 6-95

Table 6-95 Primary vtable for QInputEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QInputEvent
vfunc[0]:	QInputEvent::~~QInputEvent()
vfunc[1]:	QInputEvent::~~QInputEvent()

The Run Time Type Information for the QInputEvent class is described by Table 6-96

Table 6-96 typeid for QInputEvent

Base Vtable	vtable for
-------------	------------

	__cxxabiv1::__si_class_type_info
Name	typeinfo name for QInputEvent
basetype:	typeinfo for QEvent

6.4.1.11 Class data for QMouseEvent

The virtual table for the QMouseEvent class is described by Table 6-97

Table 6-97 Primary vtable for QMouseEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QMouseEvent
vfunc[0]:	QMouseEvent::~~QMouseEvent()
vfunc[1]:	QMouseEvent::~~QMouseEvent()

The Run Time Type Information for the QMouseEvent class is described by Table 6-98

Table 6-98 typeinfo for QMouseEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QMouseEvent
basetype:	typeinfo for QInputEvent

6.4.1.12 Class data for QHoverEvent

The virtual table for the QHoverEvent class is described by Table 6-99

Table 6-99 Primary vtable for QHoverEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QHoverEvent
vfunc[0]:	QHoverEvent::~~QHoverEvent()
vfunc[1]:	QHoverEvent::~~QHoverEvent()

The Run Time Type Information for the QHoverEvent class is described by Table 6-100

Table 6-100 typeinfo for QHoverEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QHoverEvent
basetype:	typeinfo for QEvent

6.4.1.13 Class data for QWheelEvent

The virtual table for the QWheelEvent class is described by Table 6-101

Table 6-101 Primary vtable for QWheelEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QWheelEvent
vfunc[0]:	QWheelEvent::~~QWheelEvent()
vfunc[1]:	QWheelEvent::~~QWheelEvent()

The Run Time Type Information for the QWheelEvent class is described by Table 6-102

Table 6-102 typeinfo for QWheelEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QWheelEvent
basetype:	typeinfo for QInputEvent

6.4.1.14 Class data for QTabletEvent

The virtual table for the QTabletEvent class is described by Table 6-103

Table 6-103 Primary vtable for QTabletEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTabletEvent
vfunc[0]:	QTabletEvent::~~QTabletEvent()
vfunc[1]:	QTabletEvent::~~QTabletEvent()

The Run Time Type Information for the QTabletEvent class is described by Table 6-104

Table 6-104 typeinfo for QTabletEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QTabletEvent
basetype:	typeinfo for QInputEvent

6.4.1.15 Class data for QKeyEvent

The virtual table for the QKeyEvent class is described by Table 6-105

Table 6-105 Primary vtable for QKeyEvent

Base Offset	0
-------------	---

Virtual Base Offset	0
RTTI	typeid for QKeyEvent
vfunc[0]:	QKeyEvent::~~QKeyEvent()
vfunc[1]:	QKeyEvent::~~QKeyEvent()

The Run Time Type Information for the QKeyEvent class is described by Table 6-106

Table 6-106 typeid for QKeyEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QKeyEvent
basetype:	typeid for QInputEvent

6.4.1.16 Class data for QFocusEvent

The virtual table for the QFocusEvent class is described by Table 6-107

Table 6-107 Primary vtable for QFocusEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QFocusEvent
vfunc[0]:	QFocusEvent::~~QFocusEvent()
vfunc[1]:	QFocusEvent::~~QFocusEvent()

The Run Time Type Information for the QFocusEvent class is described by Table 6-108

Table 6-108 typeid for QFocusEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QFocusEvent
basetype:	typeid for QEvent

6.4.1.17 Class data for QPaintEvent

The virtual table for the QPaintEvent class is described by Table 6-109

Table 6-109 Primary vtable for QPaintEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QPaintEvent
vfunc[0]:	QPaintEvent::~~QPaintEvent()
vfunc[1]:	QPaintEvent::~~QPaintEvent()

The Run Time Type Information for the QPaintEvent class is described by Table 6-110

Table 6-110 typeinfo for QPaintEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QPaintEvent
basetype:	typeinfo for QEvent

6.4.1.18 Class data for QMoveEvent

The virtual table for the QMoveEvent class is described by Table 6-111

Table 6-111 Primary vtable for QMoveEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QMoveEvent
vfunc[0]:	QMoveEvent::~~QMoveEvent()
vfunc[1]:	QMoveEvent::~~QMoveEvent()

The Run Time Type Information for the QMoveEvent class is described by Table 6-112

Table 6-112 typeinfo for QMoveEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QMoveEvent
basetype:	typeinfo for QEvent

6.4.1.19 Class data for QResizeEvent

The virtual table for the QResizeEvent class is described by Table 6-113

Table 6-113 Primary vtable for QResizeEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QResizeEvent
vfunc[0]:	QResizeEvent::~~QResizeEvent()
vfunc[1]:	QResizeEvent::~~QResizeEvent()

The Run Time Type Information for the QResizeEvent class is described by Table 6-114

Table 6-114 typeinfo for QResizeEvent

Base Vtable	vtable for
-------------	------------

	__cxxabiv1::__si_class_type_info
Name	typeinfo name for QResizeEvent
basetype:	typeinfo for QEvent

6.4.1.20 Class data for QCloseEvent

The virtual table for the QCloseEvent class is described by Table 6-115

Table 6-115 Primary vtable for QCloseEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QCloseEvent
vfunc[0]:	QCloseEvent::~~QCloseEvent()
vfunc[1]:	QCloseEvent::~~QCloseEvent()

The Run Time Type Information for the QCloseEvent class is described by Table 6-116

Table 6-116 typeinfo for QCloseEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QCloseEvent
basetype:	typeinfo for QEvent

6.4.1.21 Class data for QIconDragEvent

The virtual table for the QIconDragEvent class is described by Table 6-117

Table 6-117 Primary vtable for QIconDragEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QIconDragEvent
vfunc[0]:	QIconDragEvent::~~QIconDragEvent()
vfunc[1]:	QIconDragEvent::~~QIconDragEvent()

The Run Time Type Information for the QIconDragEvent class is described by Table 6-118

Table 6-118 typeinfo for QIconDragEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QIconDragEvent

basetype:	typeinfo for QEvent
-----------	---------------------

6.4.1.22 Class data for QShowEvent

The virtual table for the QShowEvent class is described by Table 6-119

Table 6-119 Primary vtable for QShowEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QShowEvent
vfunc[0]:	QShowEvent::~~QShowEvent()
vfunc[1]:	QShowEvent::~~QShowEvent()

The Run Time Type Information for the QShowEvent class is described by Table 6-120

Table 6-120 typeinfo for QShowEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QShowEvent
basetype:	typeinfo for QEvent

6.4.1.23 Class data for QHideEvent

The virtual table for the QHideEvent class is described by Table 6-121

Table 6-121 Primary vtable for QHideEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QHideEvent
vfunc[0]:	QHideEvent::~~QHideEvent()
vfunc[1]:	QHideEvent::~~QHideEvent()

The Run Time Type Information for the QHideEvent class is described by Table 6-122

Table 6-122 typeinfo for QHideEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QHideEvent
basetype:	typeinfo for QEvent

6.4.1.24 Class data for QContextMenuEvent

The virtual table for the QContextMenuEvent class is described by Table 6-123

Table 6-123 Primary vtable for QContextMenuEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QContextMenuEvent
vfunc[0]:	QContextMenuEvent::~~QContextMenuEvent()
vfunc[1]:	QContextMenuEvent::~~QContextMenuEvent()

The Run Time Type Information for the QContextMenuEvent class is described by Table 6-124

Table 6-124 typeinfo for QContextMenuEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QContextMenuEvent
basetype:	typeinfo for QInputEvent

6.4.1.25 Class data for QInputMethodEvent

The virtual table for the QInputMethodEvent class is described by Table 6-125

Table 6-125 Primary vtable for QInputMethodEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QInputMethodEvent
vfunc[0]:	QInputMethodEvent::~~QInputMethodEvent()
vfunc[1]:	QInputMethodEvent::~~QInputMethodEvent()

The Run Time Type Information for the QInputMethodEvent class is described by Table 6-126

Table 6-126 typeinfo for QInputMethodEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QInputMethodEvent
basetype:	typeinfo for QEvent

6.4.1.26 Class data for QDropEvent

The virtual table for the QDropEvent class is described by Table 6-127

Table 6-127 Primary vtable for QDropEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QDropEvent
vfunc[0]:	QDropEvent::~~QDropEvent()
vfunc[1]:	QDropEvent::~~QDropEvent()
vfunc[2]:	QDropEvent::format(int) const
vfunc[3]:	QDropEvent::encodedData(char const*) const
vfunc[4]:	QDropEvent::provides(char const*) const

Table 6-128 Secondary vtable for QDropEvent

Base Offset	-24
Virtual Base Offset	0
RTTI	typeinfo for QDropEvent
vfunc[0]:	non-virtual thunk to QDropEvent::~~QDropEvent()
vfunc[1]:	non-virtual thunk to QDropEvent::~~QDropEvent()
vfunc[2]:	non-virtual thunk to QDropEvent::format(int) const
vfunc[3]:	non-virtual thunk to QDropEvent::provides(char const*) const
vfunc[4]:	non-virtual thunk to QDropEvent::encodedData(char const*) const

The Run Time Type Information for the QDropEvent class is described by Table 6-129

Table 6-129 typeinfo for QDropEvent

Base Vtable	vtable for __cxxabiv1::__vmi_class _type_info	
Name	typeinfo name for QDropEvent	
flags:	0	
basetype:	typeinfo for QEvent	2
basetype:	typeinfo for	3074

	QMimeSource	
--	-------------	--

6.4.1.27 Class data for QDragMoveEvent

The virtual table for the QDragMoveEvent class is described by Table 6-130

Table 6-130 Primary vtable for QDragMoveEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QDragMoveEvent
vfunc[0]:	QDragMoveEvent::~~QDragMoveEvent()
vfunc[1]:	QDragMoveEvent::~~QDragMoveEvent()
vfunc[2]:	QDropEvent::format(int) const
vfunc[3]:	QDropEvent::encodedData(char const*) const
vfunc[4]:	QDropEvent::provides(char const*) const

Table 6-131 Secondary vtable for QDragMoveEvent

Base Offset	-24
Virtual Base Offset	0
RTTI	typeinfo for QDragMoveEvent
vfunc[0]:	non-virtual thunk to QDragMoveEvent::~~QDragMoveEvent()
vfunc[1]:	non-virtual thunk to QDragMoveEvent::~~QDragMoveEvent()
vfunc[2]:	non-virtual thunk to QDropEvent::format(int) const
vfunc[3]:	non-virtual thunk to QDropEvent::provides(char const*) const
vfunc[4]:	non-virtual thunk to QDropEvent::encodedData(char const*) const

The Run Time Type Information for the QDragMoveEvent class is described by Table 6-132

Table 6-132 typeinfo for QDragMoveEvent

Base Vtable	vtable for
-------------	------------

	__cxxabiv1::__si_class_type_info
Name	typeinfo name for QDragMoveEvent
basetype:	typeinfo for QDropEvent

6.4.1.28 Class data for QDragEnterEvent

The virtual table for the QDragEnterEvent class is described by Table 6-133

Table 6-133 Primary vtable for QDragEnterEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QDragEnterEvent
vfunc[0]:	QDragEnterEvent::~~QDragEnterEvent()
vfunc[1]:	QDragEnterEvent::~~QDragEnterEvent()
vfunc[2]:	QDropEvent::format(int) const
vfunc[3]:	QDropEvent::encodedData(char const*) const
vfunc[4]:	QDropEvent::provides(char const*) const

Table 6-134 Secondary vtable for QDragEnterEvent

Base Offset	-24
Virtual Base Offset	0
RTTI	typeinfo for QDragEnterEvent
vfunc[0]:	non-virtual thunk to QDragEnterEvent::~~QDragEnterEvent()
vfunc[1]:	non-virtual thunk to QDragEnterEvent::~~QDragEnterEvent()
vfunc[2]:	non-virtual thunk to QDropEvent::format(int) const
vfunc[3]:	non-virtual thunk to QDropEvent::provides(char const*) const
vfunc[4]:	non-virtual thunk to QDropEvent::encodedData(char const*) const

The Run Time Type Information for the QDragEnterEvent class is described by Table 6-135

Table 6-135 typeinfo for QDragEnterEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QDragEnterEvent
basetype:	typeinfo for QDragMoveEvent

6.4.1.29 Class data for QDragResponseEvent

The virtual table for the QDragResponseEvent class is described by Table 6-136

Table 6-136 Primary vtable for QDragResponseEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QDragResponseEvent
vfunc[0]:	QDragResponseEvent::~~QDragResponseEvent()
vfunc[1]:	QDragResponseEvent::~~QDragResponseEvent()

The Run Time Type Information for the QDragResponseEvent class is described by Table 6-137

Table 6-137 typeinfo for QDragResponseEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QDragResponseEvent
basetype:	typeinfo for QEvent

6.4.1.30 Class data for QDragLeaveEvent

The virtual table for the QDragLeaveEvent class is described by Table 6-138

Table 6-138 Primary vtable for QDragLeaveEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QDragLeaveEvent
vfunc[0]:	QDragLeaveEvent::~~QDragLeaveEvent()
vfunc[1]:	QDragLeaveEvent::~~QDragLeaveEvent()

The Run Time Type Information for the QDragLeaveEvent class is described by Table 6-139

Table 6-139 typeinfo for QDragLeaveEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QDragLeaveEvent
basetype:	typeinfo for QEvent

6.4.1.31 Class data for QHelpEvent

The virtual table for the QHelpEvent class is described by Table 6-140

Table 6-140 Primary vtable for QHelpEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QHelpEvent
vfunc[0]:	QHelpEvent::~~QHelpEvent()
vfunc[1]:	QHelpEvent::~~QHelpEvent()

The Run Time Type Information for the QHelpEvent class is described by Table 6-141

Table 6-141 typeinfo for QHelpEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QHelpEvent
basetype:	typeinfo for QEvent

6.4.1.32 Class data for QStatusTipEvent

The virtual table for the QStatusTipEvent class is described by Table 6-142

Table 6-142 Primary vtable for QStatusTipEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QStatusTipEvent
vfunc[0]:	QStatusTipEvent::~~QStatusTipEvent()
vfunc[1]:	QStatusTipEvent::~~QStatusTipEvent()

The Run Time Type Information for the QStatusTipEvent class is described by Table 6-143

Table 6-143 typeinfo for QStatusTipEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
-------------	--

Name	typeid name for QStatusTipEvent
basetype:	typeid for QEvent

6.4.1.33 Class data for QWhatsThisClickedEvent

The virtual table for the QWhatsThisClickedEvent class is described by Table 6-144

Table 6-144 Primary vtable for QWhatsThisClickedEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QWhatsThisClickedEvent
vfunc[0]:	QWhatsThisClickedEvent::~~QWhatsThisClickedEvent()
vfunc[1]:	QWhatsThisClickedEvent::~~QWhatsThisClickedEvent()

The Run Time Type Information for the QWhatsThisClickedEvent class is described by Table 6-145

Table 6-145 typeid for QWhatsThisClickedEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QWhatsThisClickedEvent
basetype:	typeid for QEvent

6.4.1.34 Class data for QActionEvent

The virtual table for the QActionEvent class is described by Table 6-146

Table 6-146 Primary vtable for QActionEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QActionEvent
vfunc[0]:	QActionEvent::~~QActionEvent()
vfunc[1]:	QActionEvent::~~QActionEvent()

The Run Time Type Information for the QActionEvent class is described by Table 6-147

Table 6-147 typeid for QActionEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
-------------	---

Name	typeid name for QActionEvent
basetype:	typeid for QEvent

6.4.1.35 Class data for QFileOpenEvent

The virtual table for the QFileOpenEvent class is described by Table 6-148

Table 6-148 Primary vtable for QFileOpenEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QFileOpenEvent
vfunc[0]:	QFileOpenEvent::~~QFileOpenEvent()
vfunc[1]:	QFileOpenEvent::~~QFileOpenEvent()

The Run Time Type Information for the QFileOpenEvent class is described by Table 6-149

Table 6-149 typeid for QFileOpenEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QFileOpenEvent
basetype:	typeid for QEvent

6.4.1.36 Class data for QToolBarChangeEvent

The virtual table for the QToolBarChangeEvent class is described by Table 6-150

Table 6-150 Primary vtable for QToolBarChangeEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QToolBarChangeEvent
vfunc[0]:	QToolBarChangeEvent::~~QToolBarChangeEvent()
vfunc[1]:	QToolBarChangeEvent::~~QToolBarChangeEvent()

The Run Time Type Information for the QToolBarChangeEvent class is described by Table 6-151

Table 6-151 typeid for QToolBarChangeEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QToolBarChangeEvent
basetype:	typeid for QEvent

6.4.1.37 Class data for QShortcutEvent

The virtual table for the QShortcutEvent class is described by Table 6-152

Table 6-152 Primary vtable for QShortcutEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QShortcutEvent
vfunc[0]:	QShortcutEvent::~~QShortcutEvent()
vfunc[1]:	QShortcutEvent::~~QShortcutEvent()

The Run Time Type Information for the QShortcutEvent class is described by Table 6-153

Table 6-153 typeinfo for QShortcutEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QShortcutEvent
basetype:	typeinfo for QEvent

6.4.1.38 Class data for QClipboardEvent

The virtual table for the QClipboardEvent class is described by Table 6-154

Table 6-154 Primary vtable for QClipboardEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QClipboardEvent
vfunc[0]:	QClipboardEvent::~~QClipboardEvent()
vfunc[1]:	QClipboardEvent::~~QClipboardEvent()

The Run Time Type Information for the QClipboardEvent class is described by Table 6-155

Table 6-155 typeinfo for QClipboardEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QClipboardEvent
basetype:	typeinfo for QEvent

6.4.1.39 Class data for QWindowStateChangeEvent

The virtual table for the QWindowStateChangeEvent class is described by Table 6-156

Table 6-156 Primary vtable for QWindowStateChangeEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QWindowStateChangeEvent
vfunc[0]:	QWindowStateChangeEvent::~~QWindowStateChangeEvent()
vfunc[1]:	QWindowStateChangeEvent::~~QWindowStateChangeEvent()

The Run Time Type Information for the QWindowStateChangeEvent class is described by Table 6-157

Table 6-157 typeid for QWindowStateChangeEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QWindowStateChangeEvent
basetype:	typeid for QEvent

6.4.1.40 Class data for QMenuBarUpdatedEvent

The virtual table for the QMenuBarUpdatedEvent class is described by Table 6-158

Table 6-158 Primary vtable for QMenuBarUpdatedEvent

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QMenuBarUpdatedEvent
vfunc[0]:	QMenuBarUpdatedEvent::~~QMenuBarUpdatedEvent()
vfunc[1]:	QMenuBarUpdatedEvent::~~QMenuBarUpdatedEvent()

The Run Time Type Information for the QMenuBarUpdatedEvent class is described by Table 6-159

Table 6-159 typeid for QMenuBarUpdatedEvent

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QMenuBarUpdatedEvent
basetype:	typeid for QEvent

6.4.1.41 Class data for QTextList

The virtual table for the QTextList class is described by Table 6-160

Table 6-160 Primary vtable for QTextList

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTextList
vfunc[0]:	QTextList::metaObject() const
vfunc[1]:	QTextList::qt_metacast(char const*)
vfunc[2]:	QTextList::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QTextList::~QTextList()
vfunc[4]:	QTextList::~QTextList()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QTextBlockGroup::blockInserted(QTextBlock const&)
vfunc[13]:	QTextBlockGroup::blockRemoved(QTextBlock const&)
vfunc[14]:	QTextBlockGroup::blockFormatChanged(QTextBlock const&)

The Run Time Type Information for the QTextList class is described by Table 6-161

Table 6-161 typeinfo for QTextList

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QTextList
basetype:	typeinfo for QTextBlockGroup

6.4.1.42 Class data for QAbstractTextDocumentLayout

The virtual table for the QAbstractTextDocumentLayout class is described by Table 6-162

Table 6-162 Primary vtable for QAbstractTextDocumentLayout

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QAbstractTextDocumentLayout
vfunc[0]:	QAbstractTextDocumentLayout::met aObject() const
vfunc[1]:	QAbstractTextDocumentLayout::qt_ metacast(char const*)
vfunc[2]:	QAbstractTextDocumentLayout::qt_ metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QAbstractTextDocumentLayout::~~Q AbstractTextDocumentLayout()
vfunc[4]:	QAbstractTextDocumentLayout::~~Q AbstractTextDocumentLayout()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	__cxa_pure_virtual
vfunc[14]:	__cxa_pure_virtual
vfunc[15]:	__cxa_pure_virtual
vfunc[16]:	__cxa_pure_virtual
vfunc[17]:	__cxa_pure_virtual
vfunc[18]:	__cxa_pure_virtual
vfunc[19]:	QAbstractTextDocumentLayout::resi zeInlineObject(QTextInlineObject, int, QTextFormat const&)
vfunc[20]:	QAbstractTextDocumentLayout::posi tionInlineObject(QTextInlineObject, int, QTextFormat const&)
vfunc[21]:	QAbstractTextDocumentLayout::dra wInlineObject(QPainter*, QRectF

	const&, QTextInlineObject, int, QTextFormat const&)
--	---

The Run Time Type Information for the QAbstractTextDocumentLayout class is described by Table 6-163

Table 6-163 typeinfo for QAbstractTextDocumentLayout

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QAbstractTextDocumentLayout
basetype:	typeinfo for QObject

6.4.1.43 Class data for QTextObjectInterface

The virtual table for the QTextObjectInterface class is described by Table 6-164

Table 6-164 Primary vtable for QTextObjectInterface

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTextObjectInterface
vfunc[0]:	QTextObjectInterface::~~QTextObjectInterface()
vfunc[1]:	QTextObjectInterface::~~QTextObjectInterface()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual

The Run Time Type Information for the QTextObjectInterface class is described by Table 6-165

Table 6-165 typeinfo for QTextObjectInterface

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QTextObjectInterface

6.4.1.44 Class data for QSyntaxHighlighter

The virtual table for the QSyntaxHighlighter class is described by Table 6-166

Table 6-166 Primary vtable for QSyntaxHighlighter

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSyntaxHighlighter
vfunc[0]:	QSyntaxHighlighter::metaObject()

	const
vfunc[1]:	QSyntaxHighlighter::qt_metacast(char const*)
vfunc[2]:	QSyntaxHighlighter::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QSyntaxHighlighter::~QSyntaxHighlighter()
vfunc[4]:	QSyntaxHighlighter::~QSyntaxHighlighter()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	__cxa_pure_virtual

The Run Time Type Information for the QSyntaxHighlighter class is described by Table 6-167

Table 6-167 typeinfo for QSyntaxHighlighter

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSyntaxHighlighter
basetype:	typeinfo for QObject

6.4.1.45 Class data for QPaintDevice

The virtual table for the QPaintDevice class is described by Table 6-168

Table 6-168 Primary vtable for QPaintDevice

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QPaintDevice
vfunc[0]:	QPaintDevice::~QPaintDevice()
vfunc[1]:	QPaintDevice::~QPaintDevice()
vfunc[2]:	QPaintDevice::devType() const
vfunc[3]:	__cxa_pure_virtual

vfunc[4]:	QPaintDevice::metric(QPaintDevice::PaintDeviceMetric) const
-----------	---

The Run Time Type Information for the QPaintDevice class is described by Table 6-169

Table 6-169 typeinfo for QPaintDevice

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QPaintDevice

6.4.1.46 Class data for QWidget

The virtual table for the QWidget class is described by Table 6-170

Table 6-170 Primary vtable for QWidget

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QWidget
vfunc[0]:	QWidget::metaObject() const
vfunc[1]:	QWidget::qt_metacast(char const*)
vfunc[2]:	QWidget::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QWidget::~~QWidget()
vfunc[4]:	QWidget::~~QWidget()
vfunc[5]:	QWidget::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QWidget::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const

vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)

vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

Table 6-171 Secondary vtable for QWidget

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QWidget
vfunc[0]:	non-virtual thunk to QWidget::~~QWidget()
vfunc[1]:	non-virtual thunk to QWidget::~~QWidget()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QWidget class is described by Table 6-172

Table 6-172 typeinfo for QWidget

Base Vtable	vtable for __cxxabiv1::__vmi_class _type_info
-------------	---

Name	typeinfo name for QWidget	
flags:	0	
basetype:	typeinfo for QObject	2
basetype:	typeinfo for QPaintDevice	2050

6.4.1.47 Class data for QDialog

The virtual table for the QDialog class is described by Table 6-173

Table 6-173 Primary vtable for QDialog

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QDialog
vfunc[0]:	QDialog::metaObject() const
vfunc[1]:	QDialog::qt_metacast(char const*)
vfunc[2]:	QDialog::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QDialog::~~QDialog()
vfunc[4]:	QDialog::~QDialog()
vfunc[5]:	QWidget::event(QEvent*)
vfunc[6]:	QDialog::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QDialog::setVisible(bool)
vfunc[14]:	QDialog::sizeHint() const
vfunc[15]:	QDialog::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMou

	seEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QDialog::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QDialog::resizeEvent(QResizeEvent*)
vfunc[32]:	QDialog::closeEvent(QCloseEvent*)
vfunc[33]:	QDialog::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QDialog::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const

vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QDialog::done(int)
vfunc[55]:	QDialog::accept()
vfunc[56]:	QDialog::reject()

Table 6-174 Secondary vtable for QDialog

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QDialog
vfunc[0]:	non-virtual thunk to QDialog::~~QDialog()
vfunc[1]:	non-virtual thunk to QDialog::~~QDialog()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QDialog class is described by Table 6-175

Table 6-175 typeinfo for QDialog

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QDialog
basetype:	typeinfo for QWidget

6.4.1.48 Class data for QAbstractPageSetupDialog

The virtual table for the QAbstractPageSetupDialog class is described by Table 6-176

Table 6-176 Primary vtable for QAbstractPageSetupDialog

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QAbstractPageSetupDialog
vfunc[0]:	QDialog::metaObject() const
vfunc[1]:	QDialog::qt_metacast(char const*)
vfunc[2]:	QDialog::qt_metacall(QMetaObject:: Call, int, void**)
vfunc[3]:	QAbstractPageSetupDialog::~~QAbstr actPageSetupDialog()
vfunc[4]:	QAbstractPageSetupDialog::~~QAbstr actPageSetupDialog()
vfunc[5]:	QWidget::event(QEvent*)
vfunc[6]:	QDialog::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QDialog::setVisible(bool)
vfunc[14]:	QDialog::sizeHint() const
vfunc[15]:	QDialog::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouse Event*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMou seEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMous

	eEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QDialog::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QDialog::resizeEvent(QResizeEvent*)
vfunc[32]:	QDialog::closeEvent(QCloseEvent*)
vfunc[33]:	QDialog::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QDialog::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const

vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QDialog::done(int)
vfunc[55]:	QDialog::accept()
vfunc[56]:	QDialog::reject()
vfunc[57]:	__cxa_pure_virtual

Table 6-177 Secondary vtable for QAbstractPageSetupDialog

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QAbstractPageSetupDialog
vfunc[0]:	non-virtual thunk to QAbstractPageSetupDialog::~~QAbstractPageSetupDialog()
vfunc[1]:	non-virtual thunk to QAbstractPageSetupDialog::~~QAbstractPageSetupDialog()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QAbstractPageSetupDialog class is described by Table 6-178

Table 6-178 typeinfo for QAbstractPageSetupDialog

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QAbstractPageSetupDialog

basetype:	typeinfo for QDialog
-----------	----------------------

6.4.1.49 Class data for QColorDialog

The virtual table for the QColorDialog class is described by Table 6-179

Table 6-179 Primary vtable for QColorDialog

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QColorDialog
vfunc[0]:	QColorDialog::metaObject() const
vfunc[1]:	QColorDialog::qt_metacast(char const*)
vfunc[2]:	QColorDialog::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QColorDialog::~~QColorDialog()
vfunc[4]:	QColorDialog::~~QColorDialog()
vfunc[5]:	QWidget::event(QEvent*)
vfunc[6]:	QDialog::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QDialog::setVisible(bool)
vfunc[14]:	QDialog::sizeHint() const
vfunc[15]:	QDialog::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)

vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QDialog::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QDialog::resizeEvent(QResizeEvent*)
vfunc[32]:	QDialog::closeEvent(QCloseEvent*)
vfunc[33]:	QDialog::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QDialog::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const

vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QDialog::done(int)
vfunc[55]:	QDialog::accept()
vfunc[56]:	QDialog::reject()

Table 6-180 Secondary vtable for QColorDialog

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QColorDialog
vfunc[0]:	non-virtual thunk to QColorDialog::~~QColorDialog()
vfunc[1]:	non-virtual thunk to QColorDialog::~~QColorDialog()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QColorDialog class is described by Table 6-181

Table 6-181 typeinfo for QColorDialog

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QColorDialog
basetype:	typeinfo for QDialog

6.4.1.50 Class data for QFontDialog

The virtual table for the QFontDialog class is described by Table 6-182

Table 6-182 Primary vtable for QFontDialog

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QFontDialog
vfunc[0]:	QFontDialog::metaObject() const
vfunc[1]:	QFontDialog::qt_metacast(char const*)
vfunc[2]:	QFontDialog::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QFontDialog::~~QFontDialog()
vfunc[4]:	QFontDialog::~QFontDialog()
vfunc[5]:	QWidget::event(QEvent*)
vfunc[6]:	QFontDialog::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QDialog::setVisible(bool)
vfunc[14]:	QDialog::sizeHint() const
vfunc[15]:	QDialog::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QDialog::keyPressEvent(QKeyEvent*)

vfunc[24]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QDialog::resizeEvent(QResizeEvent*)
vfunc[32]:	QDialog::closeEvent(QCloseEvent*)
vfunc[33]:	QDialog::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QDialog::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette)

	const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QDialog::done(int)
vfunc[55]:	QDialog::accept()
vfunc[56]:	QDialog::reject()

Table 6-183 Secondary vtable for QFontDialog

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QFontDialog
vfunc[0]:	non-virtual thunk to QFontDialog::~~QFontDialog()
vfunc[1]:	non-virtual thunk to QFontDialog::~~QFontDialog()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QFontDialog class is described by Table 6-184

Table 6-184 typeinfo for QFontDialog

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QFontDialog
basetype:	typeinfo for QDialog

6.4.1.51 Class data for QMessageBox

The virtual table for the QMessageBox class is described by Table 6-185

Table 6-185 Primary vtable for QMessageBox

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QMessageBox

vfunc[0]:	QMessageBox::metaObject() const
vfunc[1]:	QMessageBox::qt_metacast(char const*)
vfunc[2]:	QMessageBox::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QMessageBox::~~QMessageBox()
vfunc[4]:	QMessageBox::~~QMessageBox()
vfunc[5]:	QWidget::event(QEvent*)
vfunc[6]:	QDialog::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QDialog::setVisible(bool)
vfunc[14]:	QMessageBox::sizeHint() const
vfunc[15]:	QDialog::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QMessageBox::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)

	nt*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QMessageBox::resizeEvent(QResizeEvent*)
vfunc[32]:	QMessageBox::closeEvent(QCloseEvent*)
vfunc[33]:	QDialog::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QMessageBox::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QMessageBox::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)

vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QDialog::done(int)
vfunc[55]:	QDialog::accept()
vfunc[56]:	QDialog::reject()

Table 6-186 Secondary vtable for QMessageBox

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QMessageBox
vfunc[0]:	non-virtual thunk to QMessageBox::~~QMessageBox()
vfunc[1]:	non-virtual thunk to QMessageBox::~~QMessageBox()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QMessageBox class is described by Table 6-187

Table 6-187 typeinfo for QMessageBox

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QMessageBox
basetype:	typeinfo for QDialog

6.4.1.52 Class data for QProgressDialog

The virtual table for the QProgressDialog class is described by Table 6-188

Table 6-188 Primary vtable for QProgressDialog

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QProgressDialog
vfunc[0]:	QProgressDialog::metaObject() const
vfunc[1]:	QProgressDialog::qt_metacast(char

	const*)
vfunc[2]:	QProgressDialog::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QProgressDialog::~~QProgressDialog()
vfunc[4]:	QProgressDialog::~~QProgressDialog()
vfunc[5]:	QWidget::event(QEvent*)
vfunc[6]:	QDialog::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QDialog::setVisible(bool)
vfunc[14]:	QProgressDialog::sizeHint() const
vfunc[15]:	QDialog::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QDialog::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)

vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QProgressDialog::resizeEvent(QResizeEvent*)
vfunc[32]:	QProgressDialog::closeEvent(QCloseEvent*)
vfunc[33]:	QDialog::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QProgressDialog::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QProgressDialog::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)

vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QDialog::done(int)
vfunc[55]:	QDialog::accept()
vfunc[56]:	QDialog::reject()

Table 6-189 Secondary vtable for QProgressDialog

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QProgressDialog
vfunc[0]:	non-virtual thunk to QProgressDialog::~~QProgressDialog()
vfunc[1]:	non-virtual thunk to QProgressDialog::~~QProgressDialog()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::Paint DeviceMetric) const

The Run Time Type Information for the QProgressDialog class is described by Table 6-190

Table 6-190 typeid for QProgressDialog

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QProgressDialog
basetype:	typeid for QDialog

6.4.1.53 Class data for QErrorMessage

The virtual table for the QErrorMessage class is described by Table 6-191

Table 6-191 Primary vtable for QErrorMessage

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QErrorMessage
vfunc[0]:	QErrorMessage::metaObject() const

vfunc[1]:	QErrorMessage::qt_metacast(char const*)
vfunc[2]:	QErrorMessage::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QErrorMessage::~~QErrorMessage()
vfunc[4]:	QErrorMessage::~~QErrorMessage()
vfunc[5]:	QWidget::event(QEvent*)
vfunc[6]:	QDialog::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QDialog::setVisible(bool)
vfunc[14]:	QDialog::sizeHint() const
vfunc[15]:	QDialog::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QDialog::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)

vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QDialog::resizeEvent(QResizeEvent*)
vfunc[32]:	QDialog::closeEvent(QCloseEvent*)
vfunc[33]:	QDialog::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QDialog::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

vfunc[54]:	QErrorMessage::done(int)
vfunc[55]:	QDialog::accept()
vfunc[56]:	QDialog::reject()

Table 6-192 Secondary vtable for QErrorMessage

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QErrorMessage
vfunc[0]:	non-virtual thunk to QErrorMessage::~QErrorMessage()
vfunc[1]:	non-virtual thunk to QErrorMessage::~QErrorMessage()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::Paint DeviceMetric) const

The Run Time Type Information for the QErrorMessage class is described by Table 6-193

Table 6-193 typeinfo for QErrorMessage

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QErrorMessage
basetype:	typeinfo for QDialog

6.4.1.54 Class data for QFileDialog

The virtual table for the QFileDialog class is described by Table 6-194

Table 6-194 Primary vtable for QFileDialog

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QFileDialog
vfunc[0]:	QFileDialog::metaObject() const
vfunc[1]:	QFileDialog::qt_metacast(char const*)
vfunc[2]:	QFileDialog::qt_metacall(QMetaObje ct::Call, int, void**)

vfunc[3]:	QFileDialog::~~QFileDialog()
vfunc[4]:	QFileDialog::~~QFileDialog()
vfunc[5]:	QWidget::event(QEvent*)
vfunc[6]:	QDialog::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QDialog::setVisible(bool)
vfunc[14]:	QDialog::sizeHint() const
vfunc[15]:	QDialog::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QDialog::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QWidget::paintEvent(QPaintEvent*)

vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QDialog::resizeEvent(QResizeEvent*)
vfunc[32]:	QDialog::closeEvent(QCloseEvent*)
vfunc[33]:	QDialog::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QDialog::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QFileDialog::done(int)
vfunc[55]:	QFileDialog::accept()
vfunc[56]:	QDialog::reject()

Table 6-195 Secondary vtable for QFileDialog

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QFileDialog
vfunc[0]:	non-virtual thunk to QFileDialog::~~QFileDialog()
vfunc[1]:	non-virtual thunk to QFileDialog::~~QFileDialog()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QFileDialog class is described by Table 6-196

Table 6-196 typeinfo for QFileDialog

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QFileDialog
basetype:	typeinfo for QDialog

6.4.1.55 Class data for QAbstractPrintDialog

The virtual table for the QAbstractPrintDialog class is described by Table 6-197

Table 6-197 Primary vtable for QAbstractPrintDialog

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QAbstractPrintDialog
vfunc[0]:	QDialog::metaObject() const
vfunc[1]:	QDialog::qt_metacast(char const*)
vfunc[2]:	QDialog::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QAbstractPrintDialog::~~QAbstractPrintDialog()
vfunc[4]:	QAbstractPrintDialog::~~QAbstractPrintDialog()
vfunc[5]:	QWidget::event(QEvent*)

vfunc[6]:	QDialog::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QDialog::setVisible(bool)
vfunc[14]:	QDialog::sizeHint() const
vfunc[15]:	QDialog::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QDialog::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QDialog::resizeEvent(QResizeEvent*)
vfunc[32]:	QDialog::closeEvent(QCloseEvent*)

vfunc[33]:	QDialog::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QDialog::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QDialog::done(int)
vfunc[55]:	QDialog::accept()
vfunc[56]:	QDialog::reject()
vfunc[57]:	__cxa_pure_virtual

Table 6-198 Secondary vtable for QAbstractPrintDialog

Base Offset	-16
-------------	-----

Virtual Base Offset	0
RTTI	typeid for QAbstractPrintDialog
vfunc[0]:	non-virtual thunk to QAbstractPrintDialog::~~QAbstractPrintDialog()
vfunc[1]:	non-virtual thunk to QAbstractPrintDialog::~~QAbstractPrintDialog()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QAbstractPrintDialog class is described by Table 6-199

Table 6-199 typeid for QAbstractPrintDialog

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QAbstractPrintDialog
basetype:	typeid for QDialog

6.4.1.56 Class data for QPrintDialog

The virtual table for the QPrintDialog class is described by Table 6-200

Table 6-200 Primary vtable for QPrintDialog

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QPrintDialog
vfunc[0]:	QPrintDialog::metaObject() const
vfunc[1]:	QPrintDialog::qt_metacast(char const*)
vfunc[2]:	QPrintDialog::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QPrintDialog::~~QPrintDialog()
vfunc[4]:	QPrintDialog::~~QPrintDialog()
vfunc[5]:	QWidget::event(QEvent*)
vfunc[6]:	QDialog::eventFilter(QObject*,

	QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QDialog::setVisible(bool)
vfunc[14]:	QDialog::sizeHint() const
vfunc[15]:	QDialog::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QDialog::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QDialog::resizeEvent(QResizeEvent*)
vfunc[32]:	QDialog::closeEvent(QCloseEvent*)
vfunc[33]:	QDialog::contextMenuEvent(QContextMenuEvent*)

vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QDialog::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QDialog::done(int)
vfunc[55]:	QDialog::accept()
vfunc[56]:	QDialog::reject()
vfunc[57]:	QPrintDialog::exec()

Table 6-201 Secondary vtable for QPrintDialog

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QPrintDialog

vfunc[0]:	non-virtual thunk to QPrintDialog::~~QPrintDialog()
vfunc[1]:	non-virtual thunk to QPrintDialog::~~QPrintDialog()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::Paint DeviceMetric) const

The Run Time Type Information for the QPrintDialog class is described by Table 6-202

Table 6-202 typeinfo for QPrintDialog

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QPrintDialog
basetype:	typeinfo for QAbstractPrintDialog

6.4.1.57 Class data for QPageSetupDialog

The virtual table for the QPageSetupDialog class is described by Table 6-203

Table 6-203 Primary vtable for QPageSetupDialog

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QPageSetupDialog
vfunc[0]:	QDialog::metaObject() const
vfunc[1]:	QDialog::qt_metacast(char const*)
vfunc[2]:	QDialog::qt_metacall(QMetaObject:: Call, int, void**)
vfunc[3]:	QPageSetupDialog::~~QPageSetupDia log()
vfunc[4]:	QPageSetupDialog::~~QPageSetupDia log()
vfunc[5]:	QWidget::event(QEvent*)
vfunc[6]:	QDialog::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)

vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QDialog::setVisible(bool)
vfunc[14]:	QDialog::sizeHint() const
vfunc[15]:	QDialog::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QDialog::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QDialog::resizeEvent(QResizeEvent*)
vfunc[32]:	QDialog::closeEvent(QCloseEvent*)
vfunc[33]:	QDialog::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)

vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QDialog::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QDialog::done(int)
vfunc[55]:	QDialog::accept()
vfunc[56]:	QDialog::reject()
vfunc[57]:	QPageSetupDialog::exec()

Table 6-204 Secondary vtable for QPageSetupDialog

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QPageSetupDialog
vfunc[0]:	non-virtual thunk to QPageSetupDialog::~~QPageSetupDialog()
vfunc[1]:	non-virtual thunk to

	QPageSetupDialog::~~QPageSetupDialog()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QPageSetupDialog class is described by Table 6-205

Table 6-205 typeinfo for QPageSetupDialog

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QPageSetupDialog
basetype:	typeinfo for QAbstractPageSetupDialog

6.4.1.58 Class data for QFrame

The virtual table for the QFrame class is described by Table 6-206

Table 6-206 Primary vtable for QFrame

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QFrame
vfunc[0]:	QFrame::metaObject() const
vfunc[1]:	QFrame::qt_metacast(char const*)
vfunc[2]:	QFrame::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QFrame::~~QFrame()
vfunc[4]:	QFrame::~~QFrame()
vfunc[5]:	QFrame::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char

	const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QFrame::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QFrame::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)

vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QFrame::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

Table 6-207 Secondary vtable for QFrame

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QFrame
vfunc[0]:	non-virtual thunk to QFrame::~~QFrame()
vfunc[1]:	non-virtual thunk to QFrame::~~QFrame()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QFrame class is described by Table 6-208

Table 6-208 typeinfo for QFrame

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QFrame
basetype:	typeinfo for QWidget

6.4.1.59 Class data for QLineEdit

The virtual table for the QLineEdit class is described by Table 6-209

Table 6-209 Primary vtable for QLineEdit

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QLineEdit
vfunc[0]:	QLineEdit::metaObject() const
vfunc[1]:	QLineEdit::qt_metacast(char const*)
vfunc[2]:	QLineEdit::qt_metacall(QMetaObject: :Call, int, void**)
vfunc[3]:	QLineEdit::~~QLineEdit()
vfunc[4]:	QLineEdit::~~QLineEdit()
vfunc[5]:	QLineEdit::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QLineEdit::sizeHint() const
vfunc[15]:	QLineEdit::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QLineEdit::mousePressEvent(QMous eEvent*)

vfunc[19]:	QLineEdit::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QLineEdit::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QLineEdit::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QLineEdit::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QLineEdit::focusInEvent(QFocusEvent*)
vfunc[26]:	QLineEdit::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QLineEdit::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QLineEdit::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QLineEdit::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QLineEdit::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QLineEdit::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QLineEdit::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QLineEdit::changeEvent(QEvent*)

vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QLineEdit::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QLineEdit::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

Table 6-210 Secondary vtable for QLineEdit

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QLineEdit
vfunc[0]:	non-virtual thunk to QLineEdit::~~QLineEdit()
vfunc[1]:	non-virtual thunk to QLineEdit::~~QLineEdit()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QLineEdit class is described by Table 6-211

Table 6-211 typeinfo for QLineEdit

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QLineEdit
basetype:	typeinfo for QWidget

6.4.1.60 Class data for QInputDialog

The virtual table for the QInputDialog class is described by Table 6-212

Table 6-212 Primary vtable for QInputDialog

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QInputDialog
vfunc[0]:	QInputDialog::metaObject() const
vfunc[1]:	QInputDialog::qt_metacast(char const*)
vfunc[2]:	QInputDialog::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QInputDialog::~~QInputDialog()
vfunc[4]:	QInputDialog::~~QInputDialog()
vfunc[5]:	QWidget::event(QEvent*)
vfunc[6]:	QDialog::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QDialog::setVisible(bool)
vfunc[14]:	QDialog::sizeHint() const
vfunc[15]:	QDialog::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)

vfunc[23]:	QDialog::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QDialog::resizeEvent(QResizeEvent*)
vfunc[32]:	QDialog::closeEvent(QCloseEvent*)
vfunc[33]:	QDialog::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QDialog::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)

vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QDialog::done(int)
vfunc[55]:	QDialog::accept()
vfunc[56]:	QDialog::reject()

Table 6-213 Secondary vtable for QDialog

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QDialog
vfunc[0]:	non-virtual thunk to QDialog::~~QDialog()
vfunc[1]:	non-virtual thunk to QDialog::~~QDialog()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QDialog class is described by Table 6-214

Table 6-214 typeid for QDialog

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QDialog
basetype:	typeid for QDialog

6.4.1.61 Class data for QImage

The virtual table for the QImage class is described by Table 6-215

Table 6-215 Primary vtable for QImage

Base Offset	0
-------------	---

Virtual Base Offset	0
RTTI	typeinfo for QImage
vfunc[0]:	QImage::~~QImage()
vfunc[1]:	QImage::~~QImage()
vfunc[2]:	QImage::devType() const
vfunc[3]:	QImage::paintEngine() const
vfunc[4]:	QImage::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QImage class is described by Table 6-216

Table 6-216 typeinfo for QImage

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QImage
basetype:	typeinfo for QPaintDevice

6.4.1.62 Class data for QPixmap

The virtual table for the QPixmap class is described by Table 6-217

Table 6-217 Primary vtable for QPixmap

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QPixmap
vfunc[0]:	QPixmap::~~QPixmap()
vfunc[1]:	QPixmap::~~QPixmap()
vfunc[2]:	QPixmap::devType() const
vfunc[3]:	QPixmap::paintEngine() const
vfunc[4]:	QPixmap::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QPixmap class is described by Table 6-218

Table 6-218 typeinfo for QPixmap

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QPixmap
basetype:	typeinfo for QPaintDevice

6.4.1.63 Class data for QImageIOHandler

The virtual table for the QImageIOHandler class is described by Table 6-219

Table 6-219 Primary vtable for QImageIOHandler

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QImageIOHandler
vfunc[0]:	QImageIOHandler::~~QImageIOHandler()
vfunc[1]:	QImageIOHandler::~~QImageIOHandler()
vfunc[2]:	QImageIOHandler::name() const
vfunc[3]:	__cxa_pure_virtual
vfunc[4]:	__cxa_pure_virtual
vfunc[5]:	QImageIOHandler::write(QImage const&)
vfunc[6]:	QImageIOHandler::option(QImageIOHandler::ImageOption) const
vfunc[7]:	QImageIOHandler::setOption(QImageIOHandler::ImageOption, QVariant const&)
vfunc[8]:	QImageIOHandler::supportsOption(QImageIOHandler::ImageOption) const
vfunc[9]:	QImageIOHandler::jumpToNextImage()
vfunc[10]:	QImageIOHandler::jumpToImage(int)
vfunc[11]:	QImageIOHandler::loopCount() const
vfunc[12]:	QImageIOHandler::imageCount() const
vfunc[13]:	QImageIOHandler::nextImageDelay() const
vfunc[14]:	QImageIOHandler::currentImageNumber() const
vfunc[15]:	QImageIOHandler::currentImageRect() const

The Run Time Type Information for the QImageIOHandler class is described by Table 6-220

Table 6-220 typeinfo for QImageIOHandler

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QImageIOHandler

6.4.1.64 Class data for QImageIOHandlerFactoryInterface

The virtual table for the QImageIOHandlerFactoryInterface class is described by Table 6-221

Table 6-221 Primary vtable for QImageIOHandlerFactoryInterface

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QImageIOHandlerFactoryInterface
vfunc[0]:	QImageIOHandlerFactoryInterface::~~ QImageIOHandlerFactoryInterface()
vfunc[1]:	QImageIOHandlerFactoryInterface::~~ QImageIOHandlerFactoryInterface()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual

The Run Time Type Information for the QImageIOHandlerFactoryInterface class is described by Table 6-222

Table 6-222 typeinfo for QImageIOHandlerFactoryInterface

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QImageIOHandlerFactoryInterface
basetype:	typeinfo for QFactoryInterface

6.4.1.65 Class data for QImageIOPlugin

The virtual table for the QImageIOPlugin class is described by Table 6-223

Table 6-223 Primary vtable for QImageIOPlugin

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QImageIOPlugin
vfunc[0]:	QImageIOPlugin::metaObject() const
vfunc[1]:	QImageIOPlugin::qt_metacast(char const*)
vfunc[2]:	QImageIOPlugin::qt_metacall(QMeta

	Object::Call, int, void**)
vfunc[3]:	QImageIOPlugin::~~QImageIOPlugin()
vfunc[4]:	QImageIOPlugin::~~QImageIOPlugin()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	__cxa_pure_virtual
vfunc[14]:	__cxa_pure_virtual

Table 6-224 Secondary vtable for QImageIOPlugin

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QImageIOPlugin
vfunc[0]:	non-virtual thunk to QImageIOPlugin::~~QImageIOPlugin()
vfunc[1]:	non-virtual thunk to QImageIOPlugin::~~QImageIOPlugin()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual

The Run Time Type Information for the QImageIOPlugin class is described by Table 6-225

Table 6-225 typeid for QImageIOPlugin

Base Vtable	vtable for __cxxabiv1::__vmi_class _type_info
Name	typeid name for QImageIOPlugin
flags:	0

basetype:	typeinfo for QObject	2
basetype:	typeinfo for QImageIOHandlerFactoryInterface	2050

6.4.1.66 Class data for QPicture

The virtual table for the QPicture class is described by Table 6-226

Table 6-226 Primary vtable for QPicture

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QPicture
vfunc[0]:	QPicture::~~QPicture()
vfunc[1]:	QPicture::~~QPicture()
vfunc[2]:	QPicture::devType() const
vfunc[3]:	QPicture::paintEngine() const
vfunc[4]:	QPicture::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[5]:	QPicture::setData(char const*, unsigned int)

The Run Time Type Information for the QPicture class is described by Table 6-227

Table 6-227 typeinfo for QPicture

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QPicture
basetype:	typeinfo for QPaintDevice

6.4.1.67 Class data for QMovie

The virtual table for the QMovie class is described by Table 6-228

Table 6-228 Primary vtable for QMovie

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QMovie
vfunc[0]:	QMovie::metaObject() const
vfunc[1]:	QMovie::qt_metacast(char const*)
vfunc[2]:	QMovie::qt_metacall(QMetaObject::Call, int, void**)

vfunc[3]:	QMovie::~~QMovie()
vfunc[4]:	QMovie::~~QMovie()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QMovie class is described by Table 6-229

Table 6-229 typeinfo for QMovie

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QMovie
basetype:	typeinfo for QObject

6.4.1.68 Class data for QIconEngineFactoryInterface

The virtual table for the QIconEngineFactoryInterface class is described by Table 6-230

Table 6-230 Primary vtable for QIconEngineFactoryInterface

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QIconEngineFactoryInterface
vfunc[0]:	QIconEngineFactoryInterface::~~QIconEngineFactoryInterface()
vfunc[1]:	QIconEngineFactoryInterface::~~QIconEngineFactoryInterface()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual

The Run Time Type Information for the QIconEngineFactoryInterface class is described by Table 6-231

Table 6-231 typeinfo for QIconEngineFactoryInterface

Base Vtable	vtable for
-------------	------------

	__cxxabiv1::__si_class_type_info
Name	typeinfo name for QIconEngineFactoryInterface
basetype:	typeinfo for QFactoryInterface

6.4.1.69 Class data for QIconEnginePlugin

The virtual table for the QIconEnginePlugin class is described by Table 6-232

Table 6-232 Primary vtable for QIconEnginePlugin

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QIconEnginePlugin
vfunc[0]:	QIconEnginePlugin::metaObject() const
vfunc[1]:	QIconEnginePlugin::qt_metacast(char const*)
vfunc[2]:	QIconEnginePlugin::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QIconEnginePlugin::~~QIconEnginePlugin()
vfunc[4]:	QIconEnginePlugin::~~QIconEnginePlugin()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	__cxa_pure_virtual

Table 6-233 Secondary vtable for QIconEnginePlugin

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QIconEnginePlugin
vfunc[0]:	non-virtual thunk to QIconEnginePlugin::~~QIconEnginePlugin()

	ugin()
vfunc[1]:	non-virtual thunk to QIconEnginePlugin::~~QIconEnginePlugin()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual

The Run Time Type Information for the QIconEnginePlugin class is described by Table 6-234

Table 6-234 typeinfo for QIconEnginePlugin

Base Vtable	vtable for __cxxabiv1::__vmi_class _type_info	
Name	typeinfo name for QIconEnginePlugin	
flags:	0	
basetype:	typeinfo for QObject	2
basetype:	typeinfo for QIconEngineFactoryInt erface	2050

6.4.1.70 Class data for QIconEngine

The virtual table for the QIconEngine class is described by Table 6-235

Table 6-235 Primary vtable for QIconEngine

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QIconEngine
vfunc[0]:	QIconEngine::~~QIconEngine()
vfunc[1]:	QIconEngine::~~QIconEngine()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	QIconEngine::actualSize(QSize const&, QIcon::Mode, QIcon::State)
vfunc[4]:	QIconEngine::pixmap(QSize const&, QIcon::Mode, QIcon::State)
vfunc[5]:	QIconEngine::addPixmap(QPixmap const&, QIcon::Mode, QIcon::State)
vfunc[6]:	QIconEngine::addFile(QString const&, QSize const&, QIcon::Mode, QIcon::State)

The Run Time Type Information for the QIconEngine class is described by Table 6-236

Table 6-236 typeinfo for QIconEngine

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QIconEngine

6.4.1.71 Class data for QBitmap

The virtual table for the QBitmap class is described by Table 6-237

Table 6-237 Primary vtable for QBitmap

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QBitmap
vfunc[0]:	QBitmap::~~QBitmap()
vfunc[1]:	QBitmap::~~QBitmap()
vfunc[2]:	QPixmap::devType() const
vfunc[3]:	QPixmap::paintEngine() const
vfunc[4]:	QPixmap::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QBitmap class is described by Table 6-238

Table 6-238 typeinfo for QBitmap

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QBitmap
basetype:	typeinfo for QPixmap

6.4.1.72 Class data for QPictureFormatInterface

The virtual table for the QPictureFormatInterface class is described by Table 6-239

Table 6-239 Primary vtable for QPictureFormatInterface

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QPictureFormatInterface
vfunc[0]:	QPictureFormatInterface::~~QPictureFormatInterface()
vfunc[1]:	QPictureFormatInterface::~~QPictureFormatInterface()

vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual
vfunc[4]:	__cxa_pure_virtual
vfunc[5]:	__cxa_pure_virtual

The Run Time Type Information for the QPictureFormatInterface class is described by Table 6-240

Table 6-240 typeinfo for QPictureFormatInterface

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QPictureFormatInterface
basetype:	typeinfo for QFactoryInterface

6.4.1.73 Class data for QPictureFormatPlugin

The virtual table for the QPictureFormatPlugin class is described by Table 6-241

Table 6-241 Primary vtable for QPictureFormatPlugin

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QPictureFormatPlugin
vfunc[0]:	QPictureFormatPlugin::metaObject() const
vfunc[1]:	QPictureFormatPlugin::qt_metacast(c har const*)
vfunc[2]:	QPictureFormatPlugin::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QPictureFormatPlugin::~~QPictureFor matPlugin()
vfunc[4]:	QPictureFormatPlugin::~~QPictureFor matPlugin()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	QPictureFormatPlugin::loadPicture(QString const&, QString const&, QPicture*)
vfunc[14]:	QPictureFormatPlugin::savePicture(QString const&, QString const&, QPicture const&)
vfunc[15]:	__cxa_pure_virtual

Table 6-242 Secondary vtable for QPictureFormatPlugin

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QPictureFormatPlugin
vfunc[0]:	non-virtual thunk to QPictureFormatPlugin::~~QPictureFormatPlugin()
vfunc[1]:	non-virtual thunk to QPictureFormatPlugin::~~QPictureFormatPlugin()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	non-virtual thunk to QPictureFormatPlugin::loadPicture(QString const&, QString const&, QPicture*)
vfunc[4]:	non-virtual thunk to QPictureFormatPlugin::savePicture(QString const&, QString const&, QPicture const&)
vfunc[5]:	__cxa_pure_virtual

The Run Time Type Information for the QPictureFormatPlugin class is described by Table 6-243

Table 6-243 typeid for QPictureFormatPlugin

Base Vtable	vtable for __cxxabiv1::__vmi_class_type_info	
Name	typeid name for QPictureFormatPlugin	
flags:	0	
basetype:	typeid for QObject	2
basetype:	typeid for QPictureFormatInterface	2050

6.4.1.74 Class data for QPrinter

The virtual table for the QPrinter class is described by Table 6-244

Table 6-244 Primary vtable for QPrinter

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QPrinter
vfunc[0]:	QPrinter::~~QPrinter()
vfunc[1]:	QPrinter::~~QPrinter()
vfunc[2]:	QPrinter::devType() const
vfunc[3]:	QPrinter::paintEngine() const
vfunc[4]:	QPrinter::metric(QPaintDevice::Paint DeviceMetric) const

The Run Time Type Information for the QPrinter class is described by Table 6-245

Table 6-245 typeinfo for QPrinter

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QPrinter
basetype:	typeinfo for QPaintDevice

6.4.1.75 Class data for QPrintEngine

The virtual table for the QPrintEngine class is described by Table 6-246

Table 6-246 Primary vtable for QPrintEngine

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QPrintEngine
vfunc[0]:	QPrintEngine::~~QPrintEngine()
vfunc[1]:	QPrintEngine::~~QPrintEngine()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual
vfunc[4]:	__cxa_pure_virtual
vfunc[5]:	__cxa_pure_virtual
vfunc[6]:	__cxa_pure_virtual
vfunc[7]:	__cxa_pure_virtual

The Run Time Type Information for the QPrintEngine class is described by Table 6-247

Table 6-247 typeinfo for QPrintEngine

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QPrintEngine

6.4.1.76 Class data for QStyle

The virtual table for the QStyle class is described by Table 6-248

Table 6-248 Primary vtable for QStyle

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QStyle
vfunc[0]:	QStyle::metaObject() const
vfunc[1]:	QStyle::qt_metacast(char const*)
vfunc[2]:	QStyle::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QStyle::~~QStyle()
vfunc[4]:	QStyle::~~QStyle()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QStyle::polish(QWidget*)
vfunc[13]:	QStyle::unpolish(QWidget*)
vfunc[14]:	QStyle::polish(QApplication*)
vfunc[15]:	QStyle::unpolish(QApplication*)
vfunc[16]:	QStyle::polish(QPalette&)
vfunc[17]:	QStyle::itemTextRect(QFontMetrics const&, QRect const&, int, bool, QString const&) const
vfunc[18]:	QStyle::itemPixmapRect(QRect const&, int, QPixmap const&) const
vfunc[19]:	QStyle::drawItemText(QPainter*, QRect const&, int, QPalette const&,

	bool, QString const&, QPalette::ColorRole) const
vfunc[20]:	QStyle::drawItemPixmap(QPainter*, QRect const&, int, QPixmap const&) const
vfunc[21]:	QStyle::standardPalette() const
vfunc[22]:	__cxa_pure_virtual
vfunc[23]:	__cxa_pure_virtual
vfunc[24]:	__cxa_pure_virtual
vfunc[25]:	__cxa_pure_virtual
vfunc[26]:	__cxa_pure_virtual
vfunc[27]:	__cxa_pure_virtual
vfunc[28]:	__cxa_pure_virtual
vfunc[29]:	__cxa_pure_virtual
vfunc[30]:	__cxa_pure_virtual
vfunc[31]:	__cxa_pure_virtual
vfunc[32]:	__cxa_pure_virtual

The Run Time Type Information for the QStyle class is described by Table 6-249

Table 6-249 typeinfo for QStyle

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QStyle
basetype:	typeinfo for QObject

6.4.1.77 Class data for QPaintEngine

The virtual table for the QPaintEngine class is described by Table 6-250

Table 6-250 Primary vtable for QPaintEngine

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QPaintEngine
vfunc[0]:	QPaintEngine::~~QPaintEngine()
vfunc[1]:	QPaintEngine::~~QPaintEngine()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual
vfunc[4]:	__cxa_pure_virtual
vfunc[5]:	QPaintEngine::drawRects(QRect

	const*, int)
vfunc[6]:	QPaintEngine::drawRects(QRectF const*, int)
vfunc[7]:	QPaintEngine::drawLines(QLine const*, int)
vfunc[8]:	QPaintEngine::drawLines(QLineF const*, int)
vfunc[9]:	QPaintEngine::drawEllipse(QRectF const&)
vfunc[10]:	QPaintEngine::drawEllipse(QRect const&)
vfunc[11]:	QPaintEngine::drawPath(QPainterPath const&)
vfunc[12]:	QPaintEngine::drawPoints(QPointF const*, int)
vfunc[13]:	QPaintEngine::drawPoints(QPoint const*, int)
vfunc[14]:	QPaintEngine::drawPolygon(QPointF const*, int, QPaintEngine::PolygonDrawMode)
vfunc[15]:	QPaintEngine::drawPolygon(QPoint const*, int, QPaintEngine::PolygonDrawMode)
vfunc[16]:	__cxa_pure_virtual
vfunc[17]:	QPaintEngine::drawTextItem(QPointF const&, QTextItem const&)
vfunc[18]:	QPaintEngine::drawTiledPixmap(QRectF const&, QPixmap const&, QPointF const&)
vfunc[19]:	QPaintEngine::drawImage(QRectF const&, QImage const&, QRectF const&, QFlags<Qt::ImageConversionFlag>)
vfunc[20]:	QPaintEngine::coordinateOffset() const
vfunc[21]:	__cxa_pure_virtual

The Run Time Type Information for the QPaintEngine class is described by Table 6-251

Table 6-251 typeinfo for QPaintEngine

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QPaintEngine

6.4.1.78 Class data for QItemSelectionModel

The virtual table for the QItemSelectionModel class is described by Table 6-252

Table 6-252 Primary vtable for QItemSelectionModel

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QItemSelectionModel
vfunc[0]:	QItemSelectionModel::metaObject() const
vfunc[1]:	QItemSelectionModel::qt_metacast(char const*)
vfunc[2]:	QItemSelectionModel::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QItemSelectionModel::~~QItemSelectionModel()
vfunc[4]:	QItemSelectionModel::~~QItemSelectionModel()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QItemSelectionModel::select(QModelIndex const&, QFlags<QItemSelectionModel::SelectionFlag>)
vfunc[13]:	QItemSelectionModel::select(QItemSelection const&, QFlags<QItemSelectionModel::SelectionFlag>)
vfunc[14]:	QItemSelectionModel::clear()
vfunc[15]:	QItemSelectionModel::reset()

The Run Time Type Information for the QItemSelectionModel class is described by Table 6-253

Table 6-253 typeinfo for QItemSelectionModel

Base Vtable	vtable for
-------------	------------

	__cxxabiv1::__si_class_type_info
Name	typeinfo name for QItemSelectionMode
basetype:	typeinfo for QObject

6.4.1.79 Class data for QAbstractScrollArea

The virtual table for the QAbstractScrollArea class is described by Table 6-254

Table 6-254 Primary vtable for QAbstractScrollArea

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QAbstractScrollArea
vfunc[0]:	QAbstractScrollArea::metaObject() const
vfunc[1]:	QAbstractScrollArea::qt_metacast(char const*)
vfunc[2]:	QAbstractScrollArea::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QAbstractScrollArea::~QAbstractScrollArea()
vfunc[4]:	QAbstractScrollArea::~QAbstractScrollArea()
vfunc[5]:	QAbstractScrollArea::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QAbstractScrollArea::sizeHint() const
vfunc[15]:	QAbstractScrollArea::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QAbstractScrollArea::mousePressEvent(QMouseEvent*)

vfunc[19]:	QAbstractScrollArea::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QAbstractScrollArea::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QAbstractScrollArea::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QAbstractScrollArea::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractScrollArea::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QAbstractScrollArea::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QAbstractScrollArea::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QAbstractScrollArea::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QAbstractScrollArea::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QAbstractScrollArea::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QAbstractScrollArea::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QAbstractScrollArea::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)

vfunc[43]:	QFrame::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QAbstractScrollArea::viewportEvent(QEvent*)
vfunc[55]:	QAbstractScrollArea::scrollContentsBy(int, int)

Table 6-255 Secondary vtable for QAbstractScrollArea

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QAbstractScrollArea
vfunc[0]:	non-virtual thunk to QAbstractScrollArea::~~QAbstractScrollArea()
vfunc[1]:	non-virtual thunk to QAbstractScrollArea::~~QAbstractScrollArea()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QAbstractScrollArea class is described by Table 6-256

Table 6-256 typeinfo for QAbstractScrollArea

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QAbstractScrollArea
basetype:	typeinfo for QFrame

6.4.1.80 Class data for QValidator

The virtual table for the QValidator class is described by Table 6-257

Table 6-257 Primary vtable for QValidator

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QValidator
vfunc[0]:	QValidator::metaObject() const
vfunc[1]:	QValidator::qt_metacast(char const*)
vfunc[2]:	QValidator::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QValidator::~~QValidator()
vfunc[4]:	QValidator::~~QValidator()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	QValidator::fixup(QString&) const

The Run Time Type Information for the QValidator class is described by Table 6-258

Table 6-258 typeinfo for QValidator

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QValidator
basetype:	typeinfo for QObject

6.4.1.81 Class data for QIntValidator

The virtual table for the QIntValidator class is described by Table 6-259

Table 6-259 Primary vtable for QIntValidator

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QIntValidator
vfunc[0]:	QIntValidator::metaObject() const
vfunc[1]:	QIntValidator::qt_metacast(char const*)
vfunc[2]:	QIntValidator::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QIntValidator::~~QIntValidator()
vfunc[4]:	QIntValidator::~~QIntValidator()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QIntValidator::validate(QString&, int&) const
vfunc[13]:	QValidator::fixup(QString&) const
vfunc[14]:	QIntValidator::setRange(int, int)

The Run Time Type Information for the QIntValidator class is described by Table 6-260

Table 6-260 typeinfo for QIntValidator

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QIntValidator
basetype:	typeinfo for QValidator

6.4.1.82 Class data for QDoubleValidator

The virtual table for the QDoubleValidator class is described by Table 6-261

Table 6-261 Primary vtable for QDoubleValidator

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QDoubleValidator
vfunc[0]:	QDoubleValidator::metaObject() const
vfunc[1]:	QDoubleValidator::qt_metacast(char const*)
vfunc[2]:	QDoubleValidator::qt_metacall(QMe taObject::Call, int, void**)
vfunc[3]:	QDoubleValidator::~~QDoubleValidat or()
vfunc[4]:	QDoubleValidator::~~QDoubleValidat or()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QDoubleValidator::validate(QString &, int&) const
vfunc[13]:	QValidator::fixup(QString&) const
vfunc[14]:	QDoubleValidator::setRange(double, double, int)

The Run Time Type Information for the QDoubleValidator class is described by Table 6-262

Table 6-262 typeinfo for QDoubleValidator

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QDoubleValidator
basetype:	typeinfo for QValidator

6.4.1.83 Class data for QRegExpValidator

The virtual table for the QRegExpValidator class is described by Table 6-263

Table 6-263 Primary vtable for QRegExpValidator

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QRegExpValidator
vfunc[0]:	QRegExpValidator::metaObject() const
vfunc[1]:	QRegExpValidator::qt_metacast(char const*)
vfunc[2]:	QRegExpValidator::qt_metacall(QMe taObject::Call, int, void**)
vfunc[3]:	QRegExpValidator::~~QRegExpValida tor()
vfunc[4]:	QRegExpValidator::~~QRegExpValida tor()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QRegExpValidator::validate(QString &, int&) const
vfunc[13]:	QValidator::fixup(QString&) const

The Run Time Type Information for the QRegExpValidator class is described by Table 6-264

Table 6-264 typeinfo for QRegExpValidator

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QRegExpValidator
basetype:	typeinfo for QValidator

6.4.1.84 Class data for QAbstractSpinBox

The virtual table for the QAbstractSpinBox class is described by Table 6-265

Table 6-265 Primary vtable for QAbstractSpinBox

Base Offset	0
-------------	---

Virtual Base Offset	0
RTTI	typeid for QAbstractSpinBox
vfunc[0]:	QAbstractSpinBox::metaObject() const
vfunc[1]:	QAbstractSpinBox::qt_metacast(char const*)
vfunc[2]:	QAbstractSpinBox::qt_metacall(QMe taObject::Call, int, void**)
vfunc[3]:	QAbstractSpinBox::~~QAbstractSpinB ox()
vfunc[4]:	QAbstractSpinBox::~~QAbstractSpinB ox()
vfunc[5]:	QAbstractSpinBox::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QAbstractSpinBox::timerEvent(QTim erEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QAbstractSpinBox::sizeHint() const
vfunc[15]:	QAbstractSpinBox::minimumSizeHin t() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QAbstractSpinBox::mousePressEvent (QMouseEvent*)
vfunc[19]:	QAbstractSpinBox::mouseReleaseEve nt(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QAbstractSpinBox::mouseMoveEven t(QMouseEvent*)
vfunc[22]:	QAbstractSpinBox::wheelEvent(QWh eelEvent*)

vfunc[23]:	QAbstractSpinBox::keyPressEvent(QKeyEvent*)
vfunc[24]:	QAbstractSpinBox::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QAbstractSpinBox::focusInEvent(QFocusEvent*)
vfunc[26]:	QAbstractSpinBox::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QAbstractSpinBox::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QAbstractSpinBox::resizeEvent(QResizeEvent*)
vfunc[32]:	QAbstractSpinBox::closeEvent(QCloseEvent*)
vfunc[33]:	QAbstractSpinBox::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QAbstractSpinBox::showEvent(QShowEvent*)
vfunc[41]:	QAbstractSpinBox::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QAbstractSpinBox::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)

vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QAbstractSpinBox::validate(QString&, int&) const
vfunc[55]:	QAbstractSpinBox::fixup(QString&) const
vfunc[56]:	QAbstractSpinBox::stepBy(int)
vfunc[57]:	QAbstractSpinBox::clear()
vfunc[58]:	QAbstractSpinBox::stepEnabled() const

Table 6-266 Secondary vtable for QAbstractSpinBox

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QAbstractSpinBox
vfunc[0]:	non-virtual thunk to QAbstractSpinBox::~~QAbstractSpinBox()
vfunc[1]:	non-virtual thunk to QAbstractSpinBox::~~QAbstractSpinBox()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QAbstractSpinBox class is described by Table 6-267

Table 6-267 typeinfo for QAbstractSpinBox

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QAbstractSpinBox
basetype:	typeinfo for QWidget

6.4.1.85 Class data for QAbstractSlider

The virtual table for the QAbstractSlider class is described by Table 6-268

Table 6-268 Primary vtable for QAbstractSlider

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QAbstractSlider
vfunc[0]:	QAbstractSlider::metaObject() const
vfunc[1]:	QAbstractSlider::qt_metacast(char const*)
vfunc[2]:	QAbstractSlider::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QAbstractSlider::~~QAbstractSlider()
vfunc[4]:	QAbstractSlider::~~QAbstractSlider()
vfunc[5]:	QAbstractSlider::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QAbstractSlider::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QWidget::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMou

	seEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QAbstractSlider::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractSlider::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QAbstractSlider::changeEvent(QEvent*)

vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QAbstractSlider::sliderChange(QAbstractSlider::SliderChange)

Table 6-269 Secondary vtable for QAbstractSlider

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QAbstractSlider
vfunc[0]:	non-virtual thunk to QAbstractSlider::~~QAbstractSlider()
vfunc[1]:	non-virtual thunk to QAbstractSlider::~~QAbstractSlider()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QAbstractSlider class is described by Table 6-270

Table 6-270 typeid for QAbstractSlider

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QAbstractSlider

basetype:	typeinfo for QWidget
-----------	----------------------

6.4.1.86 Class data for QSlider

The virtual table for the QSlider class is described by Table 6-271

Table 6-271 Primary vtable for QSlider

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSlider
vfunc[0]:	QSlider::metaObject() const
vfunc[1]:	QSlider::qt_metacast(char const*)
vfunc[2]:	QSlider::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QSlider::~~QSlider()
vfunc[4]:	QSlider::~~QSlider()
vfunc[5]:	QSlider::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QAbstractSlider::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QSlider::sizeHint() const
vfunc[15]:	QSlider::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QSlider::mousePressEvent(QMouseEvent*)
vfunc[19]:	QSlider::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QSlider::mouseMoveEvent(QMouseEvent*)

vfunc[22]:	QAbstractSlider::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractSlider::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QSlider::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QAbstractSlider::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::In

	putMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QAbstractSlider::sliderChange(QAbstractSlider::SliderChange)

Table 6-272 Secondary vtable for QSlider

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QSlider
vfunc[0]:	non-virtual thunk to QSlider::~~QSlider()
vfunc[1]:	non-virtual thunk to QSlider::~~QSlider()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QSlider class is described by Table 6-273

Table 6-273 typeinfo for QSlider

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSlider
basetype:	typeinfo for QAbstractSlider

6.4.1.87 Class data for QTabBar

The virtual table for the QTabBar class is described by Table 6-274

Table 6-274 Primary vtable for QTabBar

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTabBar
vfunc[0]:	QTabBar::metaObject() const
vfunc[1]:	QTabBar::qt_metacast(char const*)
vfunc[2]:	QTabBar::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QTabBar::~~QTabBar()
vfunc[4]:	QTabBar::~~QTabBar()
vfunc[5]:	QTabBar::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QTabBar::sizeHint() const
vfunc[15]:	QTabBar::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QTabBar::mousePressEvent(QMouseEvent*)
vfunc[19]:	QTabBar::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QTabBar::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QTabBar::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)

	nt*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QTabBar::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QTabBar::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QTabBar::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QTabBar::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette

	const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QTabBar::tabSizeHint(int) const
vfunc[55]:	QTabBar::tabInserted(int)
vfunc[56]:	QTabBar::tabRemoved(int)
vfunc[57]:	QTabBar::tabLayoutChange()

Table 6-275 Secondary vtable for QTabBar

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QTabBar
vfunc[0]:	non-virtual thunk to QTabBar::~~QTabBar()
vfunc[1]:	non-virtual thunk to QTabBar::~~QTabBar()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QTabBar class is described by Table 6-276

Table 6-276 typeinfo for QTabBar

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QTabBar
basetype:	typeinfo for QWidget

6.4.1.88 Class data for QTabWidget

The virtual table for the QTabWidget class is described by Table 6-277

Table 6-277 Primary vtable for QTabWidget

Base Offset	0
Virtual Base Offset	0

RTTI	typeid for QTabWidget
vfunc[0]:	QTabWidget::metaObject() const
vfunc[1]:	QTabWidget::qt_metacast(char const*)
vfunc[2]:	QTabWidget::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QTabWidget::~QTabWidget()
vfunc[4]:	QTabWidget::~QTabWidget()
vfunc[5]:	QTabWidget::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QTabWidget::sizeHint() const
vfunc[15]:	QTabWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QTabWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)

	*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QTabWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QTabWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QTabWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QTabWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)

vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QTabWidget::tabInserted(int)
vfunc[55]:	QTabWidget::tabRemoved(int)

Table 6-278 Secondary vtable for QTabWidget

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QTabWidget
vfunc[0]:	non-virtual thunk to QTabWidget::~~QTabWidget()
vfunc[1]:	non-virtual thunk to QTabWidget::~~QTabWidget()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QTabWidget class is described by Table 6-279

Table 6-279 typeid for QTabWidget

Base Vtable	vtable for <code>__cxxabiv1::__si_class_type_info</code>
Name	typeid name for QTabWidget
basetype:	typeid for QWidget

6.4.1.89 Class data for QRubberBand

The virtual table for the QRubberBand class is described by Table 6-280

Table 6-280 Primary vtable for QRubberBand

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QRubberBand
vfunc[0]:	QRubberBand::metaObject() const
vfunc[1]:	QRubberBand::qt_metacast(char

	const*)
vfunc[2]:	QRubberBand::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QRubberBand::~~QRubberBand()
vfunc[4]:	QRubberBand::~~QRubberBand()
vfunc[5]:	QRubberBand::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QWidget::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)

vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QRubberBand::paintEvent(QPaintEvent*)
vfunc[30]:	QRubberBand::moveEvent(QMoveEvent*)
vfunc[31]:	QRubberBand::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QRubberBand::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QRubberBand::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(

	bool)
vfunc[53]:	QWidget::languageChange()

Table 6-281 Secondary vtable for QRubberBand

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QRubberBand
vfunc[0]:	non-virtual thunk to QRubberBand::~~QRubberBand()
vfunc[1]:	non-virtual thunk to QRubberBand::~~QRubberBand()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QRubberBand class is described by Table 6-282

Table 6-282 typeid for QRubberBand

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QRubberBand
basetype:	typeid for QWidget

6.4.1.90 Class data for QAbstractItemDelegate

The virtual table for the QAbstractItemDelegate class is described by Table 6-283

Table 6-283 Primary vtable for QAbstractItemDelegate

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QAbstractItemDelegate
vfunc[0]:	QAbstractItemDelegate::metaObject() const
vfunc[1]:	QAbstractItemDelegate::qt_metacast(char const*)
vfunc[2]:	QAbstractItemDelegate::qt_metacall(QMetaObject::Call, int, void**)

vfunc[3]:	QAbstractItemDelegate::~~QAbstractItemDelegate()
vfunc[4]:	QAbstractItemDelegate::~~QAbstractItemDelegate()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	__cxa_pure_virtual
vfunc[14]:	QAbstractItemDelegate::createEditor(QWidget*, QStyleOptionViewItem const&, QModelIndex const&) const
vfunc[15]:	QAbstractItemDelegate::setEditorData(QWidget*, QModelIndex const&) const
vfunc[16]:	QAbstractItemDelegate::setModelData(QWidget*, QAbstractItemModel*, QModelIndex const&) const
vfunc[17]:	QAbstractItemDelegate::updateEditorGeometry(QWidget*, QStyleOptionViewItem const&, QModelIndex const&) const
vfunc[18]:	QAbstractItemDelegate::editorEvent(QEvent*, QAbstractItemModel*, QStyleOptionViewItem const&, QModelIndex const&)

The Run Time Type Information for the QAbstractItemDelegate class is described by Table 6-284

Table 6-284 typeinfo for QAbstractItemDelegate

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QAbstractItemDelegate
basetype:	typeinfo for QObject

6.4.1.91 Class data for QAbstractItemView

The virtual table for the QAbstractItemView class is described by Table 6-285

Table 6-285 Primary vtable for QAbstractItemView

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QAbstractItemView
vfunc[0]:	QAbstractItemView::metaObject() const
vfunc[1]:	QAbstractItemView::qt_metacast(char const*)
vfunc[2]:	QAbstractItemView::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QAbstractItemView::~~QAbstractItemView()
vfunc[4]:	QAbstractItemView::~~QAbstractItemView()
vfunc[5]:	QAbstractItemView::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QAbstractItemView::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QAbstractScrollArea::sizeHint() const
vfunc[15]:	QAbstractScrollArea::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QAbstractItemView::mousePressEvent(QMouseEvent*)
vfunc[19]:	QAbstractItemView::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QAbstractItemView::mouseDoubleClickEvent(QMouseEvent*)

vfunc[21]:	QAbstractItemView::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QAbstractScrollArea::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractItemView::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QAbstractItemView::focusInEvent(QFocusEvent*)
vfunc[26]:	QAbstractItemView::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QAbstractScrollArea::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QAbstractItemView::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QAbstractScrollArea::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QAbstractItemView::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QAbstractItemView::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QAbstractItemView::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QAbstractItemView::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QFrame::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const

vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QAbstractItemView::viewportEvent(QEvent*)
vfunc[55]:	QAbstractScrollArea::scrollContentsBy(int, int)
vfunc[56]:	QAbstractItemView::setModel(QAbstractItemModel*)
vfunc[57]:	QAbstractItemView::setSelectionMode(QItemSelectionMode*)
vfunc[58]:	QAbstractItemView::keyboardSearch(QString const&)
vfunc[59]:	__cxa_pure_virtual
vfunc[60]:	__cxa_pure_virtual
vfunc[61]:	__cxa_pure_virtual
vfunc[62]:	QAbstractItemView::sizeHintForRow(int) const
vfunc[63]:	QAbstractItemView::sizeHintForColumn(int) const
vfunc[64]:	QAbstractItemView::reset()
vfunc[65]:	QAbstractItemView::setRootIndex(QModelIndex const&)
vfunc[66]:	QAbstractItemView::doItemsLayout()
vfunc[67]:	QAbstractItemView::selectAll()
vfunc[68]:	QAbstractItemView::dataChanged(QModelIndex const&, QModelIndex const&)
vfunc[69]:	QAbstractItemView::rowsInserted(Q

	ModelIndex const&, int, int)
vfunc[70]:	QAbstractItemView::rowsAboutToBeRemoved(QModelIndex const&, int, int)
vfunc[71]:	QAbstractItemView::selectionChanged(QItemSelection const&, QItemSelection const&)
vfunc[72]:	QAbstractItemView::currentChanged(QModelIndex const&, QModelIndex const&)
vfunc[73]:	QAbstractItemView::updateEditorData()
vfunc[74]:	QAbstractItemView::updateEditorGeometries()
vfunc[75]:	QAbstractItemView::updateGeometries()
vfunc[76]:	QAbstractItemView::verticalScrollbarAction(int)
vfunc[77]:	QAbstractItemView::horizontalScrollbarAction(int)
vfunc[78]:	QAbstractItemView::verticalScrollbarValueChanged(int)
vfunc[79]:	QAbstractItemView::horizontalScrollbarValueChanged(int)
vfunc[80]:	QAbstractItemView::closeEditor(QWidget*, QAbstractItemDelegate::EndEditHint)
vfunc[81]:	QAbstractItemView::commitData(QWidget*)
vfunc[82]:	QAbstractItemView::editorDestroyed(QObject*)
vfunc[83]:	__cxa_pure_virtual
vfunc[84]:	__cxa_pure_virtual
vfunc[85]:	__cxa_pure_virtual
vfunc[86]:	__cxa_pure_virtual
vfunc[87]:	__cxa_pure_virtual
vfunc[88]:	__cxa_pure_virtual
vfunc[89]:	QAbstractItemView::selectedIndexes() const
vfunc[90]:	QAbstractItemView::edit(QModelIndex const&,

	QAbstractItemView::EditTrigger, QEvent*)
vfunc[91]:	QAbstractItemView::selectionCommand(QModelIndex const&, QEvent const*) const
vfunc[92]:	QAbstractItemView::startDrag(QFlags<Qt::DropAction>)
vfunc[93]:	QAbstractItemView::viewOptions() const

Table 6-286 Secondary vtable for QAbstractItemView

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QAbstractItemView
vfunc[0]:	non-virtual thunk to QAbstractItemView::~~QAbstractItemView()
vfunc[1]:	non-virtual thunk to QAbstractItemView::~~QAbstractItemView()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QAbstractItemView class is described by Table 6-287

Table 6-287 typeinfo for QAbstractItemView

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QAbstractItemView
basetype:	typeinfo for QAbstractScrollArea

6.4.1.92 Class data for QStringListModel

The virtual table for the QStringListModel class is described by Table 6-288

Table 6-288 Primary vtable for QStringListModel

Base Offset	0
Virtual Base Offset	0

RTTI	typeid for QStringListModel
vfunc[0]:	QStringListModel::metaObject() const
vfunc[1]:	QStringListModel::qt_metacast(char const*)
vfunc[2]:	QStringListModel::qt_metacall(QMet aObject::Call, int, void**)
vfunc[3]:	QStringListModel::~~QStringListMod el()
vfunc[4]:	QStringListModel::~~QStringListMod el()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QAbstractListModel::index(int, int, QModelIndex const&) const
vfunc[13]:	QAbstractListModel::parent(QModel Index const&) const
vfunc[14]:	QStringListModel::rowCount(QMod elIndex const&) const
vfunc[15]:	QAbstractListModel::columnCount(QModelIndex const&) const
vfunc[16]:	QAbstractListModel::hasChildren(Q ModelIndex const&) const
vfunc[17]:	QStringListModel::data(QModelInde x const&, int) const
vfunc[18]:	QStringListModel::setData(QModelI ndex const&, QVariant const&, int)
vfunc[19]:	QAbstractItemModel::headerData(int , Qt::Orientation, int) const
vfunc[20]:	QAbstractItemModel::setHeaderData (int, Qt::Orientation, QVariant const&, int)
vfunc[21]:	QAbstractItemModel::itemData(QMo delIndex const&) const

vfunc[22]:	QAbstractItemModel::setItemData(QModelIndex const&, QMap<int, QVariant> const&)
vfunc[23]:	QAbstractItemModel::mimeTypes() const
vfunc[24]:	QAbstractItemModel::mimeData(QList<QModelIndex> const&) const
vfunc[25]:	QAbstractListModel::dropMimeData(QMimeData const*, Qt::DropAction, int, int, QModelIndex const&)
vfunc[26]:	QAbstractItemModel::supportedDropActions() const
vfunc[27]:	QStringListModel::insertRows(int, int, QModelIndex const&)
vfunc[28]:	QAbstractItemModel::insertColumns(int, int, QModelIndex const&)
vfunc[29]:	QStringListModel::removeRows(int, int, QModelIndex const&)
vfunc[30]:	QAbstractItemModel::removeColumns(int, int, QModelIndex const&)
vfunc[31]:	QAbstractItemModel::fetchMore(QModelIndex const&)
vfunc[32]:	QAbstractItemModel::canFetchMore(QModelIndex const&) const
vfunc[33]:	QStringListModel::flags(QModelIndex const&) const
vfunc[34]:	QStringListModel::sort(int, Qt::SortOrder)
vfunc[35]:	QAbstractItemModel::buddy(QModelIndex const&) const
vfunc[36]:	QAbstractItemModel::match(QModelIndex const&, int, QVariant const&, int, QFlags<Qt::MatchFlag>) const
vfunc[37]:	QAbstractItemModel::span(QModelIndex const&) const
vfunc[38]:	QAbstractItemModel::submit()
vfunc[39]:	QAbstractItemModel::revert()

The Run Time Type Information for the QStringListModel class is described by Table 6-289

Table 6-289 typeinfo for QStringListModel

Base Vtable	vtable for
-------------	------------

	__cxxabiv1::__si_class_type_info
Name	typeid name for QStringListModel
basetype:	typeid for QAbstractListModel

6.4.1.93 Class data for QListView

The virtual table for the QListView class is described by Table 6-290

Table 6-290 Primary vtable for QListView

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QListView
vfunc[0]:	QListView::metaObject() const
vfunc[1]:	QListView::qt_metacast(char const*)
vfunc[2]:	QListView::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QListView::~~QListView()
vfunc[4]:	QListView::~~QListView()
vfunc[5]:	QListView::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QListView::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QAbstractScrollArea::sizeHint() const
vfunc[15]:	QAbstractScrollArea::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QAbstractItemView::mousePressEvent(QMouseEvent*)
vfunc[19]:	QListView::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QAbstractItemView::mouseDoubleClick

	ickEvent(QMouseEvent*)
vfunc[21]:	QListView::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QAbstractScrollArea::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractItemView::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QAbstractItemView::focusInEvent(QFocusEvent*)
vfunc[26]:	QAbstractItemView::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QListView::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QListView::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QAbstractScrollArea::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QAbstractItemView::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QListView::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QListView::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QListView::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QFrame::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::Paint

	DeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QAbstractItemView::viewportEvent(QEvent*)
vfunc[55]:	QListView::scrollContentsBy(int, int)
vfunc[56]:	QAbstractItemView::setModel(QAbstractItemModel*)
vfunc[57]:	QAbstractItemView::setSelectionMode(QItemSelectionMode*)
vfunc[58]:	QAbstractItemView::keyboardSearch(QString const&)
vfunc[59]:	QListView::visualRect(QModelIndex const&) const
vfunc[60]:	QListView::scrollTo(QModelIndex const&, QAbstractItemView::ScrollHint)
vfunc[61]:	QListView::indexAt(QPoint const&) const
vfunc[62]:	QAbstractItemView::sizeHintForRow(int) const
vfunc[63]:	QAbstractItemView::sizeHintForColumn(int) const
vfunc[64]:	QListView::reset()
vfunc[65]:	QListView::setRootIndex(QModelIndex const&)
vfunc[66]:	QListView::doItemsLayout()
vfunc[67]:	QAbstractItemView::selectAll()
vfunc[68]:	QListView::dataChanged(QModelIndex

	dex const&, QModelIndex const&)
vfunc[69]:	QListView::rowsInserted(QModelIndex const&, int, int)
vfunc[70]:	QListView::rowsAboutToBeRemoved(QModelIndex const&, int, int)
vfunc[71]:	QAbstractItemView::selectionChanged(QItemSelection const&, QItemSelection const&)
vfunc[72]:	QAbstractItemView::currentChanged(QModelIndex const&, QModelIndex const&)
vfunc[73]:	QAbstractItemView::updateEditorData()
vfunc[74]:	QAbstractItemView::updateEditorGeometries()
vfunc[75]:	QListView::updateGeometries()
vfunc[76]:	QAbstractItemView::verticalScrollBarAction(int)
vfunc[77]:	QAbstractItemView::horizontalScrollBarAction(int)
vfunc[78]:	QAbstractItemView::verticalScrollBarValueChanged(int)
vfunc[79]:	QAbstractItemView::horizontalScrollBarValueChanged(int)
vfunc[80]:	QAbstractItemView::closeEditor(QWidget*, QAbstractItemDelegate::EndEditHint)
vfunc[81]:	QAbstractItemView::commitData(QWidget*)
vfunc[82]:	QAbstractItemView::editorDestroyed(QObject*)
vfunc[83]:	QListView::moveCursor(QAbstractItemView::CursorAction, QFlags<Qt::KeyboardModifier>)
vfunc[84]:	QListView::horizontalOffset() const
vfunc[85]:	QListView::verticalOffset() const
vfunc[86]:	QListView::isIndexHidden(QModelIndex const&) const
vfunc[87]:	QListView::setSelection(QRect const&, QFlags<QItemSelectionModel::SelectionFlag>)

vfunc[88]:	QListView::visualRegionForSelection(QItemSelection const&) const
vfunc[89]:	QListView::selectedIndexes() const
vfunc[90]:	QAbstractItemView::edit(QModelIndex const&, QAbstractItemView::EditTrigger, QEvent*)
vfunc[91]:	QAbstractItemView::selectionCommand(QModelIndex const&, QEvent const*) const
vfunc[92]:	QListView::startDrag(QFlags<Qt::DropAction>)
vfunc[93]:	QListView::viewOptions() const

Table 6-291 Secondary vtable for QListView

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QListView
vfunc[0]:	non-virtual thunk to QListView::~~QListView()
vfunc[1]:	non-virtual thunk to QListView::~~QListView()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QListView class is described by Table 6-292

Table 6-292 typeinfo for QListView

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QListView
basetype:	typeinfo for QAbstractItemView

6.4.1.94 Class data for QListWidgetItem

The virtual table for the QListWidgetItem class is described by Table 6-293

Table 6-293 Primary vtable for QListWidgetItem

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QListWidgetItem
vfunc[0]:	QListWidgetItem::~~QListWidgetItem() ()
vfunc[1]:	QListWidgetItem::~~QListWidgetItem() ()
vfunc[2]:	QListWidgetItem::clone() const
vfunc[3]:	QListWidgetItem::setBackgroundCol or(QColor const&)
vfunc[4]:	QListWidgetItem::data(int) const
vfunc[5]:	QListWidgetItem::setData(int, QVariant const&)
vfunc[6]:	QListWidgetItem::operator<(QListW idgetItem const&) const
vfunc[7]:	QListWidgetItem::read(QDataStream &)
vfunc[8]:	QListWidgetItem::write(QDataStrea m&) const

The Run Time Type Information for the QListWidgetItem class is described by Table 6-294

Table 6-294 typeinfo for QListWidgetItem

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QListWidgetItem

6.4.1.95 Class data for QListWidget

The virtual table for the QListWidget class is described by Table 6-295

Table 6-295 Primary vtable for QListWidget

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QListWidget
vfunc[0]:	QListWidget::metaObject() const
vfunc[1]:	QListWidget::qt_metacast(char const*)
vfunc[2]:	QListWidget::qt_metacall(QMetaObj ect::Call, int, void**)

vfunc[3]:	QListWidget::~~QListWidget()
vfunc[4]:	QListWidget::~~QListWidget()
vfunc[5]:	QListWidget::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QListView::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QAbstractScrollArea::sizeHint() const
vfunc[15]:	QAbstractScrollArea::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QAbstractItemView::mousePressEvent(QMouseEvent*)
vfunc[19]:	QListView::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QAbstractItemView::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QListView::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QAbstractScrollArea::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractItemView::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QAbstractItemView::focusInEvent(QFocusEvent*)
vfunc[26]:	QAbstractItemView::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)

vfunc[29]:	QListView::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QListView::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QAbstractScrollArea::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QAbstractItemView::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QListView::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QListView::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QListView::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QFrame::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

vfunc[54]:	QAbstractItemView::viewportEvent(QEvent*)
vfunc[55]:	QListView::scrollContentsBy(int, int)
vfunc[56]:	QListWidget::setModel(QAbstractItemModel*)
vfunc[57]:	QAbstractItemView::setSelectionMode(QItemSelectionMode*)
vfunc[58]:	QAbstractItemView::keyboardSearch(QString const&)
vfunc[59]:	QListView::visualRect(QModelIndex const&) const
vfunc[60]:	QListView::scrollTo(QModelIndex const&, QAbstractItemView::ScrollHint)
vfunc[61]:	QListView::indexAt(QPoint const&) const
vfunc[62]:	QAbstractItemView::sizeHintForRow(int) const
vfunc[63]:	QAbstractItemView::sizeHintForColumn(int) const
vfunc[64]:	QListView::reset()
vfunc[65]:	QListView::setRootIndex(QModelIndex const&)
vfunc[66]:	QListView::doItemsLayout()
vfunc[67]:	QAbstractItemView::selectAll()
vfunc[68]:	QListView::dataChanged(QModelIndex const&, QModelIndex const&)
vfunc[69]:	QListView::rowsInserted(QModelIndex const&, int, int)
vfunc[70]:	QListView::rowsAboutToBeRemoved(QModelIndex const&, int, int)
vfunc[71]:	QAbstractItemView::selectionChanged(QItemSelection const&, QItemSelection const&)
vfunc[72]:	QAbstractItemView::currentChanged(QModelIndex const&, QModelIndex const&)
vfunc[73]:	QAbstractItemView::updateEditorData()
vfunc[74]:	QAbstractItemView::updateEditorGeometries()
vfunc[75]:	QListView::updateGeometries()

vfunc[76]:	QAbstractItemView::verticalScrollbarAction(int)
vfunc[77]:	QAbstractItemView::horizontalScrollbarAction(int)
vfunc[78]:	QAbstractItemView::verticalScrollbarValueChanged(int)
vfunc[79]:	QAbstractItemView::horizontalScrollbarValueChanged(int)
vfunc[80]:	QAbstractItemView::closeEditor(QWidget*, QAbstractItemDelegate::EndEditHint)
vfunc[81]:	QAbstractItemView::commitData(QWidget*)
vfunc[82]:	QAbstractItemView::editorDestroyed(QObject*)
vfunc[83]:	QListView::moveCursor(QAbstractItemView::CursorAction, QFlags<Qt::KeyboardModifier>)
vfunc[84]:	QListView::horizontalOffset() const
vfunc[85]:	QListView::verticalOffset() const
vfunc[86]:	QListView::isIndexHidden(QModelIndex const&) const
vfunc[87]:	QListView::setSelection(QRect const&, QFlags<QItemSelectionModel::SelectionFlag>)
vfunc[88]:	QListView::visualRegionForSelection(QItemSelection const&) const
vfunc[89]:	QListView::selectedIndexes() const
vfunc[90]:	QAbstractItemView::edit(QModelIndex const&, QAbstractItemView::EditTrigger, QEvent*)
vfunc[91]:	QAbstractItemView::selectionCommand(QModelIndex const&, QEvent const*) const
vfunc[92]:	QListView::startDrag(QFlags<Qt::DropAction>)
vfunc[93]:	QListView::viewOptions() const
vfunc[94]:	QListWidget::mimeTypes() const
vfunc[95]:	QListWidget::mimeData(QList<QListWidgetItem*>) const

vfunc[96]:	QListWidget::dropMimeData(int, QMimeData const*, Qt::DropAction)
vfunc[97]:	QListWidget::supportedDropActions() const

Table 6-296 Secondary vtable for QListWidget

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QListWidget
vfunc[0]:	non-virtual thunk to QListWidget::~~QListWidget()
vfunc[1]:	non-virtual thunk to QListWidget::~~QListWidget()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QListWidget class is described by Table 6-297

Table 6-297 typeinfo for QListWidget

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QListWidget
basetype:	typeinfo for QListView

6.4.1.96 Class data for QFileIconProvider

The virtual table for the QFileIconProvider class is described by Table 6-298

Table 6-298 Primary vtable for QFileIconProvider

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QFileIconProvider
vfunc[0]:	QFileIconProvider::~~QFileIconProvider()
vfunc[1]:	QFileIconProvider::~~QFileIconProvider()
vfunc[2]:	QFileIconProvider::icon(QFileIconProvider::IconType) const

vfunc[3]:	QFileIconProvider::icon(QFileInfo const&) const
vfunc[4]:	QFileIconProvider::type(QFileInfo const&) const

The Run Time Type Information for the QFileIconProvider class is described by Table 6-299

Table 6-299 typeinfo for QFileIconProvider

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QFileIconProvider

6.4.1.97 Class data for QDirModel

The virtual table for the QDirModel class is described by Table 6-300

Table 6-300 Primary vtable for QDirModel

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QDirModel
vfunc[0]:	QDirModel::metaObject() const
vfunc[1]:	QDirModel::qt_metacast(char const*)
vfunc[2]:	QDirModel::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QDirModel::~~QDirModel()
vfunc[4]:	QDirModel::~~QDirModel()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QDirModel::index(int, int, QModelIndex const&) const
vfunc[13]:	QDirModel::parent(QModelIndex const&) const
vfunc[14]:	QDirModel::rowCount(QModelIndex const&) const

vfunc[15]:	QDirModel::columnCount(QModelIndex const&) const
vfunc[16]:	QDirModel::hasChildren(QModelIndex const&) const
vfunc[17]:	QDirModel::data(QModelIndex const&, int) const
vfunc[18]:	QDirModel::setData(QModelIndex const&, QVariant const&, int)
vfunc[19]:	QDirModel::headerData(int, Qt::Orientation, int) const
vfunc[20]:	QAbstractItemModel::setHeaderData(int, Qt::Orientation, QVariant const&, int)
vfunc[21]:	QAbstractItemModel::itemData(QModelIndex const&) const
vfunc[22]:	QAbstractItemModel::setItemData(QModelIndex const&, QMap<int, QVariant> const&)
vfunc[23]:	QDirModel::mimeTypes() const
vfunc[24]:	QDirModel::mimeData(QList<QModelIndex> const&) const
vfunc[25]:	QDirModel::dropMimeData(QMimeData const*, Qt::DropAction, int, int, QModelIndex const&)
vfunc[26]:	QDirModel::supportedDropActions() const
vfunc[27]:	QAbstractItemModel::insertRows(int, int, QModelIndex const&)
vfunc[28]:	QAbstractItemModel::insertColumns(int, int, QModelIndex const&)
vfunc[29]:	QAbstractItemModel::removeRows(int, int, QModelIndex const&)
vfunc[30]:	QAbstractItemModel::removeColumns(int, int, QModelIndex const&)
vfunc[31]:	QAbstractItemModel::fetchMore(QModelIndex const&)
vfunc[32]:	QAbstractItemModel::canFetchMore(QModelIndex const&) const
vfunc[33]:	QDirModel::flags(QModelIndex const&) const
vfunc[34]:	QDirModel::sort(int, Qt::SortOrder)
vfunc[35]:	QAbstractItemModel::buddy(QModel

	lIndex const&) const
vfunc[36]:	QAbstractItemModel::match(QModelIndex const&, int, QVariant const&, int, QFlags<Qt::MatchFlag>) const
vfunc[37]:	QAbstractItemModel::span(QModelIndex const&) const
vfunc[38]:	QAbstractItemModel::submit()
vfunc[39]:	QAbstractItemModel::revert()

The Run Time Type Information for the QDirModel class is described by Table 6-301

Table 6-301 typeinfo for QDirModel

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QDirModel
basetype:	typeinfo for QAbstractItemModel

6.4.1.98 Class data for QStandardItemModel

The virtual table for the QStandardItemModel class is described by Table 6-302

Table 6-302 Primary vtable for QStandardItemModel

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QStandardItemModel
vfunc[0]:	QStandardItemModel::metaObject() const
vfunc[1]:	QStandardItemModel::qt_metacast(char const*)
vfunc[2]:	QStandardItemModel::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QStandardItemModel::~QStandardItemModel()
vfunc[4]:	QStandardItemModel::~QStandardItemModel()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)

vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QStandardItemModel::index(int, int, QModelIndex const&) const
vfunc[13]:	QStandardItemModel::parent(QModelIndex const&) const
vfunc[14]:	QStandardItemModel::rowCount(QModelIndex const&) const
vfunc[15]:	QStandardItemModel::columnCount(QModelIndex const&) const
vfunc[16]:	QStandardItemModel::hasChildren(QModelIndex const&) const
vfunc[17]:	QStandardItemModel::data(QModelIndex const&, int) const
vfunc[18]:	QStandardItemModel::setData(QModelIndex const&, QVariant const&, int)
vfunc[19]:	QStandardItemModel::headerData(int, Qt::Orientation, int) const
vfunc[20]:	QStandardItemModel::setHeaderData(int, Qt::Orientation, QVariant const&, int)
vfunc[21]:	QAbstractItemModel::itemData(QModelIndex const&) const
vfunc[22]:	QAbstractItemModel::setItemData(QModelIndex const&, QMap<int, QVariant> const&)
vfunc[23]:	QAbstractItemModel::mimeTypes() const
vfunc[24]:	QAbstractItemModel::mimeData(QList<QModelIndex> const&) const
vfunc[25]:	QAbstractItemModel::dropMimeData(QMimeData const*, Qt::DropAction, int, int, QModelIndex const&)
vfunc[26]:	QAbstractItemModel::supportedDropActions() const
vfunc[27]:	QStandardItemModel::insertRows(int, int, QModelIndex const&)
vfunc[28]:	QStandardItemModel::insertColumns(int, int, QModelIndex const&)
vfunc[29]:	QStandardItemModel::removeRows(

	int, int, QModelIndex const&)
vfunc[30]:	QStandardItemModel::removeColumns(int, int, QModelIndex const&)
vfunc[31]:	QAbstractItemModel::fetchMore(QModelIndex const&)
vfunc[32]:	QAbstractItemModel::canFetchMore(QModelIndex const&) const
vfunc[33]:	QStandardItemModel::flags(QModelIndex const&) const
vfunc[34]:	QAbstractItemModel::sort(int, Qt::SortOrder)
vfunc[35]:	QAbstractItemModel::buddy(QModelIndex const&) const
vfunc[36]:	QAbstractItemModel::match(QModelIndex const&, int, QVariant const&, int, QFlags<Qt::MatchFlag>) const
vfunc[37]:	QAbstractItemModel::span(QModelIndex const&) const
vfunc[38]:	QAbstractItemModel::submit()
vfunc[39]:	QAbstractItemModel::revert()

The Run Time Type Information for the QStandardItemModel class is described by Table 6-303

Table 6-303 typeinfo for QStandardItemModel

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QStandardItemModel
basetype:	typeinfo for QAbstractItemModel

6.4.1.99 Class data for QAbstractProxyModel

The virtual table for the QAbstractProxyModel class is described by Table 6-304

Table 6-304 Primary vtable for QAbstractProxyModel

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QAbstractProxyModel
vfunc[0]:	QAbstractProxyModel::metaObject() const
vfunc[1]:	QAbstractProxyModel::qt_metacast(char const*)
vfunc[2]:	QAbstractProxyModel::qt_metacall(

	QMetaObject::Call, int, void**)
vfunc[3]:	QAbstractProxyModel::~~QAbstractProxyModel()
vfunc[4]:	QAbstractProxyModel::~~QAbstractProxyModel()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	__cxa_pure_virtual
vfunc[14]:	__cxa_pure_virtual
vfunc[15]:	__cxa_pure_virtual
vfunc[16]:	QAbstractItemModel::hasChildren(QModelIndex const&) const
vfunc[17]:	__cxa_pure_virtual
vfunc[18]:	QAbstractItemModel::setData(QModelIndex const&, QVariant const&, int)
vfunc[19]:	QAbstractItemModel::headerData(int, Qt::Orientation, int) const
vfunc[20]:	QAbstractItemModel::setHeaderData(int, Qt::Orientation, QVariant const&, int)
vfunc[21]:	QAbstractItemModel::itemData(QModelIndex const&) const
vfunc[22]:	QAbstractItemModel::setItemData(QModelIndex const&, QMap<int, QVariant> const&)
vfunc[23]:	QAbstractItemModel::mimeTypes() const
vfunc[24]:	QAbstractItemModel::mimeData(QList<QModelIndex> const&) const
vfunc[25]:	QAbstractItemModel::dropMimeData(QMimeData const*, Qt::DropAction, int, int, QModelIndex const&)

vfunc[26]:	QAbstractItemModel::supportedDropActions() const
vfunc[27]:	QAbstractItemModel::insertRows(int, int, QModelIndex const&)
vfunc[28]:	QAbstractItemModel::insertColumns(int, int, QModelIndex const&)
vfunc[29]:	QAbstractItemModel::removeRows(int, int, QModelIndex const&)
vfunc[30]:	QAbstractItemModel::removeColumns(int, int, QModelIndex const&)
vfunc[31]:	QAbstractItemModel::fetchMore(QModelIndex const&)
vfunc[32]:	QAbstractItemModel::canFetchMore(QModelIndex const&) const
vfunc[33]:	QAbstractItemModel::flags(QModelIndex const&) const
vfunc[34]:	QAbstractItemModel::sort(int, Qt::SortOrder)
vfunc[35]:	QAbstractItemModel::buddy(QModelIndex const&) const
vfunc[36]:	QAbstractItemModel::match(QModelIndex const&, int, QVariant const&, int, QFlags<Qt::MatchFlag>) const
vfunc[37]:	QAbstractItemModel::span(QModelIndex const&) const
vfunc[38]:	QAbstractProxyModel::submit()
vfunc[39]:	QAbstractProxyModel::revert()
vfunc[40]:	QAbstractProxyModel::setSourceModel(QAbstractItemModel*)
vfunc[41]:	__cxa_pure_virtual
vfunc[42]:	__cxa_pure_virtual
vfunc[43]:	QAbstractProxyModel::mapSelectionToSource(QItemSelection const&) const
vfunc[44]:	QAbstractProxyModel::mapSelectionFromSource(QItemSelection const&) const

The Run Time Type Information for the QAbstractProxyModel class is described by Table 6-305

Table 6-305 typeinfo for QAbstractProxyModel

Base Vtable	vtable for
-------------	------------

	__cxxabiv1::__si_class_type_info
Name	typeinfo name for QAbstractProxyModel
basetype:	typeinfo for QAbstractItemModel

6.4.1.100 Class data for QSortFilterProxyModel

The virtual table for the QSortFilterProxyModel class is described by Table 6-306

Table 6-306 Primary vtable for QSortFilterProxyModel

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSortFilterProxyModel
vfunc[0]:	QSortFilterProxyModel::metaObject() const
vfunc[1]:	QSortFilterProxyModel::qt_metacast(char const*)
vfunc[2]:	QSortFilterProxyModel::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QSortFilterProxyModel::~~QSortFilterProxyModel()
vfunc[4]:	QSortFilterProxyModel::~~QSortFilterProxyModel()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QSortFilterProxyModel::index(int, int, QModelIndex const&) const
vfunc[13]:	QSortFilterProxyModel::parent(QModelIndex const&) const
vfunc[14]:	QSortFilterProxyModel::rowCount(QModelIndex const&) const
vfunc[15]:	QSortFilterProxyModel::columnCount(QModelIndex const&) const
vfunc[16]:	QSortFilterProxyModel::hasChildren

	(QModelIndex const&) const
vfunc[17]:	QSortFilterProxyModel::data(QModelIndex const&, int) const
vfunc[18]:	QSortFilterProxyModel::setData(QModelIndex const&, QVariant const&, int)
vfunc[19]:	QSortFilterProxyModel::headerData(int, Qt::Orientation, int) const
vfunc[20]:	QSortFilterProxyModel::setHeaderData(int, Qt::Orientation, QVariant const&, int)
vfunc[21]:	QAbstractItemModel::itemData(QModelIndex const&) const
vfunc[22]:	QAbstractItemModel::setItemData(QModelIndex const&, QMap<int, QVariant> const&)
vfunc[23]:	QAbstractItemModel::mimeTypes() const
vfunc[24]:	QSortFilterProxyModel::mimeData(QList<QModelIndex> const&) const
vfunc[25]:	QSortFilterProxyModel::dropMimeData(QMimeData const*, Qt::DropAction, int, int, QModelIndex const&)
vfunc[26]:	QAbstractItemModel::supportedDropActions() const
vfunc[27]:	QSortFilterProxyModel::insertRows(int, int, QModelIndex const&)
vfunc[28]:	QSortFilterProxyModel::insertColumns(int, int, QModelIndex const&)
vfunc[29]:	QSortFilterProxyModel::removeRows(int, int, QModelIndex const&)
vfunc[30]:	QSortFilterProxyModel::removeColumns(int, int, QModelIndex const&)
vfunc[31]:	QSortFilterProxyModel::fetchMore(QModelIndex const&)
vfunc[32]:	QSortFilterProxyModel::canFetchMore(QModelIndex const&) const
vfunc[33]:	QSortFilterProxyModel::flags(QModelIndex const&) const
vfunc[34]:	QSortFilterProxyModel::sort(int, Qt::SortOrder)
vfunc[35]:	QSortFilterProxyModel::buddy(QMo

	delIndex const&) const
vfunc[36]:	QSortFilterProxyModel::match(QModelIndex const&, int, QVariant const&, int, QFlags<Qt::MatchFlag>) const
vfunc[37]:	QSortFilterProxyModel::span(QModelIndex const&) const
vfunc[38]:	QAbstractProxyModel::submit()
vfunc[39]:	QAbstractProxyModel::revert()
vfunc[40]:	QSortFilterProxyModel::setSourceModel(QAbstractItemModel*)
vfunc[41]:	QSortFilterProxyModel::mapToSource(QModelIndex const&) const
vfunc[42]:	QSortFilterProxyModel::mapFromSource(QModelIndex const&) const
vfunc[43]:	QSortFilterProxyModel::mapSelectionToSource(QItemSelection const&) const
vfunc[44]:	QSortFilterProxyModel::mapSelectionFromSource(QItemSelection const&) const
vfunc[45]:	QSortFilterProxyModel::filterAcceptsRow(int, QModelIndex const&) const
vfunc[46]:	QSortFilterProxyModel::filterAcceptsColumn(int, QModelIndex const&) const
vfunc[47]:	QSortFilterProxyModel::lessThan(QModelIndex const&, QModelIndex const&) const

The Run Time Type Information for the QSortFilterProxyModel class is described by Table 6-307

Table 6-307 typeinfo for QSortFilterProxyModel

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSortFilterProxyModel
basetype:	typeinfo for QAbstractProxyModel

6.4.1.101 Class data for QItemDelegate

The virtual table for the QItemDelegate class is described by Table 6-308

Table 6-308 Primary vtable for QItemDelegate

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QItemDelegate
vfunc[0]:	QItemDelegate::metaObject() const
vfunc[1]:	QItemDelegate::qt_metacast(char const*)
vfunc[2]:	QItemDelegate::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QItemDelegate::~QItemDelegate()
vfunc[4]:	QItemDelegate::~QItemDelegate()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QItemDelegate::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QItemDelegate::paint(QPainter*, QStyleOptionViewItem const&, QModelIndex const&) const
vfunc[13]:	QItemDelegate::sizeHint(QStyleOptionViewItem const&, QModelIndex const&) const
vfunc[14]:	QItemDelegate::createEditor(QWidget*, QStyleOptionViewItem const&, QModelIndex const&) const
vfunc[15]:	QItemDelegate::setEditorData(QWidget*, QModelIndex const&) const
vfunc[16]:	QItemDelegate::setModelData(QWidget*, QAbstractItemModel*, QModelIndex const&) const
vfunc[17]:	QItemDelegate::updateEditorGeometry(QWidget*, QStyleOptionViewItem const&, QModelIndex const&) const
vfunc[18]:	QItemDelegate::editorEvent(QEvent*, QAbstractItemModel*, QStyleOptionViewItem const&,

	QModelIndex const&)
vfunc[19]:	QItemDelegate::drawDisplay(QPainter*, QStyleOptionViewItem const&, QRect const&, QString const&) const
vfunc[20]:	QItemDelegate::drawDecoration(QPainter*, QStyleOptionViewItem const&, QRect const&, QPixmap const&) const
vfunc[21]:	QItemDelegate::drawFocus(QPainter*, QStyleOptionViewItem const&, QRect const&) const
vfunc[22]:	QItemDelegate::drawCheck(QPainter*, QStyleOptionViewItem const&, QRect const&, Qt::CheckState) const

The Run Time Type Information for the QItemDelegate class is described by Table 6-309

Table 6-309 typeinfo for QItemDelegate

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QItemDelegate
basetype:	typeinfo for QAbstractItemDelegate

6.4.1.102 Class data for QTableView

The virtual table for the QTableView class is described by Table 6-310

Table 6-310 Primary vtable for QTableView

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTableView
vfunc[0]:	QTableView::metaObject() const
vfunc[1]:	QTableView::qt_metacast(char const*)
vfunc[2]:	QTableView::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QTableView::~QTableView()
vfunc[4]:	QTableView::~QTableView()
vfunc[5]:	QAbstractItemView::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QTableView::timerEvent(QTimerEvent*)

vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QAbstractScrollArea::sizeHint() const
vfunc[15]:	QAbstractScrollArea::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QAbstractItemView::mousePressEvent(QMouseEvent*)
vfunc[19]:	QAbstractItemView::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QAbstractItemView::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QAbstractItemView::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QAbstractScrollArea::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractItemView::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QAbstractItemView::focusInEvent(QFocusEvent*)
vfunc[26]:	QAbstractItemView::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QTableView::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QAbstractItemView::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QAbstractScrollArea::contextMenuE

	vent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QAbstractItemView::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QAbstractItemView::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QAbstractItemView::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QAbstractItemView::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QFrame::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QAbstractItemView::viewportEvent(QEvent*)
vfunc[55]:	QTableView::scrollContentsBy(int, int)
vfunc[56]:	QTableView::setModel(QAbstractItemModel*)
vfunc[57]:	QTableView::setSelectionModel(QItemSelectionModel*)

vfunc[58]:	QAbstractItemView::keyboardSearch(QString const&)
vfunc[59]:	QTableView::visualRect(QModelIndex const&) const
vfunc[60]:	QTableView::scrollTo(QModelIndex const&, QAbstractItemView::ScrollHint)
vfunc[61]:	QTableView::indexAt(QPoint const&) const
vfunc[62]:	QTableView::sizeHintForRow(int) const
vfunc[63]:	QTableView::sizeHintForColumn(int) const
vfunc[64]:	QAbstractItemView::reset()
vfunc[65]:	QTableView::setRootIndex(QModelIndex const&)
vfunc[66]:	QAbstractItemView::doItemsLayout()
vfunc[67]:	QAbstractItemView::selectAll()
vfunc[68]:	QAbstractItemView::dataChanged(QModelIndex const&, QModelIndex const&)
vfunc[69]:	QAbstractItemView::rowsInserted(QModelIndex const&, int, int)
vfunc[70]:	QAbstractItemView::rowsAboutToBeRemoved(QModelIndex const&, int, int)
vfunc[71]:	QAbstractItemView::selectionChanged(QItemSelection const&, QItemSelection const&)
vfunc[72]:	QAbstractItemView::currentChanged(QModelIndex const&, QModelIndex const&)
vfunc[73]:	QAbstractItemView::updateEditorData()
vfunc[74]:	QAbstractItemView::updateEditorGeometries()
vfunc[75]:	QTableView::updateGeometries()
vfunc[76]:	QTableView::verticalScrollbarAction(int)
vfunc[77]:	QTableView::horizontalScrollbarAction(int)

vfunc[78]:	QAbstractItemView::verticalScrollbarValueChanged(int)
vfunc[79]:	QAbstractItemView::horizontalScrollbarValueChanged(int)
vfunc[80]:	QAbstractItemView::closeEditor(QWidget*, QAbstractItemDelegate::EndEditHint)
vfunc[81]:	QAbstractItemView::commitData(QWidget*)
vfunc[82]:	QAbstractItemView::editorDestroyed(QObject*)
vfunc[83]:	QTableView::moveCursor(QAbstractItemView::CursorAction, QFlags<Qt::KeyboardModifier>)
vfunc[84]:	QTableView::horizontalOffset() const
vfunc[85]:	QTableView::verticalOffset() const
vfunc[86]:	QTableView::isIndexHidden(QModelIndex const&) const
vfunc[87]:	QTableView::setSelection(QRect const&, QFlags<QItemSelectionModel::SelectionFlag>)
vfunc[88]:	QTableView::visualRegionForSelection(QItemSelection const&) const
vfunc[89]:	QTableView::selectedIndexes() const
vfunc[90]:	QAbstractItemView::edit(QModelIndex const&, QAbstractItemView::EditTrigger, QEvent*)
vfunc[91]:	QAbstractItemView::selectionCommand(QModelIndex const&, QEvent const*) const
vfunc[92]:	QAbstractItemView::startDrag(QFlags<Qt::DropAction>)
vfunc[93]:	QTableView::viewOptions() const

Table 6-311 Secondary vtable for QTableView

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QTableView
vfunc[0]:	non-virtual thunk to QTableView::~~QTableView()

vfunc[1]:	non-virtual thunk to QTableView::~~QTableView()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::Paint DeviceMetric) const

The Run Time Type Information for the QTableView class is described by Table 6-312

Table 6-312 typeinfo for QTableView

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QTableView
basetype:	typeinfo for QAbstractItemView

6.4.1.103 Class data for QTableWidgetItem

The virtual table for the QTableWidgetItem class is described by Table 6-313

Table 6-313 Primary vtable for QTableWidgetItem

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTableWidgetItem
vfunc[0]:	QTableWidgetItem::~~QTableWidgetItem()
vfunc[1]:	QTableWidgetItem::~~QTableWidgetItem()
vfunc[2]:	QTableWidgetItem::clone() const
vfunc[3]:	QTableWidgetItem::data(int) const
vfunc[4]:	QTableWidgetItem::setData(int, QVariant const&)
vfunc[5]:	QTableWidgetItem::operator<(QTableWidgetI tem const&) const
vfunc[6]:	QTableWidgetItem::read(QDataStrea m&)
vfunc[7]:	QTableWidgetItem::write(QDataStre am&) const

The Run Time Type Information for the QTableWidgetItem class is described by Table 6-314

Table 6-314 typeinfo for QTableWidgetItem

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QTableWidgetItem

6.4.1.104 Class data for QTableWidgetItem

The virtual table for the QTableWidgetItem class is described by Table 6-315

Table 6-315 Primary vtable for QTableWidgetItem

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTableWidgetItem
vfunc[0]:	QTableWidgetItem::metaObject() const
vfunc[1]:	QTableWidgetItem::qt_metacast(char const*)
vfunc[2]:	QTableWidgetItem::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QTableWidgetItem::~~QTableWidgetItem()
vfunc[4]:	QTableWidgetItem::~~QTableWidgetItem()
vfunc[5]:	QTableWidgetItem::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QTableView::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QAbstractScrollArea::sizeHint() const
vfunc[15]:	QAbstractScrollArea::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QAbstractItemView::mousePressEvent(QMouseEvent*)

vfunc[19]:	QAbstractItemView::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QAbstractItemView::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QAbstractItemView::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QAbstractScrollArea::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractItemView::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QAbstractItemView::focusInEvent(QFocusEvent*)
vfunc[26]:	QAbstractItemView::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QTableView::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QAbstractItemView::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QAbstractScrollArea::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QAbstractItemView::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QAbstractItemView::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QAbstractItemView::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QAbstractItemView::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)

vfunc[43]:	QFrame::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QAbstractItemView::viewportEvent(QEvent*)
vfunc[55]:	QTableView::scrollContentsBy(int, int)
vfunc[56]:	QTableWidget::setModel(QAbstractItemModel*)
vfunc[57]:	QTableView::setSelectionModel(QItemSelectionModel*)
vfunc[58]:	QAbstractItemView::keyboardSearch(QString const&)
vfunc[59]:	QTableView::visualRect(QModelIndex const&) const
vfunc[60]:	QTableView::scrollTo(QModelIndex const&, QAbstractItemView::ScrollHint)
vfunc[61]:	QTableView::indexAt(QPoint const&) const
vfunc[62]:	QTableView::sizeHintForRow(int) const
vfunc[63]:	QTableView::sizeHintForColumn(int) const
vfunc[64]:	QAbstractItemView::reset()
vfunc[65]:	QTableView::setRootIndex(QModelIndex const&)
vfunc[66]:	QAbstractItemView::doItemsLayout()

)
vfunc[67]:	QAbstractItemView::selectAll()
vfunc[68]:	QAbstractItemView::dataChanged(QModelIndex const&, QModelIndex const&)
vfunc[69]:	QAbstractItemView::rowsInserted(QModelIndex const&, int, int)
vfunc[70]:	QAbstractItemView::rowsAboutToBeRemoved(QModelIndex const&, int, int)
vfunc[71]:	QAbstractItemView::selectionChanged(QItemSelection const&, QItemSelection const&)
vfunc[72]:	QAbstractItemView::currentChanged(QModelIndex const&, QModelIndex const&)
vfunc[73]:	QAbstractItemView::updateEditorData()
vfunc[74]:	QAbstractItemView::updateEditorGeometries()
vfunc[75]:	QTableView::updateGeometries()
vfunc[76]:	QTableView::verticalScrollbarAction(int)
vfunc[77]:	QTableView::horizontalScrollbarAction(int)
vfunc[78]:	QAbstractItemView::verticalScrollbarValueChanged(int)
vfunc[79]:	QAbstractItemView::horizontalScrollbarValueChanged(int)
vfunc[80]:	QAbstractItemView::closeEditor(QWidget*, QAbstractItemDelegate::EndEditHint)
vfunc[81]:	QAbstractItemView::commitData(QWidget*)
vfunc[82]:	QAbstractItemView::editorDestroyed(QObject*)
vfunc[83]:	QTableView::moveCursor(QAbstractItemView::CursorAction, QFlags<Qt::KeyboardModifier>)
vfunc[84]:	QTableView::horizontalOffset() const
vfunc[85]:	QTableView::verticalOffset() const
vfunc[86]:	QTableView::isIndexHidden(QMode

	lIndex const&) const
vfunc[87]:	QTableView::setSelection(QRect const&, QFlags<QItemSelectionModel::SelectionFlag>)
vfunc[88]:	QTableView::visualRegionForSelection(QItemSelection const&) const
vfunc[89]:	QTableView::selectedIndexes() const
vfunc[90]:	QAbstractItemView::edit(QModelIndex const&, QAbstractItemView::EditTrigger, QEvent*)
vfunc[91]:	QAbstractItemView::selectionCommand(QModelIndex const&, QEvent const*) const
vfunc[92]:	QAbstractItemView::startDrag(QFlags<Qt::DropAction>)
vfunc[93]:	QTableView::viewOptions() const
vfunc[94]:	QTableWidget::mimeTypes() const
vfunc[95]:	QTableWidget::mimeData(QList<QTableWidgetItem*>) const
vfunc[96]:	QTableWidget::dropMimeData(int, int, QMimeData const*, Qt::DropAction)
vfunc[97]:	QTableWidget::supportedDropActions() const

Table 6-316 Secondary vtable for QTableWidget

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QTableWidget
vfunc[0]:	non-virtual thunk to QTableWidget::~~QTableWidget()
vfunc[1]:	non-virtual thunk to QTableWidget::~~QTableWidget()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the `QTableWidget` class is described by Table 6-317

Table 6-317 typeinfo for `QTableWidget`

Base Vtable	vtable for <code>__cxxabiv1::__si_class_type_info</code>
Name	typeinfo name for <code>QTableWidget</code>
basetype:	typeinfo for <code>QTableView</code>

6.4.1.105 Class data for `QTreeView`

The virtual table for the `QTreeView` class is described by Table 6-318

Table 6-318 Primary vtable for `QTreeView`

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for <code>QTreeView</code>
vfunc[0]:	<code>QTreeView::metaObject() const</code>
vfunc[1]:	<code>QTreeView::qt_metacast(char const*)</code>
vfunc[2]:	<code>QTreeView::qt_metacall(QMetaObject::Call, int, void**)</code>
vfunc[3]:	<code>QTreeView::~QTreeView()</code>
vfunc[4]:	<code>QTreeView::~QTreeView()</code>
vfunc[5]:	<code>QAbstractItemView::event(QEvent*)</code>
vfunc[6]:	<code>QObject::eventFilter(QObject*, QEvent*)</code>
vfunc[7]:	<code>QTreeView::timerEvent(QTimerEvent*)</code>
vfunc[8]:	<code>QObject::childEvent(QChildEvent*)</code>
vfunc[9]:	<code>QObject::customEvent(QEvent*)</code>
vfunc[10]:	<code>QObject::connectNotify(char const*)</code>
vfunc[11]:	<code>QObject::disconnectNotify(char const*)</code>
vfunc[12]:	<code>QWidget::devType() const</code>
vfunc[13]:	<code>QWidget::setVisible(bool)</code>
vfunc[14]:	<code>QAbstractScrollArea::sizeHint() const</code>
vfunc[15]:	<code>QAbstractScrollArea::minimumSizeHint() const</code>
vfunc[16]:	<code>QWidget::heightForWidth(int) const</code>
vfunc[17]:	<code>QWidget::paintEngine() const</code>

vfunc[18]:	QTreeView::mousePressEvent(QMouseEvent*)
vfunc[19]:	QTreeView::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QTreeView::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QAbstractItemView::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QAbstractScrollArea::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractItemView::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QAbstractItemView::focusInEvent(QFocusEvent*)
vfunc[26]:	QAbstractItemView::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QTreeView::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QAbstractItemView::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QAbstractScrollArea::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QAbstractItemView::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QAbstractItemView::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QAbstractItemView::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QAbstractItemView::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)

vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QFrame::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QAbstractItemView::viewportEvent(QEvent*)
vfunc[55]:	QTreeView::scrollContentsBy(int, int)
vfunc[56]:	QTreeView::setModel(QAbstractItemModel*)
vfunc[57]:	QTreeView::setSelectionModel(QItemSelectionModel*)
vfunc[58]:	QTreeView::keyboardSearch(QString const&)
vfunc[59]:	QTreeView::visualRect(QModelIndex const&) const
vfunc[60]:	QTreeView::scrollTo(QModelIndex const&, QAbstractItemView::ScrollHint)
vfunc[61]:	QTreeView::indexAt(QPoint const&) const
vfunc[62]:	QAbstractItemView::sizeHintForRow(int) const
vfunc[63]:	QTreeView::sizeHintForColumn(int) const
vfunc[64]:	QTreeView::reset()

vfunc[65]:	QTreeView::setRootIndex(QModelIndex const&)
vfunc[66]:	QTreeView::doItemsLayout()
vfunc[67]:	QTreeView::selectAll()
vfunc[68]:	QTreeView::dataChanged(QModelIndex const&, QModelIndex const&)
vfunc[69]:	QTreeView::rowsInserted(QModelIndex const&, int, int)
vfunc[70]:	QTreeView::rowsAboutToBeRemoved(QModelIndex const&, int, int)
vfunc[71]:	QAbstractItemView::selectionChanged(QItemSelection const&, QItemSelection const&)
vfunc[72]:	QAbstractItemView::currentChanged(QModelIndex const&, QModelIndex const&)
vfunc[73]:	QAbstractItemView::updateEditorData()
vfunc[74]:	QAbstractItemView::updateEditorGeometries()
vfunc[75]:	QTreeView::updateGeometries()
vfunc[76]:	QAbstractItemView::verticalScrollBarAction(int)
vfunc[77]:	QTreeView::horizontalScrollBarAction(int)
vfunc[78]:	QAbstractItemView::verticalScrollBarValueChanged(int)
vfunc[79]:	QAbstractItemView::horizontalScrollBarValueChanged(int)
vfunc[80]:	QAbstractItemView::closeEditor(QWidget*, QAbstractItemDelegate::EndEditHint)
vfunc[81]:	QAbstractItemView::commitData(QWidget*)
vfunc[82]:	QAbstractItemView::editorDestroyed(QObject*)
vfunc[83]:	QTreeView::moveCursor(QAbstractItemView::CursorAction, QFlags<Qt::KeyboardModifier>)
vfunc[84]:	QTreeView::horizontalOffset() const
vfunc[85]:	QTreeView::verticalOffset() const

vfunc[86]:	QTreeView::isIndexHidden(QModelIndex const&) const
vfunc[87]:	QTreeView::setSelection(QRect const&, QFlags<QItemSelectionModel::SelectionFlag>)
vfunc[88]:	QTreeView::visualRegionForSelection(QItemSelection const&) const
vfunc[89]:	QTreeView::selectedIndexes() const
vfunc[90]:	QAbstractItemView::edit(QModelIndex const&, QAbstractItemView::EditTrigger, QEvent*)
vfunc[91]:	QAbstractItemView::selectionCommand(QModelIndex const&, QEvent const*) const
vfunc[92]:	QAbstractItemView::startDrag(QFlags<Qt::DropAction>)
vfunc[93]:	QAbstractItemView::viewOptions() const
vfunc[94]:	QTreeView::drawRow(QPainter*, QStyleOptionViewItem const&, QModelIndex const&) const
vfunc[95]:	QTreeView::drawBranches(QPainter*, QRect const&, QModelIndex const&) const

Table 6-319 Secondary vtable for QTreeView

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QTreeView
vfunc[0]:	non-virtual thunk to QTreeView::~~QTreeView()
vfunc[1]:	non-virtual thunk to QTreeView::~~QTreeView()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QTreeView class is described by Table 6-320

Table 6-320 typeinfo for QTreeView

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QTreeView
basetype:	typeinfo for QAbstractItemView

6.4.1.106 Class data for QProxyModel

The virtual table for the QProxyModel class is described by Table 6-321

Table 6-321 Primary vtable for QProxyModel

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QProxyModel
vfunc[0]:	QProxyModel::metaObject() const
vfunc[1]:	QProxyModel::qt_metacast(char const*)
vfunc[2]:	QProxyModel::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QProxyModel::~~QProxyModel()
vfunc[4]:	QProxyModel::~~QProxyModel()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QProxyModel::index(int, int, QModelIndex const&) const
vfunc[13]:	QProxyModel::parent(QModelIndex const&) const
vfunc[14]:	QProxyModel::rowCount(QModelIndex const&) const
vfunc[15]:	QProxyModel::columnCount(QModelIndex const&) const

vfunc[16]:	QProxyModel::hasChildren(QModelIndex const&) const
vfunc[17]:	QProxyModel::data(QModelIndex const&, int) const
vfunc[18]:	QProxyModel::setData(QModelIndex const&, QVariant const&, int)
vfunc[19]:	QProxyModel::headerData(int, Qt::Orientation, int) const
vfunc[20]:	QProxyModel::setHeaderData(int, Qt::Orientation, QVariant const&, int)
vfunc[21]:	QAbstractItemModel::itemData(QModelIndex const&) const
vfunc[22]:	QAbstractItemModel::setItemData(QModelIndex const&, QMap<int, QVariant> const&)
vfunc[23]:	QProxyModel::mimeTypes() const
vfunc[24]:	QProxyModel::mimeData(QList<QModelIndex> const&) const
vfunc[25]:	QProxyModel::dropMimeData(QMimeData const*, Qt::DropAction, int, int, QModelIndex const&)
vfunc[26]:	QProxyModel::supportedDropActions() const
vfunc[27]:	QProxyModel::insertRows(int, int, QModelIndex const&)
vfunc[28]:	QProxyModel::insertColumns(int, int, QModelIndex const&)
vfunc[29]:	QAbstractItemModel::removeRows(int, int, QModelIndex const&)
vfunc[30]:	QAbstractItemModel::removeColumns(int, int, QModelIndex const&)
vfunc[31]:	QProxyModel::fetchMore(QModelIndex const&)
vfunc[32]:	QAbstractItemModel::canFetchMore(QModelIndex const&) const
vfunc[33]:	QProxyModel::flags(QModelIndex const&) const
vfunc[34]:	QProxyModel::sort(int, Qt::SortOrder)
vfunc[35]:	QAbstractItemModel::buddy(QModelIndex const&) const

vfunc[36]:	QProxyModel::match(QModelIndex const&, int, QVariant const&, int, QFlags<Qt::MatchFlag>) const
vfunc[37]:	QProxyModel::span(QModelIndex const&) const
vfunc[38]:	QProxyModel::submit()
vfunc[39]:	QProxyModel::revert()
vfunc[40]:	QProxyModel::setModel(QAbstractItemModel*)

The Run Time Type Information for the QProxyModel class is described by Table 6-322

Table 6-322 typeinfo for QProxyModel

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QProxyModel
basetype:	typeinfo for QAbstractItemModel

6.4.1.107 Class data for QHeaderView

The virtual table for the QHeaderView class is described by Table 6-323

Table 6-323 Primary vtable for QHeaderView

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QHeaderView
vfunc[0]:	QHeaderView::metaObject() const
vfunc[1]:	QHeaderView::qt_metacast(char const*)
vfunc[2]:	QHeaderView::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QHeaderView::~~QHeaderView()
vfunc[4]:	QHeaderView::~~QHeaderView()
vfunc[5]:	QHeaderView::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QAbstractItemView::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)

vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QHeaderView::sizeHint() const
vfunc[15]:	QAbstractScrollArea::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QHeaderView::mousePressEvent(QMouseEvent*)
vfunc[19]:	QHeaderView::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QHeaderView::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QHeaderView::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QAbstractScrollArea::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractItemView::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QAbstractItemView::focusInEvent(QFocusEvent*)
vfunc[26]:	QAbstractItemView::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QHeaderView::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QAbstractItemView::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QAbstractScrollArea::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)

	*)
vfunc[36]:	QAbstractItemView::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QAbstractItemView::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QAbstractItemView::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QAbstractItemView::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QFrame::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QHeaderView::viewportEvent(QEvent*)
vfunc[55]:	QHeaderView::scrollContentsBy(int, int)
vfunc[56]:	QHeaderView::setModel(QAbstractItemModel*)
vfunc[57]:	QAbstractItemView::setSelectionMode(QItemSelectionMode*)
vfunc[58]:	QAbstractItemView::keyboardSearch(QString const&)
vfunc[59]:	QHeaderView::visualRect(QModelIndex const&) const

vfunc[60]:	QHeaderView::scrollTo(QModelIndex const&, QAbstractItemView::ScrollHint)
vfunc[61]:	QHeaderView::indexAt(QPoint const&) const
vfunc[62]:	QAbstractItemView::sizeHintForRow(int) const
vfunc[63]:	QAbstractItemView::sizeHintForColumn(int) const
vfunc[64]:	QAbstractItemView::reset()
vfunc[65]:	QAbstractItemView::setRootIndex(QModelIndex const&)
vfunc[66]:	QHeaderView::doItemsLayout()
vfunc[67]:	QAbstractItemView::selectAll()
vfunc[68]:	QHeaderView::dataChanged(QModelIndex const&, QModelIndex const&)
vfunc[69]:	QHeaderView::rowsInserted(QModelIndex const&, int, int)
vfunc[70]:	QAbstractItemView::rowsAboutToBeRemoved(QModelIndex const&, int, int)
vfunc[71]:	QAbstractItemView::selectionChanged(QItemSelection const&, QItemSelection const&)
vfunc[72]:	QHeaderView::currentChanged(QModelIndex const&, QModelIndex const&)
vfunc[73]:	QAbstractItemView::updateEditorData()
vfunc[74]:	QAbstractItemView::updateEditorGeometries()
vfunc[75]:	QHeaderView::updateGeometries()
vfunc[76]:	QAbstractItemView::verticalScrollBarAction(int)
vfunc[77]:	QAbstractItemView::horizontalScrollBarAction(int)
vfunc[78]:	QAbstractItemView::verticalScrollBarValueChanged(int)
vfunc[79]:	QAbstractItemView::horizontalScrollBarValueChanged(int)
vfunc[80]:	QAbstractItemView::closeEditor(QWidget*, QAbstractItemDelegate::EndEditHint)

)
vfunc[81]:	QAbstractItemView::commitData(QWidget*)
vfunc[82]:	QAbstractItemView::editorDestroyed(QObject*)
vfunc[83]:	QHeaderView::moveCursor(QAbstractItemView::CursorAction, QFlags<Qt::KeyboardModifier>)
vfunc[84]:	QHeaderView::horizontalOffset() const
vfunc[85]:	QHeaderView::verticalOffset() const
vfunc[86]:	QHeaderView::isIndexHidden(QModelIndex const&) const
vfunc[87]:	QHeaderView::setSelection(QRect const&, QFlags<QItemSelectionModel::SelectionFlag>)
vfunc[88]:	QHeaderView::visualRegionForSelection(QItemSelection const&) const
vfunc[89]:	QAbstractItemView::selectedIndexes() const
vfunc[90]:	QAbstractItemView::edit(QModelIndex const&, QAbstractItemView::EditTrigger, QEvent*)
vfunc[91]:	QAbstractItemView::selectionCommand(QModelIndex const&, QEvent const*) const
vfunc[92]:	QAbstractItemView::startDrag(QFlags<Qt::DropAction>)
vfunc[93]:	QAbstractItemView::viewOptions() const
vfunc[94]:	QHeaderView::paintSection(QPainter*, QRect const&, int) const
vfunc[95]:	QHeaderView::sectionSizeFromContents(int) const

Table 6-324 Secondary vtable for QHeaderView

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QHeaderView
vfunc[0]:	non-virtual thunk to QHeaderView::~~QHeaderView()

vfunc[1]:	non-virtual thunk to QHeaderView::~~QHeaderView()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::Paint DeviceMetric) const

The Run Time Type Information for the QHeaderView class is described by Table 6-325

Table 6-325 typeinfo for QHeaderView

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QHeaderView
basetype:	typeinfo for QAbstractItemView

6.4.1.108 Class data for QItemEditorFactory

The virtual table for the QItemEditorFactory class is described by Table 6-326

Table 6-326 Primary vtable for QItemEditorFactory

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QItemEditorFactory
vfunc[0]:	QItemEditorFactory::~~QItemEditorF actory()
vfunc[1]:	QItemEditorFactory::~~QItemEditorF actory()
vfunc[2]:	QItemEditorFactory::createEditor(QV ariant::Type, QWidget*) const
vfunc[3]:	QItemEditorFactory::valuePropertyN ame(QVariant::Type) const

The Run Time Type Information for the QItemEditorFactory class is described by Table 6-327

Table 6-327 typeinfo for QItemEditorFactory

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QItemEditorFactory

6.4.1.109 Class data for QTreeWidgetItem

The virtual table for the QTreeWidgetItem class is described by Table 6-328

Table 6-328 Primary vtable for QTreeWidgetItem

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTreeWidgetItem
vfunc[0]:	QTreeWidgetItem::~~QTreeWidgetItem()
vfunc[1]:	QTreeWidgetItem::~~QTreeWidgetItem()
vfunc[2]:	QTreeWidgetItem::clone() const
vfunc[3]:	QTreeWidgetItem::data(int, int) const
vfunc[4]:	QTreeWidgetItem::setData(int, int, QVariant const&)
vfunc[5]:	QTreeWidgetItem::operator<(QTreeWidgetItem const&) const
vfunc[6]:	QTreeWidgetItem::read(QDataStream&)
vfunc[7]:	QTreeWidgetItem::write(QDataStream&) const

The Run Time Type Information for the QTreeWidgetItem class is described by Table 6-329

Table 6-329 typeinfo for QTreeWidgetItem

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QTreeWidgetItem

6.4.1.110 Class data for QTreeWidgetItem

The virtual table for the QTreeWidgetItem class is described by Table 6-330

Table 6-330 Primary vtable for QTreeWidgetItem

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTreeWidgetItem
vfunc[0]:	QTreeWidgetItem::metaObject() const
vfunc[1]:	QTreeWidgetItem::qt_metacast(char const*)
vfunc[2]:	QTreeWidgetItem::qt_metacall(QMetaObject::Call, int, void**)

vfunc[3]:	QTreeWidget::~~QTreeWidget()
vfunc[4]:	QTreeWidget::~~QTreeWidget()
vfunc[5]:	QTreeWidget::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QTreeView::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QAbstractScrollArea::sizeHint() const
vfunc[15]:	QAbstractScrollArea::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QTreeView::mousePressEvent(QMouseEvent*)
vfunc[19]:	QTreeView::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QTreeView::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QAbstractItemView::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QAbstractScrollArea::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractItemView::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QAbstractItemView::focusInEvent(QFocusEvent*)
vfunc[26]:	QAbstractItemView::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)

vfunc[29]:	QTreeView::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QAbstractItemView::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QAbstractScrollArea::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QAbstractItemView::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QAbstractItemView::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QAbstractItemView::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QAbstractItemView::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QFrame::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

vfunc[54]:	QAbstractItemView::viewportEvent(QEvent*)
vfunc[55]:	QTreeView::scrollContentsBy(int, int)
vfunc[56]:	QTreeWidget::setModel(QAbstractItemModel*)
vfunc[57]:	QTreeView::setSelectionModel(QItemSelectionModel*)
vfunc[58]:	QTreeView::keyboardSearch(QString const&)
vfunc[59]:	QTreeView::visualRect(QModelIndex const&) const
vfunc[60]:	QTreeView::scrollTo(QModelIndex const&, QAbstractItemView::ScrollHint)
vfunc[61]:	QTreeView::indexAt(QPoint const&) const
vfunc[62]:	QAbstractItemView::sizeHintForRow(int) const
vfunc[63]:	QTreeView::sizeHintForColumn(int) const
vfunc[64]:	QTreeView::reset()
vfunc[65]:	QTreeView::setRootIndex(QModelIndex const&)
vfunc[66]:	QTreeView::doItemsLayout()
vfunc[67]:	QTreeView::selectAll()
vfunc[68]:	QTreeView::dataChanged(QModelIndex const&, QModelIndex const&)
vfunc[69]:	QTreeView::rowsInserted(QModelIndex const&, int, int)
vfunc[70]:	QTreeView::rowsAboutToBeRemoved(QModelIndex const&, int, int)
vfunc[71]:	QAbstractItemView::selectionChanged(QItemSelection const&, QItemSelection const&)
vfunc[72]:	QAbstractItemView::currentChanged(QModelIndex const&, QModelIndex const&)
vfunc[73]:	QAbstractItemView::updateEditorData()
vfunc[74]:	QAbstractItemView::updateEditorGeometries()

vfunc[75]:	QTreeView::updateGeometries()
vfunc[76]:	QAbstractItemView::verticalScrollBarAction(int)
vfunc[77]:	QTreeView::horizontalScrollBarAction(int)
vfunc[78]:	QAbstractItemView::verticalScrollBarValueChanged(int)
vfunc[79]:	QAbstractItemView::horizontalScrollBarValueChanged(int)
vfunc[80]:	QAbstractItemView::closeEditor(QWidget*, QAbstractItemDelegate::EndEditHint)
vfunc[81]:	QAbstractItemView::commitData(QWidget*)
vfunc[82]:	QAbstractItemView::editorDestroyed(QObject*)
vfunc[83]:	QTreeView::moveCursor(QAbstractItemView::CursorAction, QFlags<Qt::KeyboardModifier>)
vfunc[84]:	QTreeView::horizontalOffset() const
vfunc[85]:	QTreeView::verticalOffset() const
vfunc[86]:	QTreeView::isIndexHidden(QModelIndex const&) const
vfunc[87]:	QTreeView::setSelection(QRect const&, QFlags<QItemSelectionModel::SelectionFlag>)
vfunc[88]:	QTreeView::visualRegionForSelection(QItemSelection const&) const
vfunc[89]:	QTreeView::selectedIndexes() const
vfunc[90]:	QAbstractItemView::edit(QModelIndex const&, QAbstractItemView::EditTrigger, QEvent*)
vfunc[91]:	QAbstractItemView::selectionCommand(QModelIndex const&, QEvent const*) const
vfunc[92]:	QAbstractItemView::startDrag(QFlags<Qt::DropAction>)
vfunc[93]:	QAbstractItemView::viewOptions() const
vfunc[94]:	QTreeView::drawRow(QPainter*,

	QStyleOptionViewItem const&, QModelIndex const&) const
vfunc[95]:	QTreeView::drawBranches(QPainter*, QRect const&, QModelIndex const&) const
vfunc[96]:	QTreeWidget::mimeTypes() const
vfunc[97]:	QTreeWidget::mimeData(QList<QTreeWidgetItem*>) const
vfunc[98]:	QTreeWidget::dropMimeData(QTreeWidgetItem*, int, QMimeData const*, Qt::DropAction)
vfunc[99]:	QTreeWidget::supportedDropActions() const

Table 6-331 Secondary vtable for QTreeWidget

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QTreeWidget
vfunc[0]:	non-virtual thunk to QTreeWidget::~~QTreeWidget()
vfunc[1]:	non-virtual thunk to QTreeWidget::~~QTreeWidget()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QTreeWidget class is described by Table 6-332

Table 6-332 typeinfo for QTreeWidget

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QTreeWidget
basetype:	typeinfo for QTreeView

6.4.1.111 Class data for QAccessibleBridgeFactoryInterface

The virtual table for the QAccessibleBridgeFactoryInterface class is described by Table 6-333

Table 6-333 Primary vtable for QAccessibleBridgeFactoryInterface

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QAccessibleBridgeFactoryInterface
vfunc[0]:	QAccessibleBridgeFactoryInterface::~QAccessibleBridgeFactoryInterface()
vfunc[1]:	QAccessibleBridgeFactoryInterface::~QAccessibleBridgeFactoryInterface()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual

The Run Time Type Information for the QAccessibleBridgeFactoryInterface class is described by Table 6-334

Table 6-334 typeid for QAccessibleBridgeFactoryInterface

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QAccessibleBridgeFactoryInterface
basetype:	typeid for QFactoryInterface

6.4.1.112 Class data for QAccessibleBridgePlugin

The virtual table for the QAccessibleBridgePlugin class is described by Table 6-335

Table 6-335 Primary vtable for QAccessibleBridgePlugin

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QAccessibleBridgePlugin
vfunc[0]:	QAccessibleBridgePlugin::metaObject() const
vfunc[1]:	QAccessibleBridgePlugin::qt_metacast(char const*)
vfunc[2]:	QAccessibleBridgePlugin::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QAccessibleBridgePlugin::~QAccessibleBridgePlugin()
vfunc[4]:	QAccessibleBridgePlugin::~QAccessibleBridgePlugin()
vfunc[5]:	QObject::event(QEvent*)

vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	__cxa_pure_virtual

Table 6-336 Secondary vtable for QAccessibleBridgePlugin

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QAccessibleBridgePlugin
vfunc[0]:	non-virtual thunk to QAccessibleBridgePlugin::~~QAccessibleBridgePlugin()
vfunc[1]:	non-virtual thunk to QAccessibleBridgePlugin::~~QAccessibleBridgePlugin()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual

The Run Time Type Information for the QAccessibleBridgePlugin class is described by Table 6-337

Table 6-337 typeid for QAccessibleBridgePlugin

Base Vtable	vtable for __cxxabiv1::__vmi_class_type_info	
Name	typeid name for QAccessibleBridgePlugin	
flags:	0	
basetype:	typeid for QObject	2
basetype:	typeid for QAccessibleBridgeFactoryInterface	2050

6.4.1.113 Class data for QAccessibleInterface

The virtual table for the QAccessibleInterface class is described by Table 6-338

Table 6-338 Primary vtable for QAccessibleInterface

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QAccessibleInterface
vfunc[0]:	QAccessibleInterface::~~QAccessibleInterface()
vfunc[1]:	QAccessibleInterface::~~QAccessibleInterface()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual
vfunc[4]:	__cxa_pure_virtual
vfunc[5]:	__cxa_pure_virtual
vfunc[6]:	__cxa_pure_virtual
vfunc[7]:	__cxa_pure_virtual
vfunc[8]:	__cxa_pure_virtual
vfunc[9]:	__cxa_pure_virtual
vfunc[10]:	__cxa_pure_virtual
vfunc[11]:	__cxa_pure_virtual
vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	__cxa_pure_virtual
vfunc[14]:	__cxa_pure_virtual
vfunc[15]:	__cxa_pure_virtual
vfunc[16]:	__cxa_pure_virtual

The Run Time Type Information for the QAccessibleInterface class is described by Table 6-339

Table 6-339 typeinfo for QAccessibleInterface

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QAccessibleInterface
basetype:	typeinfo for QAccessible

6.4.1.114 Class data for QAccessibleObject

The virtual table for the QAccessibleObject class is described by Table 6-340

Table 6-340 Primary vtable for QAccessibleObject

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QAccessibleObject
vfunc[0]:	QAccessibleObject::~~QAccessibleObject()
vfunc[1]:	QAccessibleObject::~~QAccessibleObject()
vfunc[2]:	QAccessibleObject::isValid() const
vfunc[3]:	QAccessibleObject::object() const
vfunc[4]:	__cxa_pure_virtual
vfunc[5]:	__cxa_pure_virtual
vfunc[6]:	__cxa_pure_virtual
vfunc[7]:	__cxa_pure_virtual
vfunc[8]:	__cxa_pure_virtual
vfunc[9]:	__cxa_pure_virtual
vfunc[10]:	QAccessibleObject::setText(QAccessible::Text, int, QString const&)
vfunc[11]:	QAccessibleObject::rect(int) const
vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	__cxa_pure_virtual
vfunc[14]:	QAccessibleObject::userActionCount(int) const
vfunc[15]:	QAccessibleObject::actionText(int, QAccessible::Text, int) const
vfunc[16]:	QAccessibleObject::doAction(int, int, QList<QVariant> const&)

The Run Time Type Information for the QAccessibleObject class is described by Table 6-341

Table 6-341 typeid for QAccessibleObject

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QAccessibleObject
basetype:	typeid for QAccessibleInterface

6.4.1.115 Class data for QAccessibleApplication

The virtual table for the QAccessibleApplication class is described by Table 6-342

Table 6-342 Primary vtable for QAccessibleApplication

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QAccessibleApplication
vfunc[0]:	QAccessibleApplication::~~QAccessibleApplication()
vfunc[1]:	QAccessibleApplication::~~QAccessibleApplication()
vfunc[2]:	QAccessibleObject::isValid() const
vfunc[3]:	QAccessibleObject::object() const
vfunc[4]:	QAccessibleApplication::childCount() const
vfunc[5]:	QAccessibleApplication::indexOfChild(QAccessibleInterface const*) const
vfunc[6]:	QAccessibleApplication::relationTo(int, QAccessibleInterface const*, int) const
vfunc[7]:	QAccessibleApplication::childAt(int, int) const
vfunc[8]:	QAccessibleApplication::navigate(QAccessible::RelationFlag, int, QAccessibleInterface**) const
vfunc[9]:	QAccessibleApplication::text(QAccessible::Text, int) const
vfunc[10]:	QAccessibleObject::setText(QAccessible::Text, int, QString const&)
vfunc[11]:	QAccessibleObject::rect(int) const
vfunc[12]:	QAccessibleApplication::role(int) const
vfunc[13]:	QAccessibleApplication::state(int) const
vfunc[14]:	QAccessibleApplication::userActionCount(int) const
vfunc[15]:	QAccessibleApplication::actionText(int, QAccessible::Text, int) const
vfunc[16]:	QAccessibleApplication::doAction(int, int, QList<QVariant> const&)

The Run Time Type Information for the QAccessibleApplication class is described by Table 6-343

Table 6-343 typeinfo for QAccessibleApplication

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QAccessibleApplication
basetype:	typeinfo for QAccessibleObject

6.4.1.116 Class data for QAccessibleWidget

The virtual table for the QAccessibleWidget class is described by Table 6-344

Table 6-344 Primary vtable for QAccessibleWidget

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QAccessibleWidget
vfunc[0]:	QAccessibleWidget::~~QAccessibleWidget()
vfunc[1]:	QAccessibleWidget::~~QAccessibleWidget()
vfunc[2]:	QAccessibleObject::isValid() const
vfunc[3]:	QAccessibleObject::object() const
vfunc[4]:	QAccessibleWidget::childCount() const
vfunc[5]:	QAccessibleWidget::indexOfChild(QAccessibleInterface const*) const
vfunc[6]:	QAccessibleWidget::relationTo(int, QAccessibleInterface const*, int) const
vfunc[7]:	QAccessibleWidget::childAt(int, int) const
vfunc[8]:	QAccessibleWidget::navigate(QAccessible::RelationFlag, int, QAccessibleInterface**) const
vfunc[9]:	QAccessibleWidget::text(QAccessible::Text, int) const
vfunc[10]:	QAccessibleObject::setText(QAccessible::Text, int, QString const&)
vfunc[11]:	QAccessibleWidget::rect(int) const
vfunc[12]:	QAccessibleWidget::role(int) const
vfunc[13]:	QAccessibleWidget::state(int) const
vfunc[14]:	QAccessibleObject::userActionCount(int) const

vfunc[15]:	QAccessibleWidget::actionText(int, QAccessible::Text, int) const
vfunc[16]:	QAccessibleWidget::doAction(int, int, QList<QVariant> const&)

The Run Time Type Information for the QAccessibleWidget class is described by Table 6-345

Table 6-345 typeinfo for QAccessibleWidget

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QAccessibleWidget
basetype:	typeinfo for QAccessibleObject

6.4.1.117 Class data for QAccessibleFactoryInterface

The virtual table for the QAccessibleFactoryInterface class is described by Table 6-346

Table 6-346 Primary vtable for QAccessibleFactoryInterface

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QAccessibleFactoryInterface
vfunc[0]:	QAccessibleFactoryInterface::~~QAccessibleFactoryInterface()
vfunc[1]:	QAccessibleFactoryInterface::~~QAccessibleFactoryInterface()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual

The Run Time Type Information for the QAccessibleFactoryInterface class is described by Table 6-347

Table 6-347 typeinfo for QAccessibleFactoryInterface

Base Vtable	vtable for __cxxabiv1::__vmi_class _type_info	2
Name	typeinfo name for QAccessibleFactoryInterface	
flags:	0	
basetype:	typeinfo for QAccessible	

basetype:	typeid for QFactoryInterface	2
-----------	------------------------------	---

6.4.1.118 Class data for QAccessiblePlugin

The virtual table for the QAccessiblePlugin class is described by Table 6-348

Table 6-348 Primary vtable for QAccessiblePlugin

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QAccessiblePlugin
vfunc[0]:	QAccessiblePlugin::metaObject() const
vfunc[1]:	QAccessiblePlugin::qt_metacast(char const*)
vfunc[2]:	QAccessiblePlugin::qt_metacall(QMe taObject::Call, int, void**)
vfunc[3]:	QAccessiblePlugin::~~QAccessiblePlu gin()
vfunc[4]:	QAccessiblePlugin::~~QAccessiblePlu gin()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	__cxa_pure_virtual

Table 6-349 Secondary vtable for QAccessiblePlugin

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QAccessiblePlugin
vfunc[0]:	non-virtual thunk to QAccessiblePlugin::~~QAccessiblePlu gin()
vfunc[1]:	non-virtual thunk to QAccessiblePlugin::~~QAccessiblePlu

	gin()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual

The Run Time Type Information for the QAccessiblePlugin class is described by Table 6-350

Table 6-350 typeinfo for QAccessiblePlugin

Base Vtable	vtable for __cxxabiv1::__vmi_class _type_info	
Name	typeinfo name for QAccessiblePlugin	
flags:	0	
basetype:	typeinfo for QObject	2
basetype:	typeinfo for QAccessibleFactoryInte rface	2050

6.4.1.119 Class data for QClipboard

The virtual table for the QClipboard class is described by Table 6-351

Table 6-351 Primary vtable for QClipboard

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QClipboard
vfunc[0]:	QClipboard::metaObject() const
vfunc[1]:	QClipboard::qt_metacast(char const*)
vfunc[2]:	QClipboard::qt_metacall(QMetaObje ct::Call, int, void**)
vfunc[3]:	QClipboard::~QClipboard()
vfunc[4]:	QClipboard::~QClipboard()
vfunc[5]:	QClipboard::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QClipboard::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char

	const*)
--	---------

The Run Time Type Information for the QClipboard class is described by Table 6-352

Table 6-352 typeinfo for QClipboard

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QClipboard
basetype:	typeinfo for QObject

6.4.1.120 Class data for QDesktopWidget

The virtual table for the QDesktopWidget class is described by Table 6-353

Table 6-353 Primary vtable for QDesktopWidget

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QDesktopWidget
vfunc[0]:	QDesktopWidget::metaObject() const
vfunc[1]:	QDesktopWidget::qt_metacast(char const*)
vfunc[2]:	QDesktopWidget::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QDesktopWidget::~~QDesktopWidget()
vfunc[4]:	QDesktopWidget::~~QDesktopWidget()
vfunc[5]:	QWidget::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QWidget::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const

vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QDesktopWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)

vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

Table 6-354 Secondary vtable for QDesktopWidget

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QDesktopWidget
vfunc[0]:	non-virtual thunk to QDesktopWidget::~~QDesktopWidget()
vfunc[1]:	non-virtual thunk to QDesktopWidget::~~QDesktopWidget()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QDesktopWidget class is described by Table 6-355

Table 6-355 typeinfo for QDesktopWidget

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QDesktopWidget
basetype:	typeinfo for QWidget

6.4.1.121 Class data for QLayoutItem

The virtual table for the QLayoutItem class is described by Table 6-356

Table 6-356 Primary vtable for QLayoutItem

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QLayoutItem
vfunc[0]:	QLayoutItem::~~QLayoutItem()
vfunc[1]:	QLayoutItem::~~QLayoutItem()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual
vfunc[4]:	__cxa_pure_virtual
vfunc[5]:	__cxa_pure_virtual
vfunc[6]:	__cxa_pure_virtual
vfunc[7]:	__cxa_pure_virtual
vfunc[8]:	__cxa_pure_virtual
vfunc[9]:	QLayoutItem::hasHeightForWidth() const
vfunc[10]:	QLayoutItem::heightForWidth(int) const
vfunc[11]:	QLayoutItem::minimumHeightForW idth(int) const
vfunc[12]:	QLayoutItem::invalidate()
vfunc[13]:	QLayoutItem::widget()
vfunc[14]:	QLayoutItem::layout()
vfunc[15]:	QLayoutItem::spacerItem()

The Run Time Type Information for the QLayoutItem class is described by Table 6-357

Table 6-357 typeinfo for QLayoutItem

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QLayoutItem

6.4.1.122 Class data for QSpacerItem

The virtual table for the QSpacerItem class is described by Table 6-358

Table 6-358 Primary vtable for QSpacerItem

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSpacerItem
vfunc[0]:	QSpacerItem::~~QSpacerItem()
vfunc[1]:	QSpacerItem::~~QSpacerItem()
vfunc[2]:	QSpacerItem::sizeHint() const
vfunc[3]:	QSpacerItem::minimumSize() const
vfunc[4]:	QSpacerItem::maximumSize() const
vfunc[5]:	QSpacerItem::expandingDirections() const
vfunc[6]:	QSpacerItem::setGeometry(QRect const&)
vfunc[7]:	QSpacerItem::geometry() const
vfunc[8]:	QSpacerItem::isEmpty() const
vfunc[9]:	QLayoutItem::hasHeightForWidth() const
vfunc[10]:	QLayoutItem::heightForWidth(int) const
vfunc[11]:	QLayoutItem::minimumHeightForWidth(int) const
vfunc[12]:	QLayoutItem::invalidate()
vfunc[13]:	QLayoutItem::widget()
vfunc[14]:	QLayoutItem::layout()
vfunc[15]:	QSpacerItem::spacerItem()

The Run Time Type Information for the QSpacerItem class is described by Table 6-359

Table 6-359 typeinfo for QSpacerItem

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSpacerItem
basetype:	typeinfo for QLayoutItem

6.4.1.123 Class data for QWidgetItem

The virtual table for the QWidgetItem class is described by Table 6-360

Table 6-360 Primary vtable for QWidgetItem

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QWidgetItem
vfunc[0]:	QWidgetItem::~~QWidgetItem()
vfunc[1]:	QWidgetItem::~~QWidgetItem()
vfunc[2]:	QWidgetItem::sizeHint() const
vfunc[3]:	QWidgetItem::minimumSize() const
vfunc[4]:	QWidgetItem::maximumSize() const
vfunc[5]:	QWidgetItem::expandingDirections() const
vfunc[6]:	QWidgetItem::setGeometry(QRect const&)
vfunc[7]:	QWidgetItem::geometry() const
vfunc[8]:	QWidgetItem::isEmpty() const
vfunc[9]:	QWidgetItem::hasHeightForWidth() const
vfunc[10]:	QWidgetItem::heightForWidth(int) const
vfunc[11]:	QLayoutItem::minimumHeightForWidth(int) const
vfunc[12]:	QLayoutItem::invalidate()
vfunc[13]:	QWidgetItem::widget()
vfunc[14]:	QLayoutItem::layout()
vfunc[15]:	QLayoutItem::spacerItem()

The Run Time Type Information for the QWidgetItem class is described by Table 6-361

Table 6-361 typeid for QWidgetItem

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QWidgetItem
basetype:	typeid for QLayoutItem

6.4.1.124 Class data for QLayout

The virtual table for the QLayout class is described by Table 6-362

Table 6-362 Primary vtable for QLayout

Base Offset	0
-------------	---

Virtual Base Offset	0
RTTI	typeinfo for QLayout
vfunc[0]:	QLayout::metaObject() const
vfunc[1]:	QLayout::qt_metacast(char const*)
vfunc[2]:	QLayout::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QLayout::~~QLayout()
vfunc[4]:	QLayout::~~QLayout()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QLayout::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QLayout::invalidate()
vfunc[13]:	QLayout::geometry() const
vfunc[14]:	__cxa_pure_virtual
vfunc[15]:	QLayout::expandingDirections() const
vfunc[16]:	QLayout::minimumSize() const
vfunc[17]:	QLayout::maximumSize() const
vfunc[18]:	__cxa_pure_virtual
vfunc[19]:	__cxa_pure_virtual
vfunc[20]:	__cxa_pure_virtual
vfunc[21]:	QLayout::indexOf(QWidget*) const
vfunc[22]:	__cxa_pure_virtual
vfunc[23]:	QLayout::isEmpty() const
vfunc[24]:	QLayout::layout()

Table 6-363 Secondary vtable for QLayout

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QLayout

vfunc[0]:	non-virtual thunk to QLayout::~~QLayout()
vfunc[1]:	non-virtual thunk to QLayout::~~QLayout()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	non-virtual thunk to QLayout::minimumSize() const
vfunc[4]:	non-virtual thunk to QLayout::maximumSize() const
vfunc[5]:	non-virtual thunk to QLayout::expandingDirections() const
vfunc[6]:	__cxa_pure_virtual
vfunc[7]:	non-virtual thunk to QLayout::geometry() const
vfunc[8]:	non-virtual thunk to QLayout::isEmpty() const
vfunc[9]:	QLayoutItem::hasHeightForWidth() const
vfunc[10]:	QLayoutItem::heightForWidth(int) const
vfunc[11]:	QLayoutItem::minimumHeightForW idth(int) const
vfunc[12]:	non-virtual thunk to QLayout::invalidate()
vfunc[13]:	QLayoutItem::widget()
vfunc[14]:	non-virtual thunk to QLayout::layout()
vfunc[15]:	QLayoutItem::spacerItem()

The Run Time Type Information for the QLayout class is described by Table 6-364

Table 6-364 typeinfo for QLayout

Base Vtable	vtable for __cxxabiv1::__vmi_class _type_info	
Name	typeinfo name for QLayout	
flags:	0	
basetype:	typeinfo for QObject	2
basetype:	typeinfo for	2050

	QLayoutItem	
--	-------------	--

6.4.1.125 Class data for QGridLayout

The virtual table for the QGridLayout class is described by Table 6-365

Table 6-365 Primary vtable for QGridLayout

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QGridLayout
vfunc[0]:	QGridLayout::metaObject() const
vfunc[1]:	QGridLayout::qt_metacast(char const*)
vfunc[2]:	QGridLayout::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QGridLayout::~~QGridLayout()
vfunc[4]:	QGridLayout::~~QGridLayout()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QLayout::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QGridLayout::invalidate()
vfunc[13]:	QLayout::geometry() const
vfunc[14]:	QGridLayout::addItem(QLayoutItem*)
vfunc[15]:	QGridLayout::expandingDirections() const
vfunc[16]:	QGridLayout::minimumSize() const
vfunc[17]:	QGridLayout::maximumSize() const
vfunc[18]:	QGridLayout::setGeometry(QRect const&)
vfunc[19]:	QGridLayout::itemAt(int) const
vfunc[20]:	QGridLayout::takeAt(int)
vfunc[21]:	QLayout::indexOf(QWidget*) const
vfunc[22]:	QGridLayout::count() const

vfunc[23]:	QLayout::isEmpty() const
vfunc[24]:	QLayout::layout()
vfunc[25]:	QGridLayout::sizeHint() const
vfunc[26]:	QGridLayout::hasHeightForWidth() const
vfunc[27]:	QGridLayout::heightForWidth(int) const
vfunc[28]:	QGridLayout::minimumHeightForWidth(int) const

Table 6-366 Secondary vtable for QGridLayout

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QGridLayout
vfunc[0]:	non-virtual thunk to QGridLayout::~~QGridLayout()
vfunc[1]:	non-virtual thunk to QGridLayout::~~QGridLayout()
vfunc[2]:	non-virtual thunk to QGridLayout::sizeHint() const
vfunc[3]:	non-virtual thunk to QGridLayout::minimumSize() const
vfunc[4]:	non-virtual thunk to QGridLayout::maximumSize() const
vfunc[5]:	non-virtual thunk to QGridLayout::expandingDirections() const
vfunc[6]:	non-virtual thunk to QGridLayout::setGeometry(QRect const&)
vfunc[7]:	non-virtual thunk to QLayout::geometry() const
vfunc[8]:	non-virtual thunk to QLayout::isEmpty() const
vfunc[9]:	non-virtual thunk to QGridLayout::hasHeightForWidth() const
vfunc[10]:	non-virtual thunk to QGridLayout::heightForWidth(int) const
vfunc[11]:	non-virtual thunk to QGridLayout::minimumHeightForW

	idth(int) const
vfunc[12]:	non-virtual thunk to QGridLayout::invalidate()
vfunc[13]:	QLayoutItem::widget()
vfunc[14]:	non-virtual thunk to QLayout::layout()
vfunc[15]:	QLayoutItem::spacerItem()

The Run Time Type Information for the QGridLayout class is described by Table 6-367

Table 6-367 typeinfo for QGridLayout

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QGridLayout
basetype:	typeinfo for QLayout

6.4.1.126 Class data for QBoxLayout

The virtual table for the QBoxLayout class is described by Table 6-368

Table 6-368 Primary vtable for QBoxLayout

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QBoxLayout
vfunc[0]:	QBoxLayout::metaObject() const
vfunc[1]:	QBoxLayout::qt_metacast(char const*)
vfunc[2]:	QBoxLayout::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QBoxLayout::~QBoxLayout()
vfunc[4]:	QBoxLayout::~QBoxLayout()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QLayout::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

vfunc[12]:	QBoxLayout::invalidate()
vfunc[13]:	QLayout::geometry() const
vfunc[14]:	QBoxLayout::addItem(QLayoutItem*)
vfunc[15]:	QBoxLayout::expandingDirections() const
vfunc[16]:	QBoxLayout::minimumSize() const
vfunc[17]:	QBoxLayout::maximumSize() const
vfunc[18]:	QBoxLayout::setGeometry(QRect const&)
vfunc[19]:	QBoxLayout::itemAt(int) const
vfunc[20]:	QBoxLayout::takeAt(int)
vfunc[21]:	QLayout::indexOf(QWidget*) const
vfunc[22]:	QBoxLayout::count() const
vfunc[23]:	QLayout::isEmpty() const
vfunc[24]:	QLayout::layout()
vfunc[25]:	QBoxLayout::sizeHint() const
vfunc[26]:	QBoxLayout::hasHeightForWidth() const
vfunc[27]:	QBoxLayout::heightForWidth(int) const
vfunc[28]:	QBoxLayout::minimumHeightForWi dth(int) const

Table 6-369 Secondary vtable for QBoxLayout

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QBoxLayout
vfunc[0]:	non-virtual thunk to QBoxLayout::~~QBoxLayout()
vfunc[1]:	non-virtual thunk to QBoxLayout::~~QBoxLayout()
vfunc[2]:	non-virtual thunk to QBoxLayout::sizeHint() const
vfunc[3]:	non-virtual thunk to QBoxLayout::minimumSize() const
vfunc[4]:	non-virtual thunk to QBoxLayout::maximumSize() const
vfunc[5]:	non-virtual thunk to

	QBoxLayout::expandingDirections() const
vfunc[6]:	non-virtual thunk to QBoxLayout::setGeometry(QRect const&)
vfunc[7]:	non-virtual thunk to QLayout::geometry() const
vfunc[8]:	non-virtual thunk to QLayout::isEmpty() const
vfunc[9]:	non-virtual thunk to QBoxLayout::hasHeightForWidth() const
vfunc[10]:	non-virtual thunk to QBoxLayout::heightForWidth(int) const
vfunc[11]:	non-virtual thunk to QBoxLayout::minimumHeightForWidth(int) const
vfunc[12]:	non-virtual thunk to QBoxLayout::invalidate()
vfunc[13]:	QLayoutItem::widget()
vfunc[14]:	non-virtual thunk to QLayout::layout()
vfunc[15]:	QLayoutItem::spacerItem()

The Run Time Type Information for the QBoxLayout class is described by Table 6-370

Table 6-370 typeinfo for QBoxLayout

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QBoxLayout
basetype:	typeinfo for QLayout

6.4.1.127 Class data for QHBoxLayout

The virtual table for the QHBoxLayout class is described by Table 6-371

Table 6-371 Primary vtable for QHBoxLayout

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QHBoxLayout
vfunc[0]:	QHBoxLayout::metaObject() const
vfunc[1]:	QHBoxLayout::qt_metacast(char

	const*)
vfunc[2]:	QHBoxLayout::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QHBoxLayout::~~QHBoxLayout()
vfunc[4]:	QHBoxLayout::~~QHBoxLayout()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QLayout::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QBoxLayout::invalidate()
vfunc[13]:	QLayout::geometry() const
vfunc[14]:	QBoxLayout::addItem(QLayoutItem*)
vfunc[15]:	QBoxLayout::expandingDirections() const
vfunc[16]:	QBoxLayout::minimumSize() const
vfunc[17]:	QBoxLayout::maximumSize() const
vfunc[18]:	QBoxLayout::setGeometry(QRect const&)
vfunc[19]:	QBoxLayout::itemAt(int) const
vfunc[20]:	QBoxLayout::takeAt(int)
vfunc[21]:	QLayout::indexOf(QWidget*) const
vfunc[22]:	QBoxLayout::count() const
vfunc[23]:	QLayout::isEmpty() const
vfunc[24]:	QLayout::layout()
vfunc[25]:	QBoxLayout::sizeHint() const
vfunc[26]:	QBoxLayout::hasHeightForWidth() const
vfunc[27]:	QBoxLayout::heightForWidth(int) const
vfunc[28]:	QBoxLayout::minimumHeightForWidth(int) const

Table 6-372 Secondary vtable for QHBoxLayout

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QHBoxLayout
vfunc[0]:	non-virtual thunk to QHBoxLayout::~~HBoxLayout()
vfunc[1]:	non-virtual thunk to QHBoxLayout::~~HBoxLayout()
vfunc[2]:	non-virtual thunk to QHBoxLayout::sizeHint() const
vfunc[3]:	non-virtual thunk to QHBoxLayout::minimumSize() const
vfunc[4]:	non-virtual thunk to QHBoxLayout::maximumSize() const
vfunc[5]:	non-virtual thunk to QHBoxLayout::expandingDirections() const
vfunc[6]:	non-virtual thunk to QHBoxLayout::setGeometry(QRect const&)
vfunc[7]:	non-virtual thunk to QHBoxLayout::geometry() const
vfunc[8]:	non-virtual thunk to QHBoxLayout::isEmpty() const
vfunc[9]:	non-virtual thunk to QHBoxLayout::hasHeightForWidth() const
vfunc[10]:	non-virtual thunk to QHBoxLayout::heightForWidth(int) const
vfunc[11]:	non-virtual thunk to QHBoxLayout::minimumHeightForWidth(int) const
vfunc[12]:	non-virtual thunk to QHBoxLayout::invalidate()
vfunc[13]:	QWidgetItem::widget()
vfunc[14]:	non-virtual thunk to QHBoxLayout::layout()
vfunc[15]:	QWidgetItem::spacerItem()

The Run Time Type Information for the QHBoxLayout class is described by Table 6-373

Table 6-373 typeinfo for QHBoxLayout

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QHBoxLayout
basetype:	typeinfo for QVBoxLayout

6.4.1.128 Class data for QVBoxLayout

The virtual table for the QVBoxLayout class is described by Table 6-374

Table 6-374 Primary vtable for QVBoxLayout

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QVBoxLayout
vfunc[0]:	QVBoxLayout::metaObject() const
vfunc[1]:	QVBoxLayout::qt_metacast(char const*)
vfunc[2]:	QVBoxLayout::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QVBoxLayout::~~VBoxLayout()
vfunc[4]:	QVBoxLayout::~~VBoxLayout()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QLayout::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QBoxLayout::invalidate()
vfunc[13]:	QLayout::geometry() const
vfunc[14]:	QBoxLayout::addItem(QLayoutItem*)
vfunc[15]:	QBoxLayout::expandingDirections() const
vfunc[16]:	QBoxLayout::minimumSize() const
vfunc[17]:	QBoxLayout::maximumSize() const
vfunc[18]:	QBoxLayout::setGeometry(QRect const&)

vfunc[19]:	QBoxLayout::itemAt(int) const
vfunc[20]:	QBoxLayout::takeAt(int)
vfunc[21]:	QLayout::indexOf(QWidget*) const
vfunc[22]:	QBoxLayout::count() const
vfunc[23]:	QLayout::isEmpty() const
vfunc[24]:	QLayout::layout()
vfunc[25]:	QBoxLayout::sizeHint() const
vfunc[26]:	QBoxLayout::hasHeightForWidth() const
vfunc[27]:	QBoxLayout::heightForWidth(int) const
vfunc[28]:	QBoxLayout::minimumHeightForWi dth(int) const

Table 6-375 Secondary vtable for QVBoxLayout

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QVBoxLayout
vfunc[0]:	non-virtual thunk to QVBoxLayout::~~VBoxLayout()
vfunc[1]:	non-virtual thunk to QVBoxLayout::~~VBoxLayout()
vfunc[2]:	non-virtual thunk to QBoxLayout::sizeHint() const
vfunc[3]:	non-virtual thunk to QBoxLayout::minimumSize() const
vfunc[4]:	non-virtual thunk to QBoxLayout::maximumSize() const
vfunc[5]:	non-virtual thunk to QBoxLayout::expandingDirections() const
vfunc[6]:	non-virtual thunk to QBoxLayout::setGeometry(QRect const&)
vfunc[7]:	non-virtual thunk to QLayout::geometry() const
vfunc[8]:	non-virtual thunk to QLayout::isEmpty() const
vfunc[9]:	non-virtual thunk to QBoxLayout::hasHeightForWidth() const

vfunc[10]:	non-virtual thunk to QBoxLayout::heightForWidth(int) const
vfunc[11]:	non-virtual thunk to QBoxLayout::minimumHeightForWidth(int) const
vfunc[12]:	non-virtual thunk to QBoxLayout::invalidate()
vfunc[13]:	QLayoutItem::width()
vfunc[14]:	non-virtual thunk to QLayout::layout()
vfunc[15]:	QLayoutItem::spacerItem()

The Run Time Type Information for the QVBoxLayout class is described by Table 6-376

Table 6-376 typeinfo for QVBoxLayout

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QVBoxLayout
basetype:	typeinfo for QBoxLayout

6.4.1.129 Class data for QShortcut

The virtual table for the QShortcut class is described by Table 6-377

Table 6-377 Primary vtable for QShortcut

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QShortcut
vfunc[0]:	QShortcut::metaObject() const
vfunc[1]:	QShortcut::qt_metacast(char const*)
vfunc[2]:	QShortcut::qt_metacall(QMetaObject: :Call, int, void**)
vfunc[3]:	QShortcut::~~QShortcut()
vfunc[4]:	QShortcut::~~QShortcut()
vfunc[5]:	QShortcut::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)

vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QShortcut class is described by Table 6-378

Table 6-378 typeinfo for QShortcut

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QShortcut
basetype:	typeinfo for QObject

6.4.1.130 Class data for QSessionManager

The virtual table for the QSessionManager class is described by Table 6-379

Table 6-379 Primary vtable for QSessionManager

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSessionManager
vfunc[0]:	QSessionManager::metaObject() const
vfunc[1]:	QSessionManager::qt_metacast(char const*)
vfunc[2]:	QSessionManager::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QSessionManager::~QSessionManager()
vfunc[4]:	QSessionManager::~QSessionManager()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QSessionManager class is described by Table 6-380

Table 6-380 typeinfo for QSessionManager

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSessionManager
basetype:	typeinfo for QObject

6.4.1.131 Class data for QApplication

The virtual table for the QApplication class is described by Table 6-381

Table 6-381 Primary vtable for QApplication

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QApplication
vfunc[0]:	QApplication::metaObject() const
vfunc[1]:	QApplication::qt_metacast(char const*)
vfunc[2]:	QApplication::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QApplication::~~QApplication()
vfunc[4]:	QApplication::~~QApplication()
vfunc[5]:	QApplication::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QApplication::notify(QObject*, QEvent*)
vfunc[13]:	QApplication::compressEvent(QEvent*, QObject*, QPostEventList*)
vfunc[14]:	QApplication::x11EventFilter(_XEvent*)
vfunc[15]:	QApplication::x11ClientMessage(QWidget*, _XEvent*, bool)
vfunc[16]:	QApplication::commitData(QSessionManager&)
vfunc[17]:	QApplication::saveState(QSessionMa

	nager&)
--	---------

The Run Time Type Information for the QApplication class is described by Table 6-382

Table 6-382 typeinfo for QApplication

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QApplication
basetype:	typeinfo for QCoreApplication

6.4.1.132 Class data for QAction

The virtual table for the QAction class is described by Table 6-383

Table 6-383 Primary vtable for QAction

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QAction
vfunc[0]:	QAction::metaObject() const
vfunc[1]:	QAction::qt_metacast(char const*)
vfunc[2]:	QAction::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QAction::~~QAction()
vfunc[4]:	QAction::~~QAction()
vfunc[5]:	QAction::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QAction class is described by Table 6-384

Table 6-384 typeinfo for QAction

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QAction

basetype:	typeinfo for QObject
-----------	----------------------

6.4.1.133 Class data for QActionGroup

The virtual table for the QActionGroup class is described by Table 6-385

Table 6-385 Primary vtable for QActionGroup

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QActionGroup
vfunc[0]:	QActionGroup::metaObject() const
vfunc[1]:	QActionGroup::qt_metacast(char const*)
vfunc[2]:	QActionGroup::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QActionGroup::~QActionGroup()
vfunc[4]:	QActionGroup::~QActionGroup()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QActionGroup class is described by Table 6-386

Table 6-386 typeinfo for QActionGroup

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QActionGroup
basetype:	typeinfo for QObject

6.4.1.134 Class data for QSound

The virtual table for the QSound class is described by Table 6-387

Table 6-387 Primary vtable for QSound

Base Offset	0
Virtual Base Offset	0

RTTI	typeinfo for QSound
vfunc[0]:	QSound::metaObject() const
vfunc[1]:	QSound::qt_metacast(char const*)
vfunc[2]:	QSound::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QSound::~QSound()
vfunc[4]:	QSound::~QSound()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QSound class is described by Table 6-388

Table 6-388 typeinfo for QSound

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSound
basetype:	typeinfo for QObject

6.4.1.135 Class data for QStackedLayout

The virtual table for the QStackedLayout class is described by Table 6-389

Table 6-389 Primary vtable for QStackedLayout

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QStackedLayout
vfunc[0]:	QStackedLayout::metaObject() const
vfunc[1]:	QStackedLayout::qt_metacast(char const*)
vfunc[2]:	QStackedLayout::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QStackedLayout::~QStackedLayout()
vfunc[4]:	QStackedLayout::~QStackedLayout()

vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QLayout::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QLayout::invalidate()
vfunc[13]:	QLayout::geometry() const
vfunc[14]:	QStackedLayout::addItem(QLayoutItem*)
vfunc[15]:	QLayout::expandingDirections() const
vfunc[16]:	QStackedLayout::minimumSize() const
vfunc[17]:	QLayout::maximumSize() const
vfunc[18]:	QStackedLayout::setGeometry(QRect const&)
vfunc[19]:	QStackedLayout::itemAt(int) const
vfunc[20]:	QStackedLayout::takeAt(int)
vfunc[21]:	QLayout::indexOf(QWidget*) const
vfunc[22]:	QStackedLayout::count() const
vfunc[23]:	QLayout::isEmpty() const
vfunc[24]:	QLayout::layout()
vfunc[25]:	QStackedLayout::sizeHint() const

Table 6-390 Secondary vtable for QStackedLayout

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QStackedLayout
vfunc[0]:	non-virtual thunk to QStackedLayout::~~QStackedLayout()
vfunc[1]:	non-virtual thunk to QStackedLayout::~~QStackedLayout()
vfunc[2]:	non-virtual thunk to QStackedLayout::sizeHint() const

vfunc[3]:	non-virtual thunk to QStackedLayout::minimumSize() const
vfunc[4]:	non-virtual thunk to QLayout::maximumSize() const
vfunc[5]:	non-virtual thunk to QLayout::expandingDirections() const
vfunc[6]:	non-virtual thunk to QStackedLayout::setGeometry(QRect const&)
vfunc[7]:	non-virtual thunk to QLayout::geometry() const
vfunc[8]:	non-virtual thunk to QLayout::isEmpty() const
vfunc[9]:	QLayoutItem::hasHeightForWidth() const
vfunc[10]:	QLayoutItem::heightForWidth(int) const
vfunc[11]:	QLayoutItem::minimumHeightForW idth(int) const
vfunc[12]:	non-virtual thunk to QLayout::invalidate()
vfunc[13]:	QLayoutItem::widget()
vfunc[14]:	non-virtual thunk to QLayout::layout()
vfunc[15]:	QLayoutItem::spacerItem()

The Run Time Type Information for the QStackedLayout class is described by Table 6-391

Table 6-391 typeinfo for QStackedLayout

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QStackedLayout
basetype:	typeinfo for QLayout

6.4.1.136 Class data for QCommonStyle

The virtual table for the QCommonStyle class is described by Table 6-392

Table 6-392 Primary vtable for QCommonStyle

Base Offset	0
Virtual Base Offset	0

RTTI	typeinfo for QCommonStyle
vfunc[0]:	QCommonStyle::metaObject() const
vfunc[1]:	QCommonStyle::qt_metacast(char const*)
vfunc[2]:	QCommonStyle::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QCommonStyle::~~QCommonStyle()
vfunc[4]:	QCommonStyle::~~QCommonStyle()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QStyle::polish(QWidget*)
vfunc[13]:	QStyle::unpolish(QWidget*)
vfunc[14]:	QStyle::polish(QApplication*)
vfunc[15]:	QStyle::unpolish(QApplication*)
vfunc[16]:	QStyle::polish(QPalette&)
vfunc[17]:	QStyle::itemTextRect(QFontMetrics const&, QRect const&, int, bool, QString const&) const
vfunc[18]:	QStyle::itemPixmapRect(QRect const&, int, QPixmap const&) const
vfunc[19]:	QStyle::drawItemText(QPainter*, QRect const&, int, QPalette const&, bool, QString const&, QPalette::ColorRole) const
vfunc[20]:	QStyle::drawItemPixmap(QPainter*, QRect const&, int, QPixmap const&) const
vfunc[21]:	QStyle::standardPalette() const
vfunc[22]:	QCommonStyle::drawPrimitive(QStyle::PrimitiveElement, QStyleOption const*, QPainter*, QWidget const*) const
vfunc[23]:	QCommonStyle::drawControl(QStyle

	::ControlElement, QStyleOption const*, QPainter*, QWidget const*) const
vfunc[24]:	QCommonStyle::subElementRect(QStyle::SubElement, QStyleOption const*, QWidget const*) const
vfunc[25]:	QCommonStyle::drawComplexControl(QStyle::ComplexControl, QStyleOptionComplex const*, QPainter*, QWidget const*) const
vfunc[26]:	QCommonStyle::hitTestComplexControl(QStyle::ComplexControl, QStyleOptionComplex const*, QPoint const&, QWidget const*) const
vfunc[27]:	QCommonStyle::subControlRect(QStyle::ComplexControl, QStyleOptionComplex const*, QStyle::SubControl, QWidget const*) const
vfunc[28]:	QCommonStyle::pixelMetric(QStyle::PixelMetric, QStyleOption const*, QWidget const*) const
vfunc[29]:	QCommonStyle::sizeFromContents(QStyle::ContentsType, QStyleOption const*, QSize const&, QWidget const*) const
vfunc[30]:	QCommonStyle::styleHint(QStyle::StyleHint, QStyleOption const*, QWidget const*, QStyleHintReturn*) const
vfunc[31]:	QCommonStyle::standardPixmap(QStyle::StandardPixmap, QStyleOption const*, QWidget const*) const
vfunc[32]:	QCommonStyle::generatedIconPixmap(QIcon::Mode, QPixmap const&, QStyleOption const*) const

The Run Time Type Information for the QCommonStyle class is described by Table 6-393

Table 6-393 typeinfo for QCommonStyle

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QCommonStyle
basetype:	typeinfo for QStyle

6.4.1.137 Class data for QMotifStyle

The virtual table for the QMotifStyle class is described by Table 6-394

Table 6-394 Primary vtable for QMotifStyle

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QMotifStyle
vfunc[0]:	QMotifStyle::metaObject() const
vfunc[1]:	QMotifStyle::qt_metacast(char const*)
vfunc[2]:	QMotifStyle::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QMotifStyle::~QMotifStyle()
vfunc[4]:	QMotifStyle::~QMotifStyle()
vfunc[5]:	QMotifStyle::event(QEvent*)
vfunc[6]:	QMotifStyle::eventFilter(QObject*, QEvent*)
vfunc[7]:	QMotifStyle::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QMotifStyle::polish(QWidget*)
vfunc[13]:	QMotifStyle::unpolish(QWidget*)
vfunc[14]:	QMotifStyle::polish(QApplication*)
vfunc[15]:	QMotifStyle::unpolish(QApplication*)
vfunc[16]:	QMotifStyle::polish(QPalette&)
vfunc[17]:	QStyle::itemTextRect(QFontMetrics const&, QRect const&, int, bool, QString const&) const
vfunc[18]:	QStyle::itemPixmapRect(QRect const&, int, QPixmap const&) const
vfunc[19]:	QStyle::drawItemText(QPainter*, QRect const&, int, QPalette const&, bool, QString const&, QPalette::ColorRole) const
vfunc[20]:	QStyle::drawItemPixmap(QPainter*,

	QRect const&, int, QPixmap const&) const
vfunc[21]:	QMotifStyle::standardPalette() const
vfunc[22]:	QMotifStyle::drawPrimitive(QStyle::PrimitiveElement, QStyleOption const*, QPainter*, QWidget const*) const
vfunc[23]:	QMotifStyle::drawControl(QStyle::ControlElement, QStyleOption const*, QPainter*, QWidget const*) const
vfunc[24]:	QMotifStyle::subElementRect(QStyle::SubElement, QStyleOption const*, QWidget const*) const
vfunc[25]:	QMotifStyle::drawComplexControl(QStyle::ComplexControl, QStyleOptionComplex const*, QPainter*, QWidget const*) const
vfunc[26]:	QCommonStyle::hitTestComplexControl(QStyle::ComplexControl, QStyleOptionComplex const*, QPoint const&, QWidget const*) const
vfunc[27]:	QMotifStyle::subControlRect(QStyle::ComplexControl, QStyleOptionComplex const*, QStyle::SubControl, QWidget const*) const
vfunc[28]:	QMotifStyle::pixelMetric(QStyle::PixelMetric, QStyleOption const*, QWidget const*) const
vfunc[29]:	QMotifStyle::sizeFromContents(QStyle::ContentsType, QStyleOption const*, QSize const&, QWidget const*) const
vfunc[30]:	QMotifStyle::styleHint(QStyle::StyleHint, QStyleOption const*, QWidget const*, QStyleHintReturn*) const
vfunc[31]:	QMotifStyle::standardPixmap(QStyle::StandardPixmap, QStyleOption const*, QWidget const*) const
vfunc[32]:	QCommonStyle::generatedIconPixmap(QIcon::Mode, QPixmap const&, QStyleOption const*) const

The Run Time Type Information for the QMotifStyle class is described by Table 6-395

Table 6-395 typeinfo for QMotifStyle

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QMotifStyle
basetype:	typeinfo for QCommonStyle

6.4.1.138 Class data for QStyleFactoryInterface

The virtual table for the QStyleFactoryInterface class is described by Table 6-396

Table 6-396 Primary vtable for QStyleFactoryInterface

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QStyleFactoryInterface
vfunc[0]:	QStyleFactoryInterface::~~QStyleFactoryInterface()
vfunc[1]:	QStyleFactoryInterface::~~QStyleFactoryInterface()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual

The Run Time Type Information for the QStyleFactoryInterface class is described by Table 6-397

Table 6-397 typeinfo for QStyleFactoryInterface

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QStyleFactoryInterface
basetype:	typeinfo for QFactoryInterface

6.4.1.139 Class data for QStylePlugin

The virtual table for the QStylePlugin class is described by Table 6-398

Table 6-398 Primary vtable for QStylePlugin

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QStylePlugin
vfunc[0]:	QStylePlugin::metaObject() const
vfunc[1]:	QStylePlugin::qt_metacast(char const*)
vfunc[2]:	QStylePlugin::qt_metacall(QMetaObject::Call, int, void**)

vfunc[3]:	QStylePlugin::~~QStylePlugin()
vfunc[4]:	QStylePlugin::~~QStylePlugin()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	__cxa_pure_virtual

Table 6-399 Secondary vtable for QStylePlugin

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QStylePlugin
vfunc[0]:	non-virtual thunk to QStylePlugin::~~QStylePlugin()
vfunc[1]:	non-virtual thunk to QStylePlugin::~~QStylePlugin()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual

The Run Time Type Information for the QStylePlugin class is described by Table 6-400

Table 6-400 typeid for QStylePlugin

Base Vtable	vtable for __cxxabiv1::__vmi_class _type_info	
Name	typeid name for QStylePlugin	
flags:	0	
basetype:	typeid for QObject	2
basetype:	typeid for QStyleFactoryInterface	2050

6.4.1.140 Class data for QWindowsStyle

The virtual table for the QWindowsStyle class is described by Table 6-401

Table 6-401 Primary vtable for QWindowsStyle

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QWindowsStyle
vfunc[0]:	QWindowsStyle::metaObject() const
vfunc[1]:	QWindowsStyle::qt_metacast(char const*)
vfunc[2]:	QWindowsStyle::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QWindowsStyle::~QWindowsStyle()
vfunc[4]:	QWindowsStyle::~QWindowsStyle()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QWindowsStyle::eventFilter(QObject *, QEvent*)
vfunc[7]:	QWindowsStyle::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWindowsStyle::polish(QWidget*)
vfunc[13]:	QWindowsStyle::unpolish(QWidget*)
vfunc[14]:	QWindowsStyle::polish(QApplication*)
vfunc[15]:	QWindowsStyle::unpolish(QApplication*)
vfunc[16]:	QWindowsStyle::polish(QPalette&)
vfunc[17]:	QStyle::itemTextRect(QFontMetrics const&, QRect const&, int, bool, QString const&) const
vfunc[18]:	QStyle::itemPixmapRect(QRect const&, int, QPixmap const&) const
vfunc[19]:	QStyle::drawItemText(QPainter*, QRect const&, int, QPalette const&, bool, QString const&, QPalette::ColorRole) const

vfunc[20]:	QStyle::drawItemPixmap(QPainter*, QRect const&, int, QPixmap const&) const
vfunc[21]:	QStyle::standardPalette() const
vfunc[22]:	QWindowsStyle::drawPrimitive(QSt yle::PrimitiveElement, QStyleOption const*, QPainter*, QWidget const*) const
vfunc[23]:	QWindowsStyle::drawControl(QStyl e::ControlElement, QStyleOption const*, QPainter*, QWidget const*) const
vfunc[24]:	QWindowsStyle::subElementRect(QS tyle::SubElement, QStyleOption const*, QWidget const*) const
vfunc[25]:	QWindowsStyle::drawComplexCont rol(QStyle::ComplexControl, QStyleOptionComplex const*, QPainter*, QWidget const*) const
vfunc[26]:	QCommonStyle::hitTestComplexCon trol(QStyle::ComplexControl, QStyleOptionComplex const*, QPoint const&, QWidget const*) const
vfunc[27]:	QCommonStyle::subControlRect(QSt yle::ComplexControl, QStyleOptionComplex const*, QStyle::SubControl, QWidget const*) const
vfunc[28]:	QWindowsStyle::pixelMetric(QStyle:: PixelMetric, QStyleOption const*, QWidget const*) const
vfunc[29]:	QWindowsStyle::sizeFromContents(QStyle::ContentsType, QStyleOption const*, QSize const&, QWidget const*) const
vfunc[30]:	QWindowsStyle::styleHint(QStyle::St yleHint, QStyleOption const*, QWidget const*, QStyleHintReturn*) const
vfunc[31]:	QWindowsStyle::standardPixmap(Q Style::StandardPixmap, QStyleOption const*, QWidget const*) const
vfunc[32]:	QCommonStyle::generatedIconPixm ap(QIcon::Mode, QPixmap const&, QStyleOption const*) const

The Run Time Type Information for the QWindowsStyle class is described by Table 6-402

Table 6-402 typeinfo for QWindowsStyle

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QWindowsStyle
basetype:	typeinfo for QCommonStyle

6.4.1.141 Class data for QCDEStyle

The virtual table for the QCDEStyle class is described by Table 6-403

Table 6-403 Primary vtable for QCDEStyle

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QCDEStyle
vfunc[0]:	QCDEStyle::metaObject() const
vfunc[1]:	QCDEStyle::qt_metacast(char const*)
vfunc[2]:	QCDEStyle::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QCDEStyle::~~QCDEStyle()
vfunc[4]:	QCDEStyle::~~QCDEStyle()
vfunc[5]:	QMotifStyle::event(QEvent*)
vfunc[6]:	QMotifStyle::eventFilter(QObject*, QEvent*)
vfunc[7]:	QMotifStyle::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QMotifStyle::polish(QWidget*)
vfunc[13]:	QMotifStyle::unpolish(QWidget*)
vfunc[14]:	QMotifStyle::polish(QApplication*)
vfunc[15]:	QMotifStyle::unpolish(QApplication*)
vfunc[16]:	QMotifStyle::polish(QPalette&)
vfunc[17]:	QStyle::itemTextRect(QFontMetrics const&, QRect const&, int, bool,

	QString const&) const
vfunc[18]:	QStyle::itemPixmapRect(QRect const&, int, QPixmap const&) const
vfunc[19]:	QStyle::drawItemText(QPainter*, QRect const&, int, QPalette const&, bool, QString const&, QPalette::ColorRole) const
vfunc[20]:	QStyle::drawItemPixmap(QPainter*, QRect const&, int, QPixmap const&) const
vfunc[21]:	QCDEStyle::standardPalette() const
vfunc[22]:	QCDEStyle::drawPrimitive(QStyle::PrimitiveElement, QStyleOption const*, QPainter*, QWidget const*) const
vfunc[23]:	QCDEStyle::drawControl(QStyle::ControlElement, QStyleOption const*, QPainter*, QWidget const*) const
vfunc[24]:	QMotifStyle::subElementRect(QStyle::SubElement, QStyleOption const*, QWidget const*) const
vfunc[25]:	QMotifStyle::drawComplexControl(QStyle::ComplexControl, QStyleOptionComplex const*, QPainter*, QWidget const*) const
vfunc[26]:	QCommonStyle::hitTestComplexControl(QStyle::ComplexControl, QStyleOptionComplex const*, QPoint const&, QWidget const*) const
vfunc[27]:	QMotifStyle::subControlRect(QStyle::ComplexControl, QStyleOptionComplex const*, QStyle::SubControl, QWidget const*) const
vfunc[28]:	QCDEStyle::pixelMetric(QStyle::PixelMetric, QStyleOption const*, QWidget const*) const
vfunc[29]:	QMotifStyle::sizeFromContents(QStyle::ContentsType, QStyleOption const*, QSize const&, QWidget const*) const
vfunc[30]:	QMotifStyle::styleHint(QStyle::StyleHint, QStyleOption const*, QWidget const*, QStyleHintReturn*) const
vfunc[31]:	QMotifStyle::standardPixmap(QStyle

	::StandardPixmap, QStyleOption const*, QWidget const*) const
vfunc[32]:	QCommonStyle::generatedIconPixmap(QIcon::Mode, QPixmap const&, QStyleOption const*) const

The Run Time Type Information for the QCDEStyle class is described by Table 6-404

Table 6-404 typeinfo for QCDEStyle

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QCDEStyle
basetype:	typeinfo for QMotifStyle

6.4.1.142 Class data for QPlastiqueStyle

The virtual table for the QPlastiqueStyle class is described by Table 6-405

Table 6-405 Primary vtable for QPlastiqueStyle

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QPlastiqueStyle
vfunc[0]:	QPlastiqueStyle::metaObject() const
vfunc[1]:	QPlastiqueStyle::qt_metacast(char const*)
vfunc[2]:	QPlastiqueStyle::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QPlastiqueStyle::~QPlastiqueStyle()
vfunc[4]:	QPlastiqueStyle::~QPlastiqueStyle()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QPlastiqueStyle::eventFilter(QObject*, QEvent*)
vfunc[7]:	QPlastiqueStyle::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QPlastiqueStyle::polish(QWidget*)
vfunc[13]:	QPlastiqueStyle::unpolish(QWidget*)

vfunc[14]:	QPlastiqueStyle::polish(QApplication*)
vfunc[15]:	QPlastiqueStyle::unpolish(QApplication*)
vfunc[16]:	QPlastiqueStyle::polish(QPalette&)
vfunc[17]:	QStyle::itemTextRect(QFontMetrics const&, QRect const&, int, bool, QString const&) const
vfunc[18]:	QStyle::itemPixmapRect(QRect const&, int, QPixmap const&) const
vfunc[19]:	QStyle::drawItemText(QPainter*, QRect const&, int, QPalette const&, bool, QString const&, QPalette::ColorRole) const
vfunc[20]:	QStyle::drawItemPixmap(QPainter*, QRect const&, int, QPixmap const&) const
vfunc[21]:	QPlastiqueStyle::standardPalette() const
vfunc[22]:	QPlastiqueStyle::drawPrimitive(QStyle::PrimitiveElement, QStyleOption const*, QPainter*, QWidget const*) const
vfunc[23]:	QPlastiqueStyle::drawControl(QStyle::ControlElement, QStyleOption const*, QPainter*, QWidget const*) const
vfunc[24]:	QPlastiqueStyle::subElementRect(QStyle::SubElement, QStyleOption const*, QWidget const*) const
vfunc[25]:	QPlastiqueStyle::drawComplexControl(QStyle::ComplexControl, QStyleOptionComplex const*, QPainter*, QWidget const*) const
vfunc[26]:	QPlastiqueStyle::hitTestComplexControl(QStyle::ComplexControl, QStyleOptionComplex const*, QPoint const&, QWidget const*) const
vfunc[27]:	QPlastiqueStyle::subControlRect(QStyle::ComplexControl, QStyleOptionComplex const*, QStyle::SubControl, QWidget const*) const
vfunc[28]:	QPlastiqueStyle::pixelMetric(QStyle::PixelMetric, QStyleOption const*,

	QWidget const*) const
vfunc[29]:	QPlastiqueStyle::sizeFromContents(QStyle::ContentsType, QStyleOption const*, QSize const&, QWidget const*) const
vfunc[30]:	QPlastiqueStyle::styleHint(QStyle::StyleHint, QStyleOption const*, QWidget const*, QStyleHintReturn*) const
vfunc[31]:	QWindowsStyle::standardPixmap(QStyle::StandardPixmap, QStyleOption const*, QWidget const*) const
vfunc[32]:	QCommonStyle::generatedIconPixmap(QIcon::Mode, QPixmap const&, QStyleOption const*) const

The Run Time Type Information for the QPlastiqueStyle class is described by Table 6-406

Table 6-406 typeinfo for QPlastiqueStyle

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QPlastiqueStyle
basetype:	typeinfo for QWindowsStyle

6.4.1.143 Class data for QInputContextFactoryInterface

The virtual table for the QInputContextFactoryInterface class is described by Table 6-407

Table 6-407 Primary vtable for QInputContextFactoryInterface

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QInputContextFactoryInterface
vfunc[0]:	QInputContextFactoryInterface::~~QInputContextFactoryInterface()
vfunc[1]:	QInputContextFactoryInterface::~~QInputContextFactoryInterface()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual
vfunc[4]:	__cxa_pure_virtual
vfunc[5]:	__cxa_pure_virtual
vfunc[6]:	__cxa_pure_virtual

The Run Time Type Information for the `QInputContextFactoryInterface` class is described by Table 6-408

Table 6-408 typeinfo for `QInputContextFactoryInterface`

Base Vtable	vtable for <code>__cxxabiv1::__si_class_type_info</code>
Name	typeinfo name for <code>QInputContextFactoryInterface</code>
basetype:	typeinfo for <code>QFactoryInterface</code>

6.4.1.144 Class data for `QInputContextPlugin`

The virtual table for the `QInputContextPlugin` class is described by Table 6-409

Table 6-409 Primary vtable for `QInputContextPlugin`

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for <code>QInputContextPlugin</code>
vfunc[0]:	<code>QInputContextPlugin::metaObject()</code> const
vfunc[1]:	<code>QInputContextPlugin::qt_metacast(char const*)</code>
vfunc[2]:	<code>QInputContextPlugin::qt_metacall(QMetaObject::Call, int, void**)</code>
vfunc[3]:	<code>QInputContextPlugin::~~QInputContextPlugin()</code>
vfunc[4]:	<code>QInputContextPlugin::~~QInputContextPlugin()</code>
vfunc[5]:	<code>QObject::event(QEvent*)</code>
vfunc[6]:	<code>QObject::eventFilter(QObject*, QEvent*)</code>
vfunc[7]:	<code>QObject::timerEvent(QTimerEvent*)</code>
vfunc[8]:	<code>QObject::childEvent(QChildEvent*)</code>
vfunc[9]:	<code>QObject::customEvent(QEvent*)</code>
vfunc[10]:	<code>QObject::connectNotify(char const*)</code>
vfunc[11]:	<code>QObject::disconnectNotify(char const*)</code>
vfunc[12]:	<code>__cxa_pure_virtual</code>
vfunc[13]:	<code>__cxa_pure_virtual</code>
vfunc[14]:	<code>__cxa_pure_virtual</code>
vfunc[15]:	<code>__cxa_pure_virtual</code>

vfunc[16]:	__cxa_pure_virtual
------------	--------------------

Table 6-410 Secondary vtable for QInputContextPlugin

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QInputContextPlugin
vfunc[0]:	non-virtual thunk to QInputContextPlugin::~~QInputContextPlugin()
vfunc[1]:	non-virtual thunk to QInputContextPlugin::~~QInputContextPlugin()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual
vfunc[4]:	__cxa_pure_virtual
vfunc[5]:	__cxa_pure_virtual
vfunc[6]:	__cxa_pure_virtual

The Run Time Type Information for the QInputContextPlugin class is described by Table 6-411

Table 6-411 typeid for QInputContextPlugin

Base Vtable	vtable for __cxxabiv1::__vmi_class_type_info	
Name	typeid name for QInputContextPlugin	
flags:	0	
basetype:	typeid for QObject	2
basetype:	typeid for QInputContextFactoryInterface	2050

6.4.1.145 Class data for QInputContext

The virtual table for the QInputContext class is described by Table 6-412

Table 6-412 Primary vtable for QInputContext

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QInputContext
vfunc[0]:	QInputContext::metaObject() const

vfunc[1]:	QInputContext::qt_metacast(char const*)
vfunc[2]:	QInputContext::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QInputContext::~QInputContext()
vfunc[4]:	QInputContext::~QInputContext()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	__cxa_pure_virtual
vfunc[14]:	__cxa_pure_virtual
vfunc[15]:	QInputContext::update()
vfunc[16]:	QInputContext::mouseHandler(int, QMouseEvent*)
vfunc[17]:	QInputContext::font() const
vfunc[18]:	__cxa_pure_virtual
vfunc[19]:	QInputContext::setFocusWidget(QWidget*)
vfunc[20]:	QInputContext::widgetDestroyed(QWidget*)
vfunc[21]:	QInputContext::actions()
vfunc[22]:	QInputContext::x11FilterEvent(QWidget*, _XEvent*)
vfunc[23]:	QInputContext::filterEvent(QEvent const*)

The Run Time Type Information for the QInputContext class is described by Table 6-413

Table 6-413 typeinfo for QInputContext

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QInputContext

basetype:	typeinfo for QObject
-----------	----------------------

6.4.1.146 Class data for QAbstractButton

The virtual table for the QAbstractButton class is described by Table 6-414

Table 6-414 Primary vtable for QAbstractButton

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QAbstractButton
vfunc[0]:	QAbstractButton::metaObject() const
vfunc[1]:	QAbstractButton::qt_metacast(char const*)
vfunc[2]:	QAbstractButton::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QAbstractButton::~~QAbstractButton()
vfunc[4]:	QAbstractButton::~~QAbstractButton()
vfunc[5]:	QAbstractButton::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QAbstractButton::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QWidget::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QAbstractButton::mousePressEvent(QMouseEvent*)
vfunc[19]:	QAbstractButton::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)

vfunc[21]:	QAbstractButton::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractButton::keyPressEvent(QKeyEvent*)
vfunc[24]:	QAbstractButton::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QAbstractButton::focusInEvent(QFocusEvent*)
vfunc[26]:	QAbstractButton::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	__cxa_pure_virtual
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QAbstractButton::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInput

	MethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QAbstractButton::hitButton(QPoint const&) const
vfunc[55]:	QAbstractButton::checkStateSet()
vfunc[56]:	QAbstractButton::nextCheckState()

Table 6-415 Secondary vtable for QAbstractButton

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QAbstractButton
vfunc[0]:	non-virtual thunk to QAbstractButton::~~QAbstractButton()
vfunc[1]:	non-virtual thunk to QAbstractButton::~~QAbstractButton()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QAbstractButton class is described by Table 6-416

Table 6-416 typeinfo for QAbstractButton

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QAbstractButton

basetype:	typeinfo for QWidget
-----------	----------------------

6.4.1.147 Class data for QCheckBox

The virtual table for the QCheckBox class is described by Table 6-417

Table 6-417 Primary vtable for QCheckBox

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QCheckBox
vfunc[0]:	QCheckBox::metaObject() const
vfunc[1]:	QCheckBox::qt_metacast(char const*)
vfunc[2]:	QCheckBox::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QCheckBox::~~QCheckBox()
vfunc[4]:	QCheckBox::~~QCheckBox()
vfunc[5]:	QCheckBox::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QAbstractButton::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QCheckBox::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QAbstractButton::mousePressEvent(QMouseEvent*)
vfunc[19]:	QAbstractButton::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QCheckBox::mouseMoveEvent(QMouseEvent*)

vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractButton::keyPressEvent(QKeyEvent*)
vfunc[24]:	QAbstractButton::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QAbstractButton::focusInEvent(QFocusEvent*)
vfunc[26]:	QAbstractButton::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QCheckBox::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QAbstractButton::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)

vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QCheckBox::hitButton(QPoint const&) const
vfunc[55]:	QCheckBox::checkStateSet()
vfunc[56]:	QCheckBox::nextCheckState()

Table 6-418 Secondary vtable for QCheckBox

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QCheckBox
vfunc[0]:	non-virtual thunk to QCheckBox::~~QCheckBox()
vfunc[1]:	non-virtual thunk to QCheckBox::~~QCheckBox()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QCheckBox class is described by Table 6-419

Table 6-419 typeinfo for QCheckBox

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QCheckBox
basetype:	typeinfo for QAbstractButton

6.4.1.148 Class data for QMenu

The virtual table for the QMenu class is described by Table 6-420

Table 6-420 Primary vtable for QMenu

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QMenu
vfunc[0]:	QMenu::metaObject() const
vfunc[1]:	QMenu::qt_metacast(char const*)
vfunc[2]:	QMenu::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QMenu::~~QMenu()
vfunc[4]:	QMenu::~~QMenu()
vfunc[5]:	QMenu::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QMenu::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QMenu::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QMenu::mousePressEvent(QMouseEvent*)
vfunc[19]:	QMenu::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QMenu::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QMenu::wheelEvent(QWheelEvent*)
vfunc[23]:	QMenu::keyPressEvent(QKeyEvent*)

vfunc[24]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QMenu::enterEvent(QEvent*)
vfunc[28]:	QMenu::leaveEvent(QEvent*)
vfunc[29]:	QMenu::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QMenu::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QMenu::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QMenu::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette)

	const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

Table 6-421 Secondary vtable for QMenu

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QMenu
vfunc[0]:	non-virtual thunk to QMenu::~~QMenu()
vfunc[1]:	non-virtual thunk to QMenu::~~QMenu()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QMenu class is described by Table 6-422

Table 6-422 typeinfo for QMenu

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QMenu
basetype:	typeinfo for QWidget

6.4.1.149 Class data for QWorkspace

The virtual table for the QWorkspace class is described by Table 6-423

Table 6-423 Primary vtable for QWorkspace

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QWorkspace
vfunc[0]:	QWorkspace::metaObject() const
vfunc[1]:	QWorkspace::qt_metacast(char const*)
vfunc[2]:	QWorkspace::qt_metacall(QMetaObj

	ect::Call, int, void**)
vfunc[3]:	QWorkspace::~~QWorkspace()
vfunc[4]:	QWorkspace::~~QWorkspace()
vfunc[5]:	QWorkspace::event(QEvent*)
vfunc[6]:	QWorkspace::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QWorkspace::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QWorkspace::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWorkspace::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)

vfunc[29]:	QWorkspace::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWorkspace::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWorkspace::showEvent(QShowEvent*)
vfunc[41]:	QWorkspace::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWorkspace::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

Table 6-424 Secondary vtable for QWorkspace

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QWorkspace
vfunc[0]:	non-virtual thunk to QWorkspace::~~QWorkspace()
vfunc[1]:	non-virtual thunk to QWorkspace::~~QWorkspace()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QWorkspace class is described by Table 6-425

Table 6-425 typeinfo for QWorkspace

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QWorkspace
basetype:	typeinfo for QWidget

6.4.1.150 Class data for QButtonGroup

The virtual table for the QButtonGroup class is described by Table 6-426

Table 6-426 Primary vtable for QButtonGroup

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QButtonGroup
vfunc[0]:	QButtonGroup::metaObject() const
vfunc[1]:	QButtonGroup::qt_metacast(char const*)
vfunc[2]:	QButtonGroup::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QButtonGroup::~~QButtonGroup()
vfunc[4]:	QButtonGroup::~~QButtonGroup()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*,

	QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QButtonGroup class is described by Table 6-427

Table 6-427 typeinfo for QButtonGroup

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QButtonGroup
basetype:	typeinfo for QObject

6.4.1.151 Class data for QSpinBox

The virtual table for the QSpinBox class is described by Table 6-428

Table 6-428 Primary vtable for QSpinBox

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSpinBox
vfunc[0]:	QSpinBox::metaObject() const
vfunc[1]:	QSpinBox::qt_metacast(char const*)
vfunc[2]:	QSpinBox::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QSpinBox::~~QSpinBox()
vfunc[4]:	QSpinBox::~~QSpinBox()
vfunc[5]:	QSpinBox::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QAbstractSpinBox::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QAbstractSpinBox::sizeHint() const
vfunc[15]:	QAbstractSpinBox::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QAbstractSpinBox::mousePressEvent(QMouseEvent*)
vfunc[19]:	QAbstractSpinBox::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QAbstractSpinBox::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QAbstractSpinBox::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractSpinBox::keyPressEvent(QKeyEvent*)
vfunc[24]:	QAbstractSpinBox::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QAbstractSpinBox::focusInEvent(QFocusEvent*)
vfunc[26]:	QAbstractSpinBox::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QAbstractSpinBox::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QAbstractSpinBox::resizeEvent(QResizeEvent*)
vfunc[32]:	QAbstractSpinBox::closeEvent(QCloseEvent*)
vfunc[33]:	QAbstractSpinBox::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)

vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QAbstractSpinBox::showEvent(QShowEvent*)
vfunc[41]:	QAbstractSpinBox::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QAbstractSpinBox::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QSpinBox::validate(QString&, int&) const
vfunc[55]:	QSpinBox::fixup(QString&) const
vfunc[56]:	QAbstractSpinBox::stepBy(int)
vfunc[57]:	QAbstractSpinBox::clear()
vfunc[58]:	QAbstractSpinBox::stepEnabled() const
vfunc[59]:	QSpinBox::valueFromText(QString const&) const
vfunc[60]:	QSpinBox::textFromValue(int) const

Table 6-429 Secondary vtable for QSpinBox

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QSpinBox
vfunc[0]:	non-virtual thunk to QSpinBox::~~QSpinBox()
vfunc[1]:	non-virtual thunk to QSpinBox::~~QSpinBox()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QSpinBox class is described by Table 6-430

Table 6-430 typeinfo for QSpinBox

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSpinBox
basetype:	typeinfo for QAbstractSpinBox

6.4.1.152 Class data for QDoubleSpinBox

The virtual table for the QDoubleSpinBox class is described by Table 6-431

Table 6-431 Primary vtable for QDoubleSpinBox

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QDoubleSpinBox
vfunc[0]:	QDoubleSpinBox::metaObject() const
vfunc[1]:	QDoubleSpinBox::qt_metacast(char const*)
vfunc[2]:	QDoubleSpinBox::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QDoubleSpinBox::~~QDoubleSpinBox()
vfunc[4]:	QDoubleSpinBox::~~QDoubleSpinBox()
vfunc[5]:	QAbstractSpinBox::event(QEvent*)

vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QAbstractSpinBox::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QAbstractSpinBox::sizeHint() const
vfunc[15]:	QAbstractSpinBox::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QAbstractSpinBox::mousePressEvent(QMouseEvent*)
vfunc[19]:	QAbstractSpinBox::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QAbstractSpinBox::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QAbstractSpinBox::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractSpinBox::keyPressEvent(QKeyEvent*)
vfunc[24]:	QAbstractSpinBox::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QAbstractSpinBox::focusInEvent(QFocusEvent*)
vfunc[26]:	QAbstractSpinBox::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QAbstractSpinBox::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)

vfunc[31]:	QAbstractSpinBox::resizeEvent(QResizeEvent*)
vfunc[32]:	QAbstractSpinBox::closeEvent(QCloseEvent*)
vfunc[33]:	QAbstractSpinBox::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QAbstractSpinBox::showEvent(QShowEvent*)
vfunc[41]:	QAbstractSpinBox::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QAbstractSpinBox::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QDoubleSpinBox::validate(QString&, int&) const

vfunc[55]:	QDoubleSpinBox::fixup(QString&) const
vfunc[56]:	QAbstractSpinBox::stepBy(int)
vfunc[57]:	QAbstractSpinBox::clear()
vfunc[58]:	QAbstractSpinBox::stepEnabled() const
vfunc[59]:	QDoubleSpinBox::valueFromText(QS tring const&) const
vfunc[60]:	QDoubleSpinBox::textFromValue(do uble) const

Table 6-432 Secondary vtable for QDoubleSpinBox

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QDoubleSpinBox
vfunc[0]:	non-virtual thunk to QDoubleSpinBox::~~QDoubleSpinBox ()
vfunc[1]:	non-virtual thunk to QDoubleSpinBox::~~QDoubleSpinBox ()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::Paint DeviceMetric) const

The Run Time Type Information for the QDoubleSpinBox class is described by Table 6-433

Table 6-433 typeid for QDoubleSpinBox

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QDoubleSpinBox
basetype:	typeid for QAbstractSpinBox

6.4.1.153 Class data for QLCDNumber

The virtual table for the QLCDNumber class is described by Table 6-434

Table 6-434 Primary vtable for QLCDNumber

Base Offset	0
-------------	---

Virtual Base Offset	0
RTTI	typeid for QLCDNumber
vfunc[0]:	QLCDNumber::metaObject() const
vfunc[1]:	QLCDNumber::qt_metacast(char const*)
vfunc[2]:	QLCDNumber::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QLCDNumber::~~QLCDNumber()
vfunc[4]:	QLCDNumber::~~QLCDNumber()
vfunc[5]:	QLCDNumber::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QLCDNumber::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)

vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QLCDNumber::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QFrame::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette

	const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

Table 6-435 Secondary vtable for QLCDNumber

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QLCDNumber
vfunc[0]:	non-virtual thunk to QLCDNumber::~~QLCDNumber()
vfunc[1]:	non-virtual thunk to QLCDNumber::~~QLCDNumber()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QLCDNumber class is described by Table 6-436

Table 6-436 typeinfo for QLCDNumber

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QLCDNumber
basetype:	typeinfo for QFrame

6.4.1.154 Class data for QStackedWidget

The virtual table for the QStackedWidget class is described by Table 6-437

Table 6-437 Primary vtable for QStackedWidget

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QStackedWidget
vfunc[0]:	QStackedWidget::metaObject() const
vfunc[1]:	QStackedWidget::qt_metacast(char const*)
vfunc[2]:	QStackedWidget::qt_metacall(QMeta

	Object::Call, int, void**)
vfunc[3]:	QStackedWidget::~~QStackedWidget()
vfunc[4]:	QStackedWidget::~~QStackedWidget()
vfunc[5]:	QStackedWidget::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QFrame::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouse Event*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMou seEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMous eEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent *)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent *)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEve nt*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent *)
vfunc[26]:	QWidget::focusOutEvent(QFocusEve nt*)
vfunc[27]:	QWidget::enterEvent(QEvent*)

vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QFrame::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QFrame::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

Table 6-438 Secondary vtable for QStackedWidget

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QStackedWidget
vfunc[0]:	non-virtual thunk to QStackedWidget::~~QStackedWidget()
vfunc[1]:	non-virtual thunk to QStackedWidget::~~QStackedWidget()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QStackedWidget class is described by Table 6-439

Table 6-439 typeid for QStackedWidget

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QStackedWidget
basetype:	typeid for QFrame

6.4.1.155 Class data for QPushButton

The virtual table for the QPushButton class is described by Table 6-440

Table 6-440 Primary vtable for QPushButton

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QPushButton
vfunc[0]:	QPushButton::metaObject() const
vfunc[1]:	QPushButton::qt_metacast(char const*)
vfunc[2]:	QPushButton::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QPushButton::~~QPushButton()
vfunc[4]:	QPushButton::~~QPushButton()
vfunc[5]:	QPushButton::event(QEvent*)

vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QAbstractButton::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QPushButton::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QAbstractButton::mousePressEvent(QMouseEvent*)
vfunc[19]:	QAbstractButton::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QAbstractButton::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QPushButton::keyPressEvent(QKeyEvent*)
vfunc[24]:	QAbstractButton::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QPushButton::focusInEvent(QFocusEvent*)
vfunc[26]:	QPushButton::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QPushButton::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)

)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QAbstractButton::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QAbstractButton::hitButton(QPoint const&) const
vfunc[55]:	QAbstractButton::checkStateSet()
vfunc[56]:	QAbstractButton::nextCheckState()

Table 6-441 Secondary vtable for QPushButton

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QPushButton
vfunc[0]:	non-virtual thunk to QPushButton::~~QPushButton()
vfunc[1]:	non-virtual thunk to QPushButton::~~QPushButton()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QPushButton class is described by Table 6-442

Table 6-442 typeinfo for QPushButton

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QPushButton
basetype:	typeinfo for QAbstractButton

6.4.1.156 Class data for QSplashScreen

The virtual table for the QSplashScreen class is described by Table 6-443

Table 6-443 Primary vtable for QSplashScreen

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSplashScreen
vfunc[0]:	QSplashScreen::metaObject() const
vfunc[1]:	QSplashScreen::qt_metacast(char const*)
vfunc[2]:	QSplashScreen::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QSplashScreen::~~QSplashScreen()
vfunc[4]:	QSplashScreen::~~QSplashScreen()
vfunc[5]:	QSplashScreen::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*,

	QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QWidget::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QSplashScreen::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QCont

	extMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QSplashScreen::drawContents(QPainter*)

Table 6-444 Secondary vtable for QSplashScreen

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QSplashScreen
vfunc[0]:	non-virtual thunk to

	QSplashScreen::~~QSplashScreen()
vfunc[1]:	non-virtual thunk to QSplashScreen::~~QSplashScreen()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::Paint DeviceMetric) const

The Run Time Type Information for the QSplashScreen class is described by Table 6-445

Table 6-445 typeinfo for QSplashScreen

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSplashScreen
basetype:	typeinfo for QWidget

6.4.1.157 Class data for QDateTimeEdit

The virtual table for the QDateTimeEdit class is described by Table 6-446

Table 6-446 Primary vtable for QDateTimeEdit

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QDateTimeEdit
vfunc[0]:	QDateTimeEdit::metaObject() const
vfunc[1]:	QDateTimeEdit::qt_metacast(char const*)
vfunc[2]:	QDateTimeEdit::qt_metacall(QMeta Object::Call, int, void**)
vfunc[3]:	QDateTimeEdit::~~QDateTimeEdit()
vfunc[4]:	QDateTimeEdit::~~QDateTimeEdit()
vfunc[5]:	QDateTimeEdit::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QAbstractSpinBox::timerEvent(QTim erEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)

vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QDateTimeEdit::sizeHint() const
vfunc[15]:	QAbstractSpinBox::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QAbstractSpinBox::mousePressEvent(QMouseEvent*)
vfunc[19]:	QAbstractSpinBox::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QAbstractSpinBox::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QDateTimeEdit::wheelEvent(QWheelEvent*)
vfunc[23]:	QDateTimeEdit::keyPressEvent(QKeyEvent*)
vfunc[24]:	QAbstractSpinBox::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QDateTimeEdit::focusInEvent(QFocusEvent*)
vfunc[26]:	QAbstractSpinBox::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QAbstractSpinBox::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QAbstractSpinBox::resizeEvent(QResizeEvent*)
vfunc[32]:	QAbstractSpinBox::closeEvent(QCloseEvent*)
vfunc[33]:	QAbstractSpinBox::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)

)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QAbstractSpinBox::showEvent(QShowEvent*)
vfunc[41]:	QAbstractSpinBox::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QAbstractSpinBox::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QDateTimeEdit::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QDateTimeEdit::validate(QString&, int&) const
vfunc[55]:	QDateTimeEdit::fixup(QString&) const
vfunc[56]:	QDateTimeEdit::stepBy(int)
vfunc[57]:	QDateTimeEdit::clear()
vfunc[58]:	QDateTimeEdit::stepEnabled() const

vfunc[59]:	QDateTimeEdit::dateTimeFromText(QString const&) const
vfunc[60]:	QDateTimeEdit::textFromDateTime(QDateTime const&) const

Table 6-447 Secondary vtable for QDateTimeEdit

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QDateTimeEdit
vfunc[0]:	non-virtual thunk to QDateTimeEdit::~~QDateTimeEdit()
vfunc[1]:	non-virtual thunk to QDateTimeEdit::~~QDateTimeEdit()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QDateTimeEdit class is described by Table 6-448

Table 6-448 typeinfo for QDateTimeEdit

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QDateTimeEdit
basetype:	typeinfo for QAbstractSpinBox

6.4.1.158 Class data for QTimeEdit

The virtual table for the QTimeEdit class is described by Table 6-449

Table 6-449 Primary vtable for QTimeEdit

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTimeEdit
vfunc[0]:	QTimeEdit::metaObject() const
vfunc[1]:	QTimeEdit::qt_metacast(char const*)
vfunc[2]:	QTimeEdit::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QTimeEdit::~~QTimeEdit()

vfunc[4]:	QTimeEdit::~~QTimeEdit()
vfunc[5]:	QDateTimeEdit::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QAbstractSpinBox::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QDateTimeEdit::sizeHint() const
vfunc[15]:	QAbstractSpinBox::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QAbstractSpinBox::mousePressEvent(QMouseEvent*)
vfunc[19]:	QAbstractSpinBox::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QAbstractSpinBox::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QDateTimeEdit::wheelEvent(QWheelEvent*)
vfunc[23]:	QDateTimeEdit::keyPressEvent(QKeyEvent*)
vfunc[24]:	QAbstractSpinBox::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QDateTimeEdit::focusInEvent(QFocusEvent*)
vfunc[26]:	QAbstractSpinBox::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QAbstractSpinBox::paintEvent(QPaintEvent*)

	ntEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QAbstractSpinBox::resizeEvent(QResizeEvent*)
vfunc[32]:	QAbstractSpinBox::closeEvent(QCloseEvent*)
vfunc[33]:	QAbstractSpinBox::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QAbstractSpinBox::showEvent(QShowEvent*)
vfunc[41]:	QAbstractSpinBox::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QAbstractSpinBox::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QDateTimeEdit::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)

vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QDateTimeEdit::validate(QString&, int&) const
vfunc[55]:	QDateTimeEdit::fixup(QString&) const
vfunc[56]:	QDateTimeEdit::stepBy(int)
vfunc[57]:	QDateTimeEdit::clear()
vfunc[58]:	QDateTimeEdit::stepEnabled() const
vfunc[59]:	QDateTimeEdit::dateTimeFromText(QString const&) const
vfunc[60]:	QDateTimeEdit::textFromDateTime(QDateTime const&) const

Table 6-450 Secondary vtable for QDateTimeEdit

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QDateTimeEdit
vfunc[0]:	non-virtual thunk to QDateTimeEdit::~~QDateTimeEdit()
vfunc[1]:	non-virtual thunk to QDateTimeEdit::~~QDateTimeEdit()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QDateTimeEdit class is described by Table 6-451

Table 6-451 typeid for QDateTimeEdit

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QDateTimeEdit
basetype:	typeid for QDateTimeEdit

6.4.1.159 Class data for QDateTimeEdit

The virtual table for the QDateTimeEdit class is described by Table 6-452

Table 6-452 Primary vtable for QDateEdit

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QDateEdit
vfunc[0]:	QDateEdit::metaObject() const
vfunc[1]:	QDateEdit::qt_metacast(char const*)
vfunc[2]:	QDateEdit::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QDateEdit::~~QDateEdit()
vfunc[4]:	QDateEdit::~~QDateEdit()
vfunc[5]:	QDateTimeEdit::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QAbstractSpinBox::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QDateTimeEdit::sizeHint() const
vfunc[15]:	QAbstractSpinBox::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QAbstractSpinBox::mousePressEvent(QMouseEvent*)
vfunc[19]:	QAbstractSpinBox::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QAbstractSpinBox::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QDateTimeEdit::wheelEvent(QWheelEvent*)
vfunc[23]:	QDateTimeEdit::keyPressEvent(QKeyEvent*)

vfunc[24]:	QAbstractSpinBox::keyPressEvent(QKeyEvent*)
vfunc[25]:	QDateTimeEdit::focusInEvent(QFocusEvent*)
vfunc[26]:	QAbstractSpinBox::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QAbstractSpinBox::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QAbstractSpinBox::resizeEvent(QResizeEvent*)
vfunc[32]:	QAbstractSpinBox::closeEvent(QCloseEvent*)
vfunc[33]:	QAbstractSpinBox::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QAbstractSpinBox::showEvent(QShowEvent*)
vfunc[41]:	QAbstractSpinBox::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QAbstractSpinBox::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const

vfunc[47]:	QDateTimeEdit::focusNextPrevChild (bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange (bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QDateTimeEdit::validate(QString&, int&) const
vfunc[55]:	QDateTimeEdit::fixup(QString&) const
vfunc[56]:	QDateTimeEdit::stepBy(int)
vfunc[57]:	QDateTimeEdit::clear()
vfunc[58]:	QDateTimeEdit::stepEnabled() const
vfunc[59]:	QDateTimeEdit::dateTimeFromText(QString const&) const
vfunc[60]:	QDateTimeEdit::textFromDateTime(QDateTime const&) const

Table 6-453 Secondary vtable for QDateTimeEdit

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QDateTimeEdit
vfunc[0]:	non-virtual thunk to QDateTimeEdit::~~QDateTimeEdit()
vfunc[1]:	non-virtual thunk to QDateTimeEdit::~~QDateTimeEdit()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QDateTimeEdit class is described by Table 6-454

Table 6-454 typeinfo for QDateEdit

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QDateEdit
basetype:	typeinfo for QDateTimeEdit

6.4.1.160 Class data for QLabel

The virtual table for the QLabel class is described by Table 6-455

Table 6-455 Primary vtable for QLabel

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QLabel
vfunc[0]:	QLabel::metaObject() const
vfunc[1]:	QLabel::qt_metacast(char const*)
vfunc[2]:	QLabel::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QLabel::~QLabel()
vfunc[4]:	QLabel::~QLabel()
vfunc[5]:	QLabel::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QLabel::sizeHint() const
vfunc[15]:	QLabel::minimumSizeHint() const
vfunc[16]:	QLabel::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)

vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QLabel::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QLabel::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const

vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

Table 6-456 Secondary vtable for QLabel

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QLabel
vfunc[0]:	non-virtual thunk to QLabel::~~QLabel()
vfunc[1]:	non-virtual thunk to QLabel::~~QLabel()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QLabel class is described by Table 6-457

Table 6-457 typeinfo for QLabel

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QLabel
basetype:	typeinfo for QFrame

6.4.1.161 Class data for QDockWidget

The virtual table for the QDockWidget class is described by Table 6-458

Table 6-458 Primary vtable for QDockWidget

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QDockWidget
vfunc[0]:	QDockWidget::metaObject() const
vfunc[1]:	QDockWidget::qt_metacast(char const*)
vfunc[2]:	QDockWidget::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QDockWidget::~~QDockWidget()
vfunc[4]:	QDockWidget::~~QDockWidget()
vfunc[5]:	QDockWidget::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QWidget::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)

vfunc[24]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QDockWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QDockWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QDockWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)

vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

Table 6-459 Secondary vtable for QDockWidget

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QDockWidget
vfunc[0]:	non-virtual thunk to QDockWidget::~~QDockWidget()
vfunc[1]:	non-virtual thunk to QDockWidget::~~QDockWidget()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QDockWidget class is described by Table 6-460

Table 6-460 typeinfo for QDockWidget

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QDockWidget
basetype:	typeinfo for QWidget

6.4.1.162 Class data for QGroupBox

The virtual table for the QGroupBox class is described by Table 6-461

Table 6-461 Primary vtable for QGroupBox

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QGroupBox

vfunc[0]:	QGroupBox::metaObject() const
vfunc[1]:	QGroupBox::qt_metacast(char const*)
vfunc[2]:	QGroupBox::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QGroupBox::~~QGroupBox()
vfunc[4]:	QGroupBox::~~QGroupBox()
vfunc[5]:	QGroupBox::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QGroupBox::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QWidget::sizeHint() const
vfunc[15]:	QGroupBox::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QGroupBox::mousePressEvent(QMouseEvent*)
vfunc[19]:	QGroupBox::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QGroupBox::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QGroupBox::focusInEvent(QFocusEvent*)

	ent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QGroupBox::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QGroupBox::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QGroupBox::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)

vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

Table 6-462 Secondary vtable for QGroupBox

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QGroupBox
vfunc[0]:	non-virtual thunk to QGroupBox::~QGroupBox()
vfunc[1]:	non-virtual thunk to QGroupBox::~QGroupBox()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QGroupBox class is described by Table 6-463

Table 6-463 typeinfo for QGroupBox

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QGroupBox
basetype:	typeinfo for QWidget

6.4.1.163 Class data for QMainWindow

The virtual table for the QMainWindow class is described by Table 6-464

Table 6-464 Primary vtable for QMainWindow

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QMainWindow
vfunc[0]:	QMainWindow::metaObject() const
vfunc[1]:	QMainWindow::qt_metacast(char const*)
vfunc[2]:	QMainWindow::qt_metacall(QMetaObject::Call, int, void**)

vfunc[3]:	QMainWindow::~~QMainWindow()
vfunc[4]:	QMainWindow::~~QMainWindow()
vfunc[5]:	QMainWindow::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QWidget::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QWidget::paintEvent(QPaintEvent*)

vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QMainWindow::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QMainWindow::createPopupMenu()

Table 6-465 Secondary vtable for QMainWindow

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QMainWindow
vfunc[0]:	non-virtual thunk to QMainWindow::~~QMainWindow()
vfunc[1]:	non-virtual thunk to QMainWindow::~~QMainWindow()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QMainWindow class is described by Table 6-466

Table 6-466 typeinfo for QMainWindow

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QMainWindow
basetype:	typeinfo for QWidget

6.4.1.164 Class data for QTextEdit

The virtual table for the QTextEdit class is described by Table 6-467

Table 6-467 Primary vtable for QTextEdit

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTextEdit
vfunc[0]:	QTextEdit::metaObject() const
vfunc[1]:	QTextEdit::qt_metacast(char const*)
vfunc[2]:	QTextEdit::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QTextEdit::~~QTextEdit()
vfunc[4]:	QTextEdit::~~QTextEdit()
vfunc[5]:	QTextEdit::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)

vfunc[7]:	QTextEdit::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QAbstractScrollArea::sizeHint() const
vfunc[15]:	QAbstractScrollArea::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QTextEdit::mousePressEvent(QMouseEvent*)
vfunc[19]:	QTextEdit::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QTextEdit::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QTextEdit::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QTextEdit::wheelEvent(QWheelEvent*)
vfunc[23]:	QTextEdit::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QTextEdit::focusInEvent(QFocusEvent*)
vfunc[26]:	QTextEdit::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QTextEdit::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QTextEdit::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)

vfunc[33]:	QTextEdit::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QTextEdit::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QTextEdit::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QTextEdit::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QTextEdit::dropEvent(QDropEvent*)
vfunc[40]:	QTextEdit::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QTextEdit::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QTextEdit::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QTextEdit::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QTextEdit::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QAbstractScrollArea::viewportEvent(QEvent*)
vfunc[55]:	QTextEdit::scrollContentsBy(int, int)
vfunc[56]:	QTextEdit::loadResource(int, QUrl const&)
vfunc[57]:	QTextEdit::createMimeDataFromSele

	ction() const
vfunc[58]:	QTextEdit::canInsertFromMimeData(QMimeData const*) const
vfunc[59]:	QTextEdit::insertFromMimeData(QMimeData const*)

Table 6-468 Secondary vtable for QTextEdit

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QTextEdit
vfunc[0]:	non-virtual thunk to QTextEdit::~~QTextEdit()
vfunc[1]:	non-virtual thunk to QTextEdit::~~QTextEdit()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QTextEdit class is described by Table 6-469

Table 6-469 typeinfo for QTextEdit

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QTextEdit
basetype:	typeinfo for QAbstractScrollArea

6.4.1.165 Class data for QProgressBar

The virtual table for the QProgressBar class is described by Table 6-470

Table 6-470 Primary vtable for QProgressBar

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QProgressBar
vfunc[0]:	QProgressBar::metaObject() const
vfunc[1]:	QProgressBar::qt_metacast(char const*)
vfunc[2]:	QProgressBar::qt_metacall(QMetaObj

	ect::Call, int, void**)
vfunc[3]:	QProgressBar::~~QProgressBar()
vfunc[4]:	QProgressBar::~~QProgressBar()
vfunc[5]:	QProgressBar::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QProgressBar::sizeHint() const
vfunc[15]:	QProgressBar::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)

vfunc[29]:	QProgressBar::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QProgressBar::text() const

Table 6-471 Secondary vtable for QProgressBar

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QProgressBar
vfunc[0]:	non-virtual thunk to QProgressBar::~~QProgressBar()
vfunc[1]:	non-virtual thunk to QProgressBar::~~QProgressBar()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QProgressBar class is described by Table 6-472

Table 6-472 typeinfo for QProgressBar

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QProgressBar
basetype:	typeinfo for QWidget

6.4.1.166 Class data for QScrollBar

The virtual table for the QScrollBar class is described by Table 6-473

Table 6-473 Primary vtable for QScrollBar

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QScrollBar
vfunc[0]:	QScrollBar::metaObject() const
vfunc[1]:	QScrollBar::qt_metacast(char const*)
vfunc[2]:	QScrollBar::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QScrollBar::~~QScrollBar()
vfunc[4]:	QScrollBar::~~QScrollBar()
vfunc[5]:	QScrollBar::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)

vfunc[7]:	QAbstractSlider::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QScrollBar::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QScrollBar::mousePressEvent(QMouseEvent*)
vfunc[19]:	QScrollBar::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QScrollBar::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QAbstractSlider::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractSlider::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QScrollBar::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)

vfunc[33]:	QScrollBar::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QScrollBar::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QAbstractSlider::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QScrollBar::sliderChange(QAbstractSlider::SliderChange)

Table 6-474 Secondary vtable for QScrollBar

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QScrollBar

vfunc[0]:	non-virtual thunk to QScrollBar::~~QScrollBar()
vfunc[1]:	non-virtual thunk to QScrollBar::~~QScrollBar()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::Paint DeviceMetric) const

The Run Time Type Information for the QScrollBar class is described by Table 6-475

Table 6-475 typeinfo for QScrollBar

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QScrollBar
basetype:	typeinfo for QAbstractSlider

6.4.1.167 Class data for QSizeGrip

The virtual table for the QSizeGrip class is described by Table 6-476

Table 6-476 Primary vtable for QSizeGrip

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSizeGrip
vfunc[0]:	QSizeGrip::metaObject() const
vfunc[1]:	QSizeGrip::qt_metacast(char const*)
vfunc[2]:	QSizeGrip::qt_metacall(QMetaObject ::Call, int, void**)
vfunc[3]:	QSizeGrip::~~QSizeGrip()
vfunc[4]:	QSizeGrip::~~QSizeGrip()
vfunc[5]:	QSizeGrip::event(QEvent*)
vfunc[6]:	QSizeGrip::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)

vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QSizeGrip::setVisible(bool)
vfunc[14]:	QSizeGrip::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QSizeGrip::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QSizeGrip::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QSizeGrip::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)

vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

Table 6-477 Secondary vtable for QSizeGrip

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QSizeGrip
vfunc[0]:	non-virtual thunk to QSizeGrip::~~QSizeGrip()
vfunc[1]:	non-virtual thunk to QSizeGrip::~~QSizeGrip()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const

vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::Paint DeviceMetric) const
-----------	--

The Run Time Type Information for the QSizeGrip class is described by Table 6-478

Table 6-478 typeinfo for QSizeGrip

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSizeGrip
basetype:	typeinfo for QWidget

6.4.1.168 Class data for QTextBrowser

The virtual table for the QTextBrowser class is described by Table 6-479

Table 6-479 Primary vtable for QTextBrowser

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QTextBrowser
vfunc[0]:	QTextBrowser::metaObject() const
vfunc[1]:	QTextBrowser::qt_metacast(char const*)
vfunc[2]:	QTextBrowser::qt_metacall(QMetaO bject::Call, int, void**)
vfunc[3]:	QTextBrowser::~~QTextBrowser()
vfunc[4]:	QTextBrowser::~~QTextBrowser()
vfunc[5]:	QTextBrowser::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QTextEdit::timerEvent(QTimerEvent *)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QAbstractScrollArea::sizeHint() const
vfunc[15]:	QAbstractScrollArea::minimumSize

	Hint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QTextBrowser::mousePressEvent(QMouseEvent*)
vfunc[19]:	QTextBrowser::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QTextEdit::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QTextBrowser::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QTextEdit::wheelEvent(QWheelEvent*)
vfunc[23]:	QTextBrowser::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QTextEdit::focusInEvent(QFocusEvent*)
vfunc[26]:	QTextBrowser::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QTextBrowser::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QTextEdit::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QTextEdit::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QTextEdit::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QTextEdit::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QTextEdit::dragLeaveEvent(QDragLeaveEvent*)

vfunc[39]:	QTextEdit::dropEvent(QDropEvent*)
vfunc[40]:	QTextEdit::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QTextEdit::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QTextEdit::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QTextEdit::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QTextBrowser::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QAbstractScrollArea::viewportEvent(QEvent*)
vfunc[55]:	QTextEdit::scrollContentsBy(int, int)
vfunc[56]:	QTextBrowser::loadResource(int, QUrl const&)
vfunc[57]:	QTextEdit::createMimeDataFromSelection() const
vfunc[58]:	QTextEdit::canInsertFromMimeData(QMimeData const*) const
vfunc[59]:	QTextEdit::insertFromMimeData(QMimeData const*)
vfunc[60]:	QTextBrowser::setSource(QUrl const&)
vfunc[61]:	QTextBrowser::backward()
vfunc[62]:	QTextBrowser::forward()
vfunc[63]:	QTextBrowser::home()
vfunc[64]:	QTextBrowser::reload()

Table 6-480 Secondary vtable for QTextBrowser

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QTextBrowser
vfunc[0]:	non-virtual thunk to QTextBrowser::~~QTextBrowser()
vfunc[1]:	non-virtual thunk to QTextBrowser::~~QTextBrowser()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QTextBrowser class is described by Table 6-481

Table 6-481 typeid for QTextBrowser

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QTextBrowser
basetype:	typeid for QTextEdit

6.4.1.169 Class data for QStatusBar

The virtual table for the QStatusBar class is described by Table 6-482

Table 6-482 Primary vtable for QStatusBar

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QStatusBar
vfunc[0]:	QStatusBar::metaObject() const
vfunc[1]:	QStatusBar::qt_metacast(char const*)
vfunc[2]:	QStatusBar::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QStatusBar::~~QStatusBar()
vfunc[4]:	QStatusBar::~~QStatusBar()
vfunc[5]:	QStatusBar::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)

vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QWidget::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QStatusBar::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QStatusBar::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QCont

	extMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

Table 6-483 Secondary vtable for QStatusBar

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QStatusBar
vfunc[0]:	non-virtual thunk to QStatusBar::~~QStatusBar()
vfunc[1]:	non-virtual thunk to

	QStatusBar::~~QStatusBar()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QStatusBar class is described by Table 6-484

Table 6-484 typeinfo for QStatusBar

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QStatusBar
basetype:	typeinfo for QWidget

6.4.1.170 Class data for QScrollArea

The virtual table for the QScrollArea class is described by Table 6-485

Table 6-485 Primary vtable for QScrollArea

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QScrollArea
vfunc[0]:	QScrollArea::metaObject() const
vfunc[1]:	QScrollArea::qt_metacast(char const*)
vfunc[2]:	QScrollArea::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QScrollArea::~~QScrollArea()
vfunc[4]:	QScrollArea::~~QScrollArea()
vfunc[5]:	QScrollArea::event(QEvent*)
vfunc[6]:	QScrollArea::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QScrollArea::sizeHint() const
vfunc[15]:	QAbstractScrollArea::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QAbstractScrollArea::mousePressEvent(QMouseEvent*)
vfunc[19]:	QAbstractScrollArea::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QAbstractScrollArea::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QAbstractScrollArea::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QAbstractScrollArea::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractScrollArea::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QAbstractScrollArea::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QScrollArea::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QAbstractScrollArea::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QAbstractScrollArea::dragEnterEvent

	t(QDragEnterEvent*)
vfunc[37]:	QAbstractScrollArea::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QAbstractScrollArea::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QAbstractScrollArea::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QFrame::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QScrollArea::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QAbstractScrollArea::viewportEvent(QEvent*)
vfunc[55]:	QScrollArea::scrollContentsBy(int, int)

Table 6-486 Secondary vtable for QScrollArea

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QScrollArea
vfunc[0]:	non-virtual thunk to QScrollArea::~QScrollArea()
vfunc[1]:	non-virtual thunk to QScrollArea::~QScrollArea()

vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::Paint DeviceMetric) const

The Run Time Type Information for the QScrollArea class is described by Table 6-487

Table 6-487 typeinfo for QScrollArea

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QScrollArea
basetype:	typeinfo for QAbstractScrollArea

6.4.1.171 Class data for QToolButton

The virtual table for the QToolButton class is described by Table 6-488

Table 6-488 Primary vtable for QToolButton

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QToolButton
vfunc[0]:	QToolButton::metaObject() const
vfunc[1]:	QToolButton::qt_metacast(char const*)
vfunc[2]:	QToolButton::qt_metacall(QMetaObj ect::Call, int, void**)
vfunc[3]:	QToolButton::~~QToolButton()
vfunc[4]:	QToolButton::~~QToolButton()
vfunc[5]:	QToolButton::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QToolButton::timerEvent(QTimerEve nt*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QToolButton::sizeHint() const
vfunc[15]:	QToolButton::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QToolButton::mousePressEvent(QM ouseEvent*)
vfunc[19]:	QAbstractButton::mouseReleaseEven t(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QAbstractButton::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent *)
vfunc[23]:	QAbstractButton::keyPressEvent(QK eyEvent*)
vfunc[24]:	QAbstractButton::keyReleaseEvent(Q KeyEvent*)
vfunc[25]:	QAbstractButton::focusInEvent(QFoc usEvent*)
vfunc[26]:	QAbstractButton::focusOutEvent(QF ocusEvent*)
vfunc[27]:	QToolButton::enterEvent(QEvent*)
vfunc[28]:	QToolButton::leaveEvent(QEvent*)
vfunc[29]:	QToolButton::paintEvent(QPaintEve nt*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QCont extMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QToolButton::actionEvent(QActionE vent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnt

	erEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QPushButton::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QAbstractButton::hitButton(QPoint const&) const
vfunc[55]:	QAbstractButton::checkStateSet()
vfunc[56]:	QPushButton::nextCheckState()

Table 6-489 Secondary vtable for QPushButton

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QPushButton
vfunc[0]:	non-virtual thunk to QPushButton::~~QPushButton()
vfunc[1]:	non-virtual thunk to QPushButton::~~QPushButton()
vfunc[2]:	non-virtual thunk to

	QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::Paint DeviceMetric) const

The Run Time Type Information for the QToolButton class is described by Table 6-490

Table 6-490 typeinfo for QToolButton

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QToolButton
basetype:	typeinfo for QAbstractButton

6.4.1.172 Class data for QComboBox

The virtual table for the QComboBox class is described by Table 6-491

Table 6-491 Primary vtable for QComboBox

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QComboBox
vfunc[0]:	QComboBox::metaObject() const
vfunc[1]:	QComboBox::qt_metacast(char const*)
vfunc[2]:	QComboBox::qt_metacall(QMetaObj ect::Call, int, void**)
vfunc[3]:	QComboBox::~QComboBox()
vfunc[4]:	QComboBox::~QComboBox()
vfunc[5]:	QComboBox::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)

vfunc[14]:	QComboBox::sizeHint() const
vfunc[15]:	QComboBox::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QComboBox::mousePressEvent(QMouseEvent*)
vfunc[19]:	QComboBox::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QComboBox::wheelEvent(QWheelEvent*)
vfunc[23]:	QComboBox::keyPressEvent(QKeyEvent*)
vfunc[24]:	QComboBox::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QComboBox::focusInEvent(QFocusEvent*)
vfunc[26]:	QComboBox::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QComboBox::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QComboBox::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QComboBox::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)

vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QComboBox::showEvent(QShowEvent*)
vfunc[41]:	QComboBox::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QComboBox::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QComboBox::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QComboBox::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QComboBox::showPopup()
vfunc[55]:	QComboBox::hidePopup()

Table 6-492 Secondary vtable for QComboBox

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QComboBox
vfunc[0]:	non-virtual thunk to QComboBox::~~QComboBox()
vfunc[1]:	non-virtual thunk to QComboBox::~~QComboBox()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const

vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::Paint DeviceMetric) const
-----------	--

The Run Time Type Information for the QComboBox class is described by Table 6-493

Table 6-493 typeinfo for QComboBox

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QComboBox
basetype:	typeinfo for QWidget

6.4.1.173 Class data for QMenuItem

The virtual table for the QMenuItem class is described by Table 6-494

Table 6-494 Primary vtable for QMenuItem

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QMenuItem
vfunc[0]:	QAction::metaObject() const
vfunc[1]:	QAction::qt_metacast(char const*)
vfunc[2]:	QAction::qt_metacall(QMetaObject:: Call, int, void**)
vfunc[3]:	QMenuItem::~~QMenuItem()
vfunc[4]:	QMenuItem::~~QMenuItem()
vfunc[5]:	QAction::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QMenuItem class is described by Table 6-495

Table 6-495 typeinfo for QMenuItem

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
-------------	--

Name	typeinfo name for QAction
basetype:	typeinfo for QAction

6.4.1.174 Class data for QRadioButton

The virtual table for the QRadioButton class is described by Table 6-496

Table 6-496 Primary vtable for QRadioButton

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QRadioButton
vfunc[0]:	QRadioButton::metaObject() const
vfunc[1]:	QRadioButton::qt_metacast(char const*)
vfunc[2]:	QRadioButton::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QRadioButton::~~QRadioButton()
vfunc[4]:	QRadioButton::~~QRadioButton()
vfunc[5]:	QRadioButton::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QAbstractButton::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QRadioButton::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QAbstractButton::mousePressEvent(QMouseEvent*)
vfunc[19]:	QAbstractButton::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)

vfunc[21]:	QRadioButton::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractButton::keyPressEvent(QKeyEvent*)
vfunc[24]:	QAbstractButton::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QAbstractButton::focusInEvent(QFocusEvent*)
vfunc[26]:	QAbstractButton::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QRadioButton::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QAbstractButton::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const

vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QRadioButton::hitButton(QPoint const&) const
vfunc[55]:	QAbstractButton::checkStateSet()
vfunc[56]:	QAbstractButton::nextCheckState()

Table 6-497 Secondary vtable for QRadioButton

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QRadioButton
vfunc[0]:	non-virtual thunk to QRadioButton::~~QRadioButton()
vfunc[1]:	non-virtual thunk to QRadioButton::~~QRadioButton()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QRadioButton class is described by Table 6-498

Table 6-498 typeinfo for QRadioButton

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QRadioButton

basetype:	typeinfo for QAbstractButton
-----------	------------------------------

6.4.1.175 Class data for QMenuBar

The virtual table for the QMenuBar class is described by Table 6-499

Table 6-499 Primary vtable for QMenuBar

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QMenuBar
vfunc[0]:	QMenuBar::metaObject() const
vfunc[1]:	QMenuBar::qt_metacast(char const*)
vfunc[2]:	QMenuBar::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QMenuBar::~~QMenuBar()
vfunc[4]:	QMenuBar::~~QMenuBar()
vfunc[5]:	QMenuBar::event(QEvent*)
vfunc[6]:	QMenuBar::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QMenuBar::sizeHint() const
vfunc[15]:	QMenuBar::minimumSizeHint() const
vfunc[16]:	QMenuBar::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QMenuBar::mousePressEvent(QMouseEvent*)
vfunc[19]:	QMenuBar::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QMenuBar::mouseMoveEvent(QMou

	seEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QMenuBar::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QMenuBar::focusInEvent(QFocusEvent*)
vfunc[26]:	QMenuBar::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QMenuBar::leaveEvent(QEvent*)
vfunc[29]:	QMenuBar::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QMenuBar::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QMenuBar::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QMenuBar::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)

vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

Table 6-500 Secondary vtable for QMenuBar

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QMenuBar
vfunc[0]:	non-virtual thunk to QMenuBar::~~QMenuBar()
vfunc[1]:	non-virtual thunk to QMenuBar::~~QMenuBar()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QMenuBar class is described by Table 6-501

Table 6-501 typeid for QMenuBar

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QMenuBar
basetype:	typeid for QWidget

6.4.1.176 Class data for QFocusFrame

The virtual table for the QFocusFrame class is described by Table 6-502

Table 6-502 Primary vtable for QFocusFrame

Base Offset	0
-------------	---

Virtual Base Offset	0
RTTI	typeid for QFocusFrame
vfunc[0]:	QFocusFrame::metaObject() const
vfunc[1]:	QFocusFrame::qt_metacast(char const*)
vfunc[2]:	QFocusFrame::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QFocusFrame::~~QFocusFrame()
vfunc[4]:	QFocusFrame::~~QFocusFrame()
vfunc[5]:	QFocusFrame::event(QEvent*)
vfunc[6]:	QFocusFrame::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QWidget::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)

vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QFocusFrame::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette

	const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

Table 6-503 Secondary vtable for QFocusFrame

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QFocusFrame
vfunc[0]:	non-virtual thunk to QFocusFrame::~~QFocusFrame()
vfunc[1]:	non-virtual thunk to QFocusFrame::~~QFocusFrame()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QFocusFrame class is described by Table 6-504

Table 6-504 typeinfo for QFocusFrame

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QFocusFrame
basetype:	typeinfo for QWidget

6.4.1.177 Class data for QToolBar

The virtual table for the QToolBar class is described by Table 6-505

Table 6-505 Primary vtable for QToolBar

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QToolBar
vfunc[0]:	QToolBar::metaObject() const
vfunc[1]:	QToolBar::qt_metacast(char const*)
vfunc[2]:	QToolBar::qt_metacall(QMetaObject::Call, int, void**)

vfunc[3]:	QToolBar::~~QToolBar()
vfunc[4]:	QToolBar::~~QToolBar()
vfunc[5]:	QToolBar::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QToolBar::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QWidget::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QToolBar::paintEvent(QPaintEvent*)

vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QToolBar::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QToolBar::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QToolBar::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

Table 6-506 Secondary vtable for QToolBar

Base Offset	-16
-------------	-----

Virtual Base Offset	0
RTTI	typeinfo for QToolBar
vfunc[0]:	non-virtual thunk to QToolBar::~~QToolBar()
vfunc[1]:	non-virtual thunk to QToolBar::~~QToolBar()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QToolBar class is described by Table 6-507

Table 6-507 typeinfo for QToolBar

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QToolBar
basetype:	typeinfo for QWidget

6.4.1.178 Class data for QToolBox

The virtual table for the QToolBox class is described by Table 6-508

Table 6-508 Primary vtable for QToolBox

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QToolBox
vfunc[0]:	QToolBox::metaObject() const
vfunc[1]:	QToolBox::qt_metacast(char const*)
vfunc[2]:	QToolBox::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QToolBox::~~QToolBox()
vfunc[4]:	QToolBox::~~QToolBox()
vfunc[5]:	QToolBox::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)

vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QFrame::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QFrame::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)

vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QToolBox::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QToolBox::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QToolBox::itemInserted(int)
vfunc[55]:	QToolBox::itemRemoved(int)

Table 6-509 Secondary vtable for QToolBox

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QToolBox
vfunc[0]:	non-virtual thunk to QToolBox::~~QToolBox()
vfunc[1]:	non-virtual thunk to

	QToolBox::~~QToolBox()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QToolBox class is described by Table 6-510

Table 6-510 typeinfo for QToolBox

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QToolBox
basetype:	typeinfo for QFrame

6.4.1.179 Class data for QSplitter

The virtual table for the QSplitter class is described by Table 6-511

Table 6-511 Primary vtable for QSplitter

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSplitter
vfunc[0]:	QSplitter::metaObject() const
vfunc[1]:	QSplitter::qt_metacast(char const*)
vfunc[2]:	QSplitter::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QSplitter::~~QSplitter()
vfunc[4]:	QSplitter::~~QSplitter()
vfunc[5]:	QSplitter::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QSplitter::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const

vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QSplitter::sizeHint() const
vfunc[15]:	QSplitter::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QFrame::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QSplitter::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)

vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QSplitter::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QSplitter::createHandle()

Table 6-512 Secondary vtable for QSplitter

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QSplitter
vfunc[0]:	non-virtual thunk to QSplitter::~~QSplitter()
vfunc[1]:	non-virtual thunk to QSplitter::~~QSplitter()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QSplitter class is described by Table 6-513

Table 6-513 typeinfo for QSplitter

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSplitter
basetype:	typeinfo for QFrame

6.4.1.180 Class data for QSplitterHandle

The virtual table for the QSplitterHandle class is described by Table 6-514

Table 6-514 Primary vtable for QSplitterHandle

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSplitterHandle
vfunc[0]:	QSplitterHandle::metaObject() const
vfunc[1]:	QSplitterHandle::qt_metacast(char const*)
vfunc[2]:	QSplitterHandle::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QSplitterHandle::~~QSplitterHandle()
vfunc[4]:	QSplitterHandle::~~QSplitterHandle()
vfunc[5]:	QSplitterHandle::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QSplitterHandle::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QSplitterHandle::mousePressEvent(

	QMouseEvent*)
vfunc[19]:	QSplitterHandle::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QSplitterHandle::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QSplitterHandle::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)

vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

Table 6-515 Secondary vtable for QSplitterHandle

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QSplitterHandle
vfunc[0]:	non-virtual thunk to QSplitterHandle::~~QSplitterHandle()
vfunc[1]:	non-virtual thunk to QSplitterHandle::~~QSplitterHandle()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QSplitterHandle class is described by Table 6-516

Table 6-516 typeinfo for QSplitterHandle

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSplitterHandle

basetype:	typeinfo for QWidget
-----------	----------------------

6.4.1.181 Class data for QDial

The virtual table for the QDial class is described by Table 6-517

Table 6-517 Primary vtable for QDial

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QDial
vfunc[0]:	QDial::metaObject() const
vfunc[1]:	QDial::qt_metacast(char const*)
vfunc[2]:	QDial::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QDial::~~QDial()
vfunc[4]:	QDial::~~QDial()
vfunc[5]:	QDial::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QAbstractSlider::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QDial::sizeHint() const
vfunc[15]:	QDial::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QDial::mousePressEvent(QMouseEvent*)
vfunc[19]:	QDial::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QDial::mouseMoveEvent(QMouseEvent*)

vfunc[22]:	QAbstractSlider::wheelEvent(QWheelEvent*)
vfunc[23]:	QAbstractSlider::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QDial::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QDial::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QAbstractSlider::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const

vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QDial::sliderChange(QAbstractSlider::SliderChange)

Table 6-518 Secondary vtable for QDial

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QDial
vfunc[0]:	non-virtual thunk to QDial::~~QDial()
vfunc[1]:	non-virtual thunk to QDial::~~QDial()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QDial class is described by Table 6-519

Table 6-519 typeid for QDial

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QDial
basetype:	typeid for QAbstractSlider

6.4.1.182 Interfaces for QtGui

An LSB conforming implementation shall provide the architecture specific functions for QtGui specified in Table 6-520, with the full mandatory functionality as described in the referenced underlying specification.

Table 6-520 libQtGui - QtGui Function Interfaces

_ZThn16_N10QBoxLayout10invalidateEv [QtGui]	_ZThn16_N10QBoxLayout11setGeometryERK5QRect [QtGui]
---	---

_ZThn16_N10QBoxLayoutD0Ev [QtGui]	_ZThn16_N10QBoxLayoutD1Ev [QtGui]
_ZThn16_N10QLCDNumberD0Ev [QtGui]	_ZThn16_N10QLCDNumberD1Ev [QtGui]
_ZThn16_N10QScrollBarD0Ev [QtGui]	_ZThn16_N10QScrollBarD1Ev [QtGui]
_ZThn16_N10QStatusBarD0Ev [QtGui]	_ZThn16_N10QStatusBarD1Ev [QtGui]
_ZThn16_N10QTabWidgetD0Ev [QtGui]	_ZThn16_N10QTabWidgetD1Ev [QtGui]
_ZThn16_N10QTableViewD0Ev [QtGui]	_ZThn16_N10QTableViewD1Ev [QtGui]
_ZThn16_N10QWorkspaceD0Ev [QtGui]	_ZThn16_N10QWorkspaceD1Ev [QtGui]
_ZThn16_N11QDockWidgetD0Ev [QtGui]	_ZThn16_N11QDockWidgetD1Ev [QtGui]
_ZThn16_N11QFileDialogD0Ev [QtGui]	_ZThn16_N11QFileDialogD1Ev [QtGui]
_ZThn16_N11QFocusFrameD0Ev [QtGui]	_ZThn16_N11QFocusFrameD1Ev [QtGui]
_ZThn16_N11QFontDialogD0Ev [QtGui]	_ZThn16_N11QFontDialogD1Ev [QtGui]
_ZThn16_N11QGridLayout10invalid ateEv [QtGui]	_ZThn16_N11QGridLayout11setGeo metryERK5QRect [QtGui]
_ZThn16_N11QGridLayoutD0Ev [QtGui]	_ZThn16_N11QGridLayoutD1Ev [QtGui]
_ZThn16_N11QHBoxLayoutD0Ev [QtGui]	_ZThn16_N11QHBoxLayoutD1Ev [QtGui]
_ZThn16_N11QHeaderViewD0Ev [QtGui]	_ZThn16_N11QHeaderViewD1Ev [QtGui]
_ZThn16_N11QListWidgetD0Ev [QtGui]	_ZThn16_N11QListWidgetD1Ev [QtGui]
_ZThn16_N11QMainWindowD0Ev [QtGui]	_ZThn16_N11QMainWindowD1Ev [QtGui]
_ZThn16_N11QMessageBoxD0Ev [QtGui]	_ZThn16_N11QMessageBoxD1Ev [QtGui]
_ZThn16_N11QPushButttonD0Ev [QtGui]	_ZThn16_N11QPushButttonD1Ev [QtGui]
_ZThn16_N11QRubberBandD0Ev [QtGui]	_ZThn16_N11QRubberBandD1Ev [QtGui]
_ZThn16_N11QScrollAreaD0Ev [QtGui]	_ZThn16_N11QScrollAreaD1Ev [QtGui]

_ZThn16_N11QToolButtonD0Ev [QtGui]	_ZThn16_N11QToolButtonD1Ev [QtGui]
_ZThn16_N11QTreeWidgetD0Ev [QtGui]	_ZThn16_N11QTreeWidgetD1Ev [QtGui]
_ZThn16_N11QVBoxLayoutD0Ev [QtGui]	_ZThn16_N11QVBoxLayoutD1Ev [QtGui]
_ZThn16_N12QColorDialogD0Ev [QtGui]	_ZThn16_N12QColorDialogD1Ev [QtGui]
_ZThn16_N12QInputDialogD0Ev [QtGui]	_ZThn16_N12QInputDialogD1Ev [QtGui]
_ZThn16_N12QPrintDialogD0Ev [QtGui]	_ZThn16_N12QPrintDialogD1Ev [QtGui]
_ZThn16_N12QStylePluginD0Ev [QtGui]	_ZThn16_N12QStylePluginD1Ev [QtGui]
_ZThn16_N12QTableWidgetD0Ev [QtGui]	_ZThn16_N12QTableWidgetD1Ev [QtGui]
_ZThn16_N12QTextBrowserD0Ev [QtGui]	_ZThn16_N12QTextBrowserD1Ev [QtGui]
_ZThn16_N13QErrorMessageD0Ev [QtGui]	_ZThn16_N13QErrorMessageD1Ev [QtGui]
_ZThn16_N13QSplashScreenD0Ev [QtGui]	_ZThn16_N13QSplashScreenD1Ev [QtGui]
_ZThn16_N14QDesktopWidgetD0Ev [QtGui]	_ZThn16_N14QDesktopWidgetD1Ev [QtGui]
_ZThn16_N14QImageIOPluginD0Ev [QtGui]	_ZThn16_N14QImageIOPluginD1Ev [QtGui]
_ZThn16_N14QStackedLayout11setGeometryERK5QRect [QtGui]	_ZThn16_N14QStackedLayoutD0Ev [QtGui]
_ZThn16_N14QStackedLayoutD1Ev [QtGui]	_ZThn16_N14QStackedWidgetD0Ev [QtGui]
_ZThn16_N14QStackedWidgetD1Ev [QtGui]	_ZThn16_N15QAbstractButtonD0Ev [QtGui]
_ZThn16_N15QAbstractButtonD1Ev [QtGui]	_ZThn16_N15QAbstractSliderD0Ev [QtGui]
_ZThn16_N15QAbstractSliderD1Ev [QtGui]	_ZThn16_N15QProgressDialogD0Ev [QtGui]
_ZThn16_N15QProgressDialogD1Ev [QtGui]	_ZThn16_N15QX11EmbedWidgetD0Ev [QtGui]
_ZThn16_N15QX11EmbedWidgetD1Ev [QtGui]	_ZThn16_N16QAbstractSpinBoxD0Ev [QtGui]
_ZThn16_N16QAbstractSpinBoxD1Ev [QtGui]	_ZThn16_N17QAbstractItemViewD0Ev [QtGui]

_ZThn16_N17QAbstractItemViewD1Ev [QtGui]	_ZThn16_N17QAccessiblePluginD0Ev [QtGui]
_ZThn16_N17QAccessiblePluginD1Ev [QtGui]	_ZThn16_N17QIconEnginePluginD0Ev [QtGui]
_ZThn16_N17QIconEnginePluginD1Ev [QtGui]	_ZThn16_N17QTextImageHandler10drawObjectEP8QPainterRK6QRectFP13QTextDocumentiRK11QTextFormat [QtGui]
_ZThn16_N17QTextImageHandler13intrinsicSizeEP13QTextDocumentiRK11QTextFormat [QtGui]	_ZThn16_N18QX11EmbedContainerD0Ev [QtGui]
_ZThn16_N18QX11EmbedContainerD1Ev [QtGui]	_ZThn16_N19QAbstractScrollAreaD0Ev [QtGui]
_ZThn16_N19QAbstractScrollAreaD1Ev [QtGui]	_ZThn16_N19QInputContextPluginD0Ev [QtGui]
_ZThn16_N19QInputContextPluginD1Ev [QtGui]	_ZThn16_N20QPictureFormatPlugin11loadPictureERK7QStringS2_P8QPicture [QtGui]
_ZThn16_N20QPictureFormatPlugin11savePictureERK7QStringS2_RK8QPicture [QtGui]	_ZThn16_N20QPictureFormatPluginD0Ev [QtGui]
_ZThn16_N20QPictureFormatPluginD1Ev [QtGui]	_ZThn16_N23QAccessibleBridgePluginD0Ev [QtGui]
_ZThn16_N23QAccessibleBridgePluginD1Ev [QtGui]	_ZThn16_N5QDialD0Ev [QtGui]
_ZThn16_N5QDialD1Ev [QtGui]	_ZThn16_N5QMenuD0Ev [QtGui]
_ZThn16_N5QMenuD1Ev [QtGui]	_ZThn16_N6QFrameD0Ev [QtGui]
_ZThn16_N6QFrameD1Ev [QtGui]	_ZThn16_N6QLabelD0Ev [QtGui]
_ZThn16_N6QLabelD1Ev [QtGui]	_ZThn16_N7QDialogD0Ev [QtGui]
_ZThn16_N7QDialogD1Ev [QtGui]	_ZThn16_N7QLayout10invalidateEv [QtGui]
_ZThn16_N7QLayout6layoutEv [QtGui]	_ZThn16_N7QLayoutD0Ev [QtGui]
_ZThn16_N7QLayoutD1Ev [QtGui]	_ZThn16_N7QSliderD0Ev [QtGui]
_ZThn16_N7QSliderD1Ev [QtGui]	_ZThn16_N7QTabBarD0Ev [QtGui]
_ZThn16_N7QTabBarD1Ev [QtGui]	_ZThn16_N7QWidgetD0Ev [QtGui]
_ZThn16_N7QWidgetD1Ev [QtGui]	_ZThn16_N8QMenuBarD0Ev [QtGui]
_ZThn16_N8QMenuBarD1Ev [QtGui]	_ZThn16_N8QToolBarD0Ev [QtGui]
_ZThn16_N8QToolBarD1Ev [QtGui]	_ZThn16_N8QToolBoxD0Ev [QtGui]

_ZThn16_N8QToolBoxD1Ev [QtGui]	_ZThn16_N9QComboBoxD0Ev [QtGui]
_ZThn16_N9QComboBoxD1Ev [QtGui]	_ZThn16_N9QGroupBoxD0Ev [QtGui]
_ZThn16_N9QGroupBoxD1Ev [QtGui]	_ZThn16_N9QLineEditD0Ev [QtGui]
_ZThn16_N9QLineEditD1Ev [QtGui]	_ZThn16_N9QListViewD0Ev [QtGui]
_ZThn16_N9QListViewD1Ev [QtGui]	_ZThn16_N9QSizeGripD0Ev [QtGui]
_ZThn16_N9QSizeGripD1Ev [QtGui]	_ZThn16_N9QSplitterD0Ev [QtGui]
_ZThn16_N9QSplitterD1Ev [QtGui]	_ZThn16_N9QTextEditD0Ev [QtGui]
_ZThn16_N9QTextEditD1Ev [QtGui]	_ZThn16_N9QTreeViewD0Ev [QtGui]
_ZThn16_N9QTreeViewD1Ev [QtGui]	_ZThn16_NK10QBoxLayout11maximumSizeEv [QtGui]
_ZThn16_NK10QBoxLayout11minimumSizeEv [QtGui]	_ZThn16_NK10QBoxLayout14heightForWidthEi [QtGui]
_ZThn16_NK10QBoxLayout17hasHeightForWidthEv [QtGui]	_ZThn16_NK10QBoxLayout19expandingDirectionsEv [QtGui]
_ZThn16_NK10QBoxLayout21minimumHeightForWidthEi [QtGui]	_ZThn16_NK10QBoxLayout8sizeHintEv [QtGui]
_ZThn16_NK11QGridLayout11maximumSizeEv [QtGui]	_ZThn16_NK11QGridLayout11minimumSizeEv [QtGui]
_ZThn16_NK11QGridLayout14heightForWidthEi [QtGui]	_ZThn16_NK11QGridLayout17hasHeightForWidthEv [QtGui]
_ZThn16_NK11QGridLayout19expandingDirectionsEv [QtGui]	_ZThn16_NK11QGridLayout21minimumHeightForWidthEi [QtGui]
_ZThn16_NK11QGridLayout8sizeHintEv [QtGui]	_ZThn16_NK14QStackedLayout11minimumSizeEv [QtGui]
_ZThn16_NK14QStackedLayout8sizeHintEv [QtGui]	_ZThn16_NK7QLayout11maximumSizeEv [QtGui]
_ZThn16_NK7QLayout11minimumSizeEv [QtGui]	_ZThn16_NK7QLayout19expandingDirectionsEv [QtGui]
_ZThn16_NK7QLayout7isEmptyEv [QtGui]	_ZThn16_NK7QLayout8geometryEv [QtGui]
_ZThn16_NK7QWidget11paintEngineEv [QtGui]	_ZThn16_NK7QWidget6metricEN12QPaintDevice17PaintDeviceMetricE [QtGui]
_ZThn16_NK7QWidget7devTypeEv [QtGui]	_ZThn24_N10QDropEventD0Ev [QtGui]
_ZThn24_N10QDropEventD1Ev	_ZThn24_N14QDragMoveEventD0E

[QtGui]	v [QtGui]
_ZThn24_N14QDragMoveEventD1E v [QtGui]	_ZThn24_N15QDragEnterEventD0E v [QtGui]
_ZThn24_N15QDragEnterEventD1E v [QtGui]	_ZThn24_NK10QDropEvent11encod edDataEPKc [QtGui]
_ZThn24_NK10QDropEvent6format Ei [QtGui]	_ZThn24_NK10QDropEvent8provid esEPKc [QtGui]

6.5 Data Definitions for libQtGui

This section defines global identifiers and their values that are associated with interfaces contained in libQtGui. These definitions are organized into groups that correspond to system headers. This convention is used as a convenience for the reader, and does not imply the existence of these headers, or their content. Where an interface is defined as requiring a particular system header file all of the data definitions for that system header file presented here shall be in effect.

This section gives data definitions to promote binary application portability, not to repeat source interface definitions available elsewhere. System providers and application developers should use this ABI to supplement - not to replace - source interface definition specifications.

This specification uses the ISO C (1999) C Language as the reference programming language, and data definitions are specified in ISO C format. The C language is used here as a convenient notation. Using a C language description of these data objects does not preclude their use by other programming languages.

6.5.1 QtGui/qabstractbutton.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.2 QtGui/qabstractitemdelegate.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.3 QtGui/qabstractitemview.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.4 QtGui/qabstractpagesetupdialog.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

```
*/
```

6.5.5 QtGui/qabstractprintdialog.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.6 QtGui/qabstractproxymodel.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.7 QtGui/qabstractscrollarea.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.8 QtGui/qabstractslider.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.9 QtGui/qabstractspinbox.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.10 QtGui/qabstracttextdocumentlayout.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.11 QtGui/qaccessible.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.12 QtGui/qaccessiblebridge.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

```
*/
```

6.5.13 QtGui/qaccessibleobject.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.14 QtGui/qaccessibleplugin.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.15 QtGui/qaccessiblewidget.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.16 QtGui/qaction.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.17 QtGui/qactiongroup.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.18 QtGui/qapplication.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.19 QtGui/qbitmap.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.20 QtGui/qboxlayout.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details
```

```
*/
```

6.5.21 QtGui/qbrush.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.22 QtGui/qbuttongroup.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.23 QtGui/qcdestyle.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.24 QtGui/qcheckbox.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.25 QtGui/qclipboard.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.26 QtGui/qcolor.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.27 QtGui/qcolordialog.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.28 QtGui/qcolormap.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

```
*/
```

6.5.29 QtGui/qcombobox.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.30 QtGui/qcommonstyle.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.31 QtGui/qcursor.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.32 QtGui/qdatetimeedit.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.33 QtGui/qdesktopwidget.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.34 QtGui/qdial.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.35 QtGui/qdialog.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.36 QtGui/qdirmodel.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details
```

```
*/
```

6.5.37 QtGui/qdockwidget.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.38 QtGui/qdrag.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.39 QtGui/qerrormessage.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.40 QtGui/qevent.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.41 QtGui/qfiledialog.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.42 QtGui/qfocusframe.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.43 QtGui/qfont.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.44 QtGui/qfontdatabase.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

```
*/
```

6.5.45 QtGui/qfontdialog.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.46 QtGui/qfontinfo.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.47 QtGui/qfontmetrics.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.48 QtGui/qframe.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.49 QtGui/qgridlayout.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.50 QtGui/qgroupbox.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.51 QtGui/qheaderview.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.52 QtGui/qicon.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details
```



```
*/
```

6.5.53 QtGui/qiconengine.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.54 QtGui/qiconengineplugin.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.55 QtGui/qimage.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.56 QtGui/qimageiohandler.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.57 QtGui/qimagereader.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.58 QtGui/qimagewriter.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.59 QtGui/qinputcontext.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.60 QtGui/qinputcontextfactory.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

```
*/
```

6.5.61 QtGui/qinputcontextplugin.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.62 QtGui/qinputdialog.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.63 QtGui/qitemdelegate.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.64 QtGui/qitemeditorfactory.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.65 QtGui/qitemselectionmodel.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.66 QtGui/qkeysequence.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.67 QtGui/qlabel.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.68 QtGui/qlayout.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details
```

```
*/
```

6.5.69 QtGui/qlayoutitem.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.70 QtGui/qlcdnumber.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.71 QtGui/qlineedit.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.72 QtGui/qlistview.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.73 QtGui/qlistwidget.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.74 QtGui/qmainwindow.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.75 QtGui/qmatrix.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.76 QtGui/qmenu.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

```
*/
```

6.5.77 QtGui/qmenubar.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.78 QtGui/qmenudata.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.79 QtGui/qmessagebox.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.80 QtGui/qmime.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.81 QtGui/qmotifstyle.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.82 QtGui/qmovie.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.83 QtGui/qpagesetupdialog.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.84 QtGui/qpaintdevice.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details
```

```
*/
```

6.5.85 QtGui/qpaintengine.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.86 QtGui/qpainter.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.87 QtGui/qpainterpath.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.88 QtGui/qpalette.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.89 QtGui/qpen.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.90 QtGui/qpicture.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.91 QtGui/qpictureformatplugin.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.92 QtGui/qpixmap.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
```

```
*/
```

6.5.93 QtGui/qpixmapcache.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.94 QtGui/qplastiquestyle.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.95 QtGui/qpolygon.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.96 QtGui/qprintdialog.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.97 QtGui/qprintengine.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.98 QtGui/qprinter.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.99 QtGui/qprogressbar.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.100 QtGui/qprogressdialog.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details
```

```
*/
```

6.5.101 QtGui/qproxymodel.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.102 QtGui/qpushbutton.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.103 QtGui/qradiobutton.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.104 QtGui/qregion.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.105 QtGui/qrgb.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.106 QtGui/qrubberband.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.107 QtGui/qscrollarea.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.108 QtGui/qscrollbar.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

```
*/
```

6.5.109 QtGui/qsessionmanager.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.110 QtGui/qshortcut.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.111 QtGui/qsizegrip.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.112 QtGui/qsizepolicy.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.113 QtGui/qslider.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.114 QtGui/qsortfilterproxymodel.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.115 QtGui/qsound.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.116 QtGui/qspinbox.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details
```



```
*/
```

6.5.117 QtGui/qsplashscreen.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.118 QtGui/qsplitter.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.119 QtGui/qstackedlayout.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.120 QtGui/qstackedwidget.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.121 QtGui/qstandarditemmodel.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.122 QtGui/qstatusbar.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.123 QtGui/qstringlistmodel.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.124 QtGui/qstyle.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
```

```
*/
```

6.5.125 QtGui/qstylefactory.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.126 QtGui/qstyleoption.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.127 QtGui/qstylepainter.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.128 QtGui/qstyleplugin.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.129 QtGui/qsyntaxhighlighter.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.130 QtGui/qtabbar.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.131 QtGui/qtableview.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.132 QtGui/qtablewidget.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details
```

```
*/
```

6.5.133 QtGui/qtabwidget.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.134 QtGui/qttextbrowser.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.135 QtGui/qttextcursor.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.136 QtGui/qttextdocument.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.137 QtGui/qttextdocumentfragment.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.138 QtGui/qttextedit.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.139 QtGui/qttextformat.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.140 QtGui/qttextlayout.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

```
*/
```

6.5.141 QtGui/qttextlist.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.142 QtGui/qttextobject.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.143 QtGui/qttextoption.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.144 QtGui/qttexttable.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.145 QtGui/qtoolbar.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.146 QtGui/qtoolbox.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.147 QtGui/qtoolbutton.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details  
 */
```

6.5.148 QtGui/qtooltip.h

```
/*  
 * This header is architecture neutral  
 * Please refer to the generic specification for details
```

```
*/
```

6.5.149 QtGui/qtreeview.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.150 QtGui/qtreewidget.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.151 QtGui/qtreewidgetitemiterator.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.152 QtGui/qvalidator.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.153 QtGui/qvfbhdr.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.154 QtGui/qwhatsthis.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.155 QtGui/qwidget.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.156 QtGui/qwindowdefs.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

*/

6.5.157 QtGui/qwindowsstyle.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.158 QtGui/qwmatrix.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.5.159 QtGui/qworkspace.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.6 Interfaces for libQtXml

Table 6-521 defines the library name and shared object name for the libQtXml library

Table 6-521 libQtXml Definition

Library:	libQtXml
SONAME:	libQtXml.so.4

The behavior of the interfaces in this library is specified by the following specifications:

[QtXml] QtXml 4.1.0

6.6.1 QtXml**6.6.1.1 Class data for QXmlAttributes**

The virtual table for the QXmlAttributes class is described by Table 6-522

Table 6-522 Primary vtable for QXmlAttributes

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QXmlAttributes
vfunc[0]:	QXmlAttributes::~~QXmlAttributes()
vfunc[1]:	QXmlAttributes::~~QXmlAttributes()

The Run Time Type Information for the QXmlAttributes class is described by Table 6-523

Table 6-523 typeinfo for QDomAttributes

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QDomAttributes

6.6.1.2 Class data for QDomInputSource

The virtual table for the QDomInputSource class is described by Table 6-524

Table 6-524 Primary vtable for QDomInputSource

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QDomInputSource
vfunc[0]:	QDomInputSource::~~QDomInputSource()
vfunc[1]:	QDomInputSource::~~QDomInputSource()
vfunc[2]:	QDomInputSource::setData(QString const&)
vfunc[3]:	QDomInputSource::setData(QByteArray const&)
vfunc[4]:	QDomInputSource::fetchData()
vfunc[5]:	QDomInputSource::data() const
vfunc[6]:	QDomInputSource::next()
vfunc[7]:	QDomInputSource::reset()
vfunc[8]:	QDomInputSource::fromRawData(QByteArray const&, bool)

The Run Time Type Information for the QDomInputSource class is described by Table 6-525

Table 6-525 typeinfo for QDomInputSource

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QDomInputSource

6.6.1.3 Class data for QDomReader

The virtual table for the QDomReader class is described by Table 6-526

Table 6-526 Primary vtable for QDomReader

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QDomReader

vfunc[0]:	QXmlReader::~~QXmlReader()
vfunc[1]:	QXmlReader::~~QXmlReader()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual
vfunc[4]:	__cxa_pure_virtual
vfunc[5]:	__cxa_pure_virtual
vfunc[6]:	__cxa_pure_virtual
vfunc[7]:	__cxa_pure_virtual
vfunc[8]:	__cxa_pure_virtual
vfunc[9]:	__cxa_pure_virtual
vfunc[10]:	__cxa_pure_virtual
vfunc[11]:	__cxa_pure_virtual
vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	__cxa_pure_virtual
vfunc[14]:	__cxa_pure_virtual
vfunc[15]:	__cxa_pure_virtual
vfunc[16]:	__cxa_pure_virtual
vfunc[17]:	__cxa_pure_virtual
vfunc[18]:	__cxa_pure_virtual
vfunc[19]:	__cxa_pure_virtual
vfunc[20]:	__cxa_pure_virtual
vfunc[21]:	__cxa_pure_virtual

The Run Time Type Information for the QXmlReader class is described by Table 6-527

Table 6-527 typeinfo for QXmlReader

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QXmlReader

6.6.1.4 Class data for QXmlSimpleReader

The virtual table for the QXmlSimpleReader class is described by Table 6-528

Table 6-528 Primary vtable for QXmlSimpleReader

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QXmlSimpleReader

vfunc[0]:	QXmlSimpleReader::~~QXmlSimpleReader()
vfunc[1]:	QXmlSimpleReader::~~QXmlSimpleReader()
vfunc[2]:	QXmlSimpleReader::feature(QString const&, bool*) const
vfunc[3]:	QXmlSimpleReader::setFeature(QString const&, bool)
vfunc[4]:	QXmlSimpleReader::hasFeature(QString const&) const
vfunc[5]:	QXmlSimpleReader::property(QString const&, bool*) const
vfunc[6]:	QXmlSimpleReader::setProperty(QString const&, void*)
vfunc[7]:	QXmlSimpleReader::hasProperty(QString const&) const
vfunc[8]:	QXmlSimpleReader::setEntityResolver(QXmlEntityResolver*)
vfunc[9]:	QXmlSimpleReader::entityResolver() const
vfunc[10]:	QXmlSimpleReader::setDTDHandler(QXmlDTDHandler*)
vfunc[11]:	QXmlSimpleReader::DTDHandler() const
vfunc[12]:	QXmlSimpleReader::setContentHandler(QXmlContentHandler*)
vfunc[13]:	QXmlSimpleReader::contentHandler() const
vfunc[14]:	QXmlSimpleReader::setErrorHandler(QXmlErrorHandler*)
vfunc[15]:	QXmlSimpleReader::errorHandler() const
vfunc[16]:	QXmlSimpleReader::setLexicalHandler(QXmlLexicalHandler*)
vfunc[17]:	QXmlSimpleReader::lexicalHandler() const
vfunc[18]:	QXmlSimpleReader::setDeclHandler(QXmlDeclHandler*)
vfunc[19]:	QXmlSimpleReader::declHandler() const
vfunc[20]:	QXmlSimpleReader::parse(QXmlInputSource const&)

vfunc[21]:	QXmlSimpleReader::parse(QXmlInputSource const*)
vfunc[22]:	QXmlSimpleReader::parse(QXmlInputSource const*, bool)
vfunc[23]:	QXmlSimpleReader::parseContinue()

The Run Time Type Information for the QXmlSimpleReader class is described by Table 6-529

Table 6-529 typeinfo for QXmlSimpleReader

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QXmlSimpleReader
basetype:	typeinfo for QXmlReader

6.6.1.5 Class data for QXmlLocator

The virtual table for the QXmlLocator class is described by Table 6-530

Table 6-530 Primary vtable for QXmlLocator

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QXmlLocator
vfunc[0]:	QXmlLocator::~~QXmlLocator()
vfunc[1]:	QXmlLocator::~~QXmlLocator()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual

The Run Time Type Information for the QXmlLocator class is described by Table 6-531

Table 6-531 typeinfo for QXmlLocator

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QXmlLocator

6.6.1.6 Class data for QXmlContentHandler

The virtual table for the QXmlContentHandler class is described by Table 6-532

Table 6-532 Primary vtable for QXmlContentHandler

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QXmlContentHandler

vfunc[0]:	QXmlContentHandler::~~QXmlContentHandler()
vfunc[1]:	QXmlContentHandler::~~QXmlContentHandler()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual
vfunc[4]:	__cxa_pure_virtual
vfunc[5]:	__cxa_pure_virtual
vfunc[6]:	__cxa_pure_virtual
vfunc[7]:	__cxa_pure_virtual
vfunc[8]:	__cxa_pure_virtual
vfunc[9]:	__cxa_pure_virtual
vfunc[10]:	__cxa_pure_virtual
vfunc[11]:	__cxa_pure_virtual
vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	__cxa_pure_virtual

The Run Time Type Information for the QXmlContentHandler class is described by Table 6-533

Table 6-533 typeinfo for QXmlContentHandler

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QXmlContentHandler

6.6.1.7 Class data for QXmlErrorHandler

The virtual table for the QXmlErrorHandler class is described by Table 6-534

Table 6-534 Primary vtable for QXmlErrorHandler

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QXmlErrorHandler
vfunc[0]:	QXmlErrorHandler::~~QXmlErrorHandler()
vfunc[1]:	QXmlErrorHandler::~~QXmlErrorHandler()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual
vfunc[4]:	__cxa_pure_virtual

vfunc[5]:	__cxa_pure_virtual
-----------	--------------------

The Run Time Type Information for the QXmlErrorHandler class is described by Table 6-535

Table 6-535 typeinfo for QXmlErrorHandler

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QXmlErrorHandler

6.6.1.8 Class data for QXmlDTDHandler

The virtual table for the QXmlDTDHandler class is described by Table 6-536

Table 6-536 Primary vtable for QXmlDTDHandler

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QXmlDTDHandler
vfunc[0]:	QXmlDTDHandler::~~QXmlDTDHandler()
vfunc[1]:	QXmlDTDHandler::~~QXmlDTDHandler()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual
vfunc[4]:	__cxa_pure_virtual

The Run Time Type Information for the QXmlDTDHandler class is described by Table 6-537

Table 6-537 typeinfo for QXmlDTDHandler

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QXmlDTDHandler

6.6.1.9 Class data for QXmlEntityResolver

The virtual table for the QXmlEntityResolver class is described by Table 6-538

Table 6-538 Primary vtable for QXmlEntityResolver

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QXmlEntityResolver
vfunc[0]:	QXmlEntityResolver::~~QXmlEntityResolver()

vfunc[1]:	QXmlEntityResolver::~~QXmlEntityResolver()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual

The Run Time Type Information for the QXmlEntityResolver class is described by Table 6-539

Table 6-539 typeinfo for QXmlEntityResolver

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QXmlEntityResolver

6.6.1.10 Class data for QXmlLexicalHandler

The virtual table for the QXmlLexicalHandler class is described by Table 6-540

Table 6-540 Primary vtable for QXmlLexicalHandler

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QXmlLexicalHandler
vfunc[0]:	QXmlLexicalHandler::~~QXmlLexicalHandler()
vfunc[1]:	QXmlLexicalHandler::~~QXmlLexicalHandler()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual
vfunc[4]:	__cxa_pure_virtual
vfunc[5]:	__cxa_pure_virtual
vfunc[6]:	__cxa_pure_virtual
vfunc[7]:	__cxa_pure_virtual
vfunc[8]:	__cxa_pure_virtual
vfunc[9]:	__cxa_pure_virtual

The Run Time Type Information for the QXmlLexicalHandler class is described by Table 6-541

Table 6-541 typeinfo for QXmlLexicalHandler

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QXmlLexicalHandler

6.6.1.11 Class data for QXmlDeclHandler

The virtual table for the QXmlDeclHandler class is described by Table 6-542

Table 6-542 Primary vtable for QXmlDeclHandler

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QXmlDeclHandler
vfunc[0]:	QXmlDeclHandler::~~QXmlDeclHandler()
vfunc[1]:	QXmlDeclHandler::~~QXmlDeclHandler()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual
vfunc[4]:	__cxa_pure_virtual
vfunc[5]:	__cxa_pure_virtual

The Run Time Type Information for the QXmlDeclHandler class is described by Table 6-543

Table 6-543 typeinfo for QXmlDeclHandler

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QXmlDeclHandler

6.6.1.12 Class data for QXmlDefaultHandler

The virtual table for the QXmlDefaultHandler class is described by Table 6-544

Table 6-544 Primary vtable for QXmlDefaultHandler

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QXmlDefaultHandler
vfunc[0]:	QXmlDefaultHandler::~~QXmlDefaultHandler()
vfunc[1]:	QXmlDefaultHandler::~~QXmlDefaultHandler()
vfunc[2]:	QXmlDefaultHandler::setDocumentLocator(QXmlLocator*)
vfunc[3]:	QXmlDefaultHandler::startDocument()
vfunc[4]:	QXmlDefaultHandler::endDocument()
vfunc[5]:	QXmlDefaultHandler::startPrefixMa

	pping(QString const&, QString const&)
vfunc[6]:	QXmlDefaultHandler::endPrefixMapping(QString const&)
vfunc[7]:	QXmlDefaultHandler::startElement(QString const&, QString const&, QString const&, QXmlAttributes const&)
vfunc[8]:	QXmlDefaultHandler::endElement(QString const&, QString const&, QString const&)
vfunc[9]:	QXmlDefaultHandler::characters(QString const&)
vfunc[10]:	QXmlDefaultHandler::ignorableWhitespace(QString const&)
vfunc[11]:	QXmlDefaultHandler::processingInstruction(QString const&, QString const&)
vfunc[12]:	QXmlDefaultHandler::skippedEntity(QString const&)
vfunc[13]:	QXmlDefaultHandler::errorString() const
vfunc[14]:	QXmlDefaultHandler::warning(QXmlParseException const&)
vfunc[15]:	QXmlDefaultHandler::error(QXmlParseException const&)
vfunc[16]:	QXmlDefaultHandler::fatalError(QXmlParseException const&)
vfunc[17]:	QXmlDefaultHandler::notationDecl(QString const&, QString const&, QString const&)
vfunc[18]:	QXmlDefaultHandler::unparsedEntityDecl(QString const&, QString const&, QString const&, QString const&)
vfunc[19]:	QXmlDefaultHandler::resolveEntity(QString const&, QString const&, QXmlInputSource*&)
vfunc[20]:	QXmlDefaultHandler::startDTD(QString const&, QString const&, QString const&)
vfunc[21]:	QXmlDefaultHandler::endDTD()
vfunc[22]:	QXmlDefaultHandler::startEntity(QString const&)

vfunc[23]:	QXmlDefaultHandler::endEntity(QString const&)
vfunc[24]:	QXmlDefaultHandler::startCDATA()
vfunc[25]:	QXmlDefaultHandler::endCDATA()
vfunc[26]:	QXmlDefaultHandler::comment(QString const&)
vfunc[27]:	QXmlDefaultHandler::attributeDecl(QString const&, QString const&, QString const&, QString const&, QString const&)
vfunc[28]:	QXmlDefaultHandler::internalEntityDecl(QString const&, QString const&)
vfunc[29]:	QXmlDefaultHandler::externalEntityDecl(QString const&, QString const&, QString const&)

Table 6-545 Secondary vtable for QXmlDefaultHandler

Base Offset	-8
Virtual Base Offset	0
RTTI	typeid for QXmlDefaultHandler
vfunc[0]:	non-virtual thunk to QXmlDefaultHandler::~~QXmlDefaultHandler()
vfunc[1]:	non-virtual thunk to QXmlDefaultHandler::~~QXmlDefaultHandler()
vfunc[2]:	non-virtual thunk to QXmlDefaultHandler::warning(QXmlParseException const&)
vfunc[3]:	non-virtual thunk to QXmlDefaultHandler::error(QXmlParseException const&)
vfunc[4]:	non-virtual thunk to QXmlDefaultHandler::fatalError(QXmlParseException const&)
vfunc[5]:	non-virtual thunk to QXmlDefaultHandler::errorString() const

Table 6-546 Secondary vtable for QXmlDefaultHandler

Base Offset	-16
Virtual Base Offset	0

RTTI	typeinfo for QXmlDefaultHandler
vfunc[0]:	non-virtual thunk to QXmlDefaultHandler::~~QXmlDefaultHandler()
vfunc[1]:	non-virtual thunk to QXmlDefaultHandler::~~QXmlDefaultHandler()
vfunc[2]:	non-virtual thunk to QXmlDefaultHandler::notationDecl(QString const&, QString const&, QString const&)
vfunc[3]:	non-virtual thunk to QXmlDefaultHandler::unparsedEntityDecl(QString const&, QString const&, QString const&)
vfunc[4]:	non-virtual thunk to QXmlDefaultHandler::errorString() const

Table 6-547 Secondary vtable for QXmlDefaultHandler

Base Offset	-24
Virtual Base Offset	0
RTTI	typeinfo for QXmlDefaultHandler
vfunc[0]:	non-virtual thunk to QXmlDefaultHandler::~~QXmlDefaultHandler()
vfunc[1]:	non-virtual thunk to QXmlDefaultHandler::~~QXmlDefaultHandler()
vfunc[2]:	non-virtual thunk to QXmlDefaultHandler::resolveEntity(QString const&, QString const&, QDomInputSource*&)
vfunc[3]:	non-virtual thunk to QXmlDefaultHandler::errorString() const

Table 6-548 Secondary vtable for QXmlDefaultHandler

Base Offset	-32
Virtual Base Offset	0
RTTI	typeinfo for QXmlDefaultHandler
vfunc[0]:	non-virtual thunk to QXmlDefaultHandler::~~QXmlDefaultHandler()

	tHandler()
vfunc[1]:	non-virtual thunk to QXmlDefaultHandler::~~QXmlDefaultHandler()
vfunc[2]:	non-virtual thunk to QXmlDefaultHandler::startDTD(QString const&, QString const&, QString const&)
vfunc[3]:	non-virtual thunk to QXmlDefaultHandler::endDTD()
vfunc[4]:	non-virtual thunk to QXmlDefaultHandler::startEntity(QString const&)
vfunc[5]:	non-virtual thunk to QXmlDefaultHandler::endEntity(QString const&)
vfunc[6]:	non-virtual thunk to QXmlDefaultHandler::startCDATA()
vfunc[7]:	non-virtual thunk to QXmlDefaultHandler::endCDATA()
vfunc[8]:	non-virtual thunk to QXmlDefaultHandler::comment(QString const&)
vfunc[9]:	non-virtual thunk to QXmlDefaultHandler::errorString() const

Table 6-549 Secondary vtable for QXmlDefaultHandler

Base Offset	-40
Virtual Base Offset	0
RTTI	typeinfo for QXmlDefaultHandler
vfunc[0]:	non-virtual thunk to QXmlDefaultHandler::~~QXmlDefaultHandler()
vfunc[1]:	non-virtual thunk to QXmlDefaultHandler::~~QXmlDefaultHandler()
vfunc[2]:	non-virtual thunk to QXmlDefaultHandler::attributeDecl(QString const&, QString const&, QString const&, QString const&, QString const&)
vfunc[3]:	non-virtual thunk to QXmlDefaultHandler::internalEntityDecl(QString const&, QString

	const&)
vfunc[4]:	non-virtual thunk to QXmlDefaultHandler::externalEntity Decl(QString const&, QString const&, QString const&)
vfunc[5]:	non-virtual thunk to QXmlDefaultHandler::errorString() const

The Run Time Type Information for the QXmlDefaultHandler class is described by Table 6-550

Table 6-550 typeinfo for QXmlDefaultHandler

Base Vtable	vtable for __cxxabiv1::__vmi_class _type_info	
Name	typeinfo name for QXmlDefaultHandler	
flags:	0	
basetype:	typeinfo for QXmlContentHandler	2
basetype:	typeinfo for QXmlErrorHandler	1026
basetype:	typeinfo for QXmlErrorHandler	2050
basetype:	typeinfo for QXmlErrorHandler	1026
basetype:	typeinfo for QXmlErrorHandler	2050
basetype:	typeinfo for QXmlErrorHandler	1026

6.6.1.13 Interfaces for QtXml

An LSB conforming implementation shall provide the architecture specific functions for QtXml specified in Table 6-551, with the full mandatory functionality as described in the referenced underlying specification.

Table 6-551 libQtXml - QtXml Function Interfaces

_ZThn16_N18QXmlDefaultHandler1 2notationDeclERK7QStringS2_S2_ [QtXml]	_ZThn16_N18QXmlDefaultHandler1 8unparsedEntityDeclERK7QStringS2_ _S2_S2_[QtXml]
_ZThn16_NK18QXmlDefaultHandler 11errorStringEv [QtXml]	_ZThn24_N18QXmlDefaultHandler1 3resolveEntityERK7QStringS2_RP15 QXmlInputSource [QtXml]
_ZThn24_NK18QXmlDefaultHandler	_ZThn32_N18QXmlDefaultHandler1

11errorStringEv [QtXml]	0startCDATAEv [QtXml]
_ZThn32_N18QXmlDefaultHandler1 1startEntityERK7QString [QtXml]	_ZThn32_N18QXmlDefaultHandler6 endDTDEv [QtXml]
_ZThn32_N18QXmlDefaultHandler7 commentERK7QString [QtXml]	_ZThn32_N18QXmlDefaultHandler8 endCDATAEv [QtXml]
_ZThn32_N18QXmlDefaultHandler8 startDTDERK7QStringS2_S2_ [QtXml]	_ZThn32_N18QXmlDefaultHandler9 endEntityERK7QString [QtXml]
_ZThn32_NK18QXmlDefaultHandler 11errorStringEv [QtXml]	_ZThn40_N18QXmlDefaultHandler1 3attributeDeclERK7QStringS2_S2_ _S2_ [QtXml]
_ZThn40_N18QXmlDefaultHandler1 8externalEntityDeclERK7QStringS2_ S2_ [QtXml]	_ZThn40_N18QXmlDefaultHandler1 8internalEntityDeclERK7QStringS2_ [QtXml]
_ZThn40_NK18QXmlDefaultHandler 11errorStringEv [QtXml]	_ZThn8_N18QXmlDefaultHandler10 fatalErrorERK18QXmlParseExceptio n [QtXml]
_ZThn8_N18QXmlDefaultHandler5e rrorERK18QXmlParseException [QtXml]	_ZThn8_N18QXmlDefaultHandler7 warningERK18QXmlParseException [QtXml]
_ZThn8_NK18QXmlDefaultHandler1 1errorStringEv [QtXml]	

6.7 Data Definitions for libQtXml

This section defines global identifiers and their values that are associated with interfaces contained in libQtXml. These definitions are organized into groups that correspond to system headers. This convention is used as a convenience for the reader, and does not imply the existence of these headers, or their content. Where an interface is defined as requiring a particular system header file all of the data definitions for that system header file presented here shall be in effect.

This section gives data definitions to promote binary application portability, not to repeat source interface definitions available elsewhere. System providers and application developers should use this ABI to supplement - not to replace - source interface definition specifications.

This specification uses the ISO C (1999) C Language as the reference programming language, and data definitions are specified in ISO C format. The C language is used here as a convenient notation. Using a C language description of these data objects does not preclude their use by other programming languages.

6.7.1 QtXml/qdom.h

```

/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */

```

6.7.2 QtXml/qxml.h

```

/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */

```

6.8 Interfaces for libQtOpenGL

Table 6-552 defines the library name and shared object name for the libQtOpenGL library

Table 6-552 libQtOpenGL Definition

Library:	libQtOpenGL
SONAME:	libQtOpenGL.so.4

The behavior of the interfaces in this library is specified by the following specifications:

[QtOpenGL] QtOpenGL 4.1.0

6.8.1 QtOpenGL

6.8.1.1 Class data for QGLContext

The virtual table for the QGLContext class is described by Table 6-553

Table 6-553 Primary vtable for QGLContext

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QGLContext
vfunc[0]:	QGLContext::~~QGLContext()
vfunc[1]:	QGLContext::~~QGLContext()
vfunc[2]:	QGLContext::create(QGLContext const*)
vfunc[3]:	QGLContext::makeCurrent()
vfunc[4]:	QGLContext::doneCurrent()
vfunc[5]:	QGLContext::swapBuffers() const
vfunc[6]:	QGLContext::chooseContext(QGLContext const*)
vfunc[7]:	QGLContext::tryVisual(QGLFormat const&, int)
vfunc[8]:	QGLContext::chooseVisual()

The Run Time Type Information for the QGLContext class is described by Table 6-554

Table 6-554 typeinfo for QGLContext

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QGLContext

6.8.1.2 Class data for QGLWidget

The virtual table for the QGLWidget class is described by Table 6-555

Table 6-555 Primary vtable for QGLWidget

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QGLWidget
vfunc[0]:	QGLWidget::metaObject() const
vfunc[1]:	QGLWidget::qt_metacast(char const*)
vfunc[2]:	QGLWidget::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QGLWidget::~~QGLWidget()
vfunc[4]:	QGLWidget::~~QGLWidget()
vfunc[5]:	QGLWidget::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QWidget::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QGLWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)
vfunc[20]:	QWidget::mouseDoubleClickEvent(

	QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QGLWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QGLWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::PaintDeviceMetric) const

vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()
vfunc[54]:	QGLWidget::updateGL()
vfunc[55]:	QGLWidget::updateOverlayGL()
vfunc[56]:	QGLWidget::initializeGL()
vfunc[57]:	QGLWidget::resizeGL(int, int)
vfunc[58]:	QGLWidget::paintGL()
vfunc[59]:	QGLWidget::initializeOverlayGL()
vfunc[60]:	QGLWidget::resizeOverlayGL(int, int)
vfunc[61]:	QGLWidget::paintOverlayGL()
vfunc[62]:	QGLWidget::glInit()
vfunc[63]:	QGLWidget::glDraw()

Table 6-556 Secondary vtable for QGLWidget

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QGLWidget
vfunc[0]:	non-virtual thunk to QGLWidget::~~QGLWidget()
vfunc[1]:	non-virtual thunk to QGLWidget::~~QGLWidget()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QGLWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::Paint

	DeviceMetric) const
--	---------------------

The Run Time Type Information for the QGLWidget class is described by Table 6-557

Table 6-557 typeinfo for QGLWidget

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QGLWidget
basetype:	typeinfo for QWidget

6.8.1.3 Class data for QGLPixelBuffer

The virtual table for the QGLPixelBuffer class is described by Table 6-558

Table 6-558 Primary vtable for QGLPixelBuffer

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QGLPixelBuffer
vfunc[0]:	QGLPixelBuffer::~~QGLPixelBuffer()
vfunc[1]:	QGLPixelBuffer::~~QGLPixelBuffer()
vfunc[2]:	QGLPixelBuffer::devType() const
vfunc[3]:	QGLPixelBuffer::paintEngine() const
vfunc[4]:	QGLPixelBuffer::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QGLPixelBuffer class is described by Table 6-559

Table 6-559 typeinfo for QGLPixelBuffer

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QGLPixelBuffer
basetype:	typeinfo for QPaintDevice

6.8.1.4 Interfaces for QtOpenGL

An LSB conforming implementation shall provide the architecture specific functions for QtOpenGL specified in Table 6-560, with the full mandatory functionality as described in the referenced underlying specification.

Table 6-560 libQtOpenGL - QtOpenGL Function Interfaces

_ZThn16_N9QGLWidgetD0Ev [QtOpenGL]	_ZThn16_N9QGLWidgetD1Ev [QtOpenGL]
_ZThn16_NK9QGLWidgetI1paintEngineEv [QtOpenGL]	

6.9 Data Definitions for libQtOpenGL

This section defines global identifiers and their values that are associated with interfaces contained in libQtOpenGL. These definitions are organized into groups that correspond to system headers. This convention is used as a convenience for the reader, and does not imply the existence of these headers, or their content. Where an interface is defined as requiring a particular system header file all of the data definitions for that system header file presented here shall be in effect.

This section gives data definitions to promote binary application portability, not to repeat source interface definitions available elsewhere. System providers and application developers should use this ABI to supplement - not to replace - source interface definition specifications.

This specification uses the ISO C (1999) C Language as the reference programming language, and data definitions are specified in ISO C format. The C language is used here as a convenient notation. Using a C language description of these data objects does not preclude their use by other programming languages.

6.9.1 QtOpenGL/qgl.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.9.2 QtOpenGL/qglcolormap.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.9.3 QtOpenGL/qglpixelbuffer.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.10 Interfaces for libQtSql

Table 6-561 defines the library name and shared object name for the libQtSql library

Table 6-561 libQtSql Definition

Library:	libQtSql
SONAME:	libQtSql.so.4

The behavior of the interfaces in this library is specified by the following specifications:

[QtSql] QtSql 4.1.0

6.10.1 QtSql

6.10.1.1 Class data for QSqlResult

The virtual table for the QSqlResult class is described by Table 6-562

Table 6-562 Primary vtable for QSqlResult

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSqlResult
vfunc[0]:	QSqlResult::~~QSqlResult()
vfunc[1]:	QSqlResult::~~QSqlResult()
vfunc[2]:	QSqlResult::handle() const
vfunc[3]:	QSqlResult::setAt(int)
vfunc[4]:	QSqlResult::setActive(bool)
vfunc[5]:	QSqlResult::setLastError(QSqlError const&)
vfunc[6]:	QSqlResult::setQuery(QString const&)
vfunc[7]:	QSqlResult::setSelect(bool)
vfunc[8]:	QSqlResult::setForwardOnly(bool)
vfunc[9]:	QSqlResult::exec()
vfunc[10]:	QSqlResult::prepare(QString const&)
vfunc[11]:	QSqlResult::savePrepare(QString const&)
vfunc[12]:	QSqlResult::bindValue(int, QVariant const&, QFlags<QSql::ParamTypeFlag>)
vfunc[13]:	QSqlResult::bindValue(QString const&, QVariant const&, QFlags<QSql::ParamTypeFlag>)
vfunc[14]:	__cxa_pure_virtual
vfunc[15]:	__cxa_pure_virtual
vfunc[16]:	__cxa_pure_virtual
vfunc[17]:	__cxa_pure_virtual
vfunc[18]:	QSqlResult::fetchNext()
vfunc[19]:	QSqlResult::fetchPrevious()
vfunc[20]:	__cxa_pure_virtual
vfunc[21]:	__cxa_pure_virtual
vfunc[22]:	__cxa_pure_virtual

vfunc[23]:	__cxa_pure_virtual
vfunc[24]:	QSqlResult::record() const
vfunc[25]:	QSqlResult::lastInsertId() const
vfunc[26]:	QSqlResult::virtual_hook(int, void*)

The Run Time Type Information for the QSqlResult class is described by Table 6-563

Table 6-563 typeinfo for QSqlResult

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QSqlResult

6.10.1.2 Class data for QSqlDriverFactoryInterface

The virtual table for the QSqlDriverFactoryInterface class is described by Table 6-564

Table 6-564 Primary vtable for QSqlDriverFactoryInterface

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSqlDriverFactoryInterface
vfunc[0]:	QSqlDriverFactoryInterface::~~QSqlDriverFactoryInterface()
vfunc[1]:	QSqlDriverFactoryInterface::~~QSqlDriverFactoryInterface()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual

The Run Time Type Information for the QSqlDriverFactoryInterface class is described by Table 6-565

Table 6-565 typeinfo for QSqlDriverFactoryInterface

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSqlDriverFactoryInterface
basetype:	typeinfo for QFactoryInterface

6.10.1.3 Class data for QSqlDriverPlugin

The virtual table for the QSqlDriverPlugin class is described by Table 6-566

Table 6-566 Primary vtable for QSqlDriverPlugin

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSqlDriverPlugin
vfunc[0]:	QSqlDriverPlugin::metaObject() const
vfunc[1]:	QSqlDriverPlugin::qt_metacast(char const*)
vfunc[2]:	QSqlDriverPlugin::qt_metacall(QMet aObject::Call, int, void**)
vfunc[3]:	QSqlDriverPlugin::~~QSqlDriverPlugi n()
vfunc[4]:	QSqlDriverPlugin::~~QSqlDriverPlugi n()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	__cxa_pure_virtual
vfunc[13]:	__cxa_pure_virtual

Table 6-567 Secondary vtable for QSqlDriverPlugin

Base Offset	-16
Virtual Base Offset	0
RTTI	typeinfo for QSqlDriverPlugin
vfunc[0]:	non-virtual thunk to QSqlDriverPlugin::~~QSqlDriverPlugi n()
vfunc[1]:	non-virtual thunk to QSqlDriverPlugin::~~QSqlDriverPlugi n()
vfunc[2]:	__cxa_pure_virtual
vfunc[3]:	__cxa_pure_virtual

The Run Time Type Information for the QSqlDriverPlugin class is described by Table 6-568

Table 6-568 typeinfo for QSqlDriverPlugin

Base Vtable	vtable for __cxxabiv1::__vmi_class _type_info	
Name	typeinfo name for QSqlDriverPlugin	
flags:	0	
basetype:	typeinfo for QObject	2
basetype:	typeinfo for QSqlDriverFactoryInter face	2050

6.10.1.4 Class data for QSqlDriver

The virtual table for the QSqlDriver class is described by Table 6-569

Table 6-569 Primary vtable for QSqlDriver

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSqlDriver
vfunc[0]:	QSqlDriver::metaObject() const
vfunc[1]:	QSqlDriver::qt_metacast(char const*)
vfunc[2]:	QSqlDriver::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QSqlDriver::~~QSqlDriver()
vfunc[4]:	QSqlDriver::~~QSqlDriver()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QSqlDriver::isOpen() const
vfunc[13]:	QSqlDriver::beginTransaction()
vfunc[14]:	QSqlDriver::commitTransaction()

vfunc[15]:	QSqlDriver::rollbackTransaction()
vfunc[16]:	QSqlDriver::tables(QSql::TableType) const
vfunc[17]:	QSqlDriver::primaryIndex(QString const&) const
vfunc[18]:	QSqlDriver::record(QString const&) const
vfunc[19]:	QSqlDriver::formatValue(QSqlField const&, bool) const
vfunc[20]:	QSqlDriver::escapeIdentifier(QString const&, QSqlDriver::IdentifierType) const
vfunc[21]:	QSqlDriver::sqlStatement(QSqlDriver::StatementType, QString const&, QSqlRecord const&, bool) const
vfunc[22]:	QSqlDriver::handle() const
vfunc[23]:	__cxa_pure_virtual
vfunc[24]:	__cxa_pure_virtual
vfunc[25]:	__cxa_pure_virtual
vfunc[26]:	__cxa_pure_virtual
vfunc[27]:	QSqlDriver::setOpen(bool)
vfunc[28]:	QSqlDriver::setOpenError(bool)
vfunc[29]:	QSqlDriver::setLastError(QSqlError const&)

The Run Time Type Information for the QSqlDriver class is described by Table 6-570

Table 6-570 typeinfo for QSqlDriver

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSqlDriver
basetype:	typeinfo for QObject

6.10.1.5 Class data for QSqlQueryModel

The virtual table for the QSqlQueryModel class is described by Table 6-571

Table 6-571 Primary vtable for QSqlQueryModel

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSqlQueryModel

vfunc[0]:	QSqlQueryModel::metaObject() const
vfunc[1]:	QSqlQueryModel::qt_metacast(char const*)
vfunc[2]:	QSqlQueryModel::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QSqlQueryModel::~QSqlQueryModel()
vfunc[4]:	QSqlQueryModel::~QSqlQueryModel()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QAbstractTableModel::index(int, int, QModelIndex const&) const
vfunc[13]:	QAbstractTableModel::parent(QModelIndex const&) const
vfunc[14]:	QSqlQueryModel::rowCount(QModelIndex const&) const
vfunc[15]:	QSqlQueryModel::columnCount(QModelIndex const&) const
vfunc[16]:	QAbstractTableModel::hasChildren(QModelIndex const&) const
vfunc[17]:	QSqlQueryModel::data(QModelIndex const&, int) const
vfunc[18]:	QAbstractItemModel::setData(QModelIndex const&, QVariant const&, int)
vfunc[19]:	QSqlQueryModel::headerData(int, Qt::Orientation, int) const
vfunc[20]:	QSqlQueryModel::setHeaderData(int, Qt::Orientation, QVariant const&, int)
vfunc[21]:	QAbstractItemModel::itemData(QModelIndex const&) const
vfunc[22]:	QAbstractItemModel::setItemData(QModelIndex const&, QMap<int,

	QVariant> const&)
vfunc[23]:	QAbstractItemModel::mimeTypes() const
vfunc[24]:	QAbstractItemModel::mimeData(QList<QModelIndex> const&) const
vfunc[25]:	QAbstractTableModel::dropMimeData(QMimeData const*, Qt::DropAction, int, int, QModelIndex const&)
vfunc[26]:	QAbstractItemModel::supportedDropActions() const
vfunc[27]:	QAbstractItemModel::insertRows(int, int, QModelIndex const&)
vfunc[28]:	QSqlQueryModel::insertColumns(int, int, QModelIndex const&)
vfunc[29]:	QAbstractItemModel::removeRows(int, int, QModelIndex const&)
vfunc[30]:	QSqlQueryModel::removeColumns(int, int, QModelIndex const&)
vfunc[31]:	QSqlQueryModel::fetchMore(QModelIndex const&)
vfunc[32]:	QSqlQueryModel::canFetchMore(QModelIndex const&) const
vfunc[33]:	QAbstractItemModel::flags(QModelIndex const&) const
vfunc[34]:	QAbstractItemModel::sort(int, Qt::SortOrder)
vfunc[35]:	QAbstractItemModel::buddy(QModelIndex const&) const
vfunc[36]:	QAbstractItemModel::match(QModelIndex const&, int, QVariant const&, int, QFlags<Qt::MatchFlag>) const
vfunc[37]:	QAbstractItemModel::span(QModelIndex const&) const
vfunc[38]:	QAbstractItemModel::submit()
vfunc[39]:	QAbstractItemModel::revert()
vfunc[40]:	QSqlQueryModel::clear()
vfunc[41]:	QSqlQueryModel::queryChange()

The Run Time Type Information for the QSqlQueryModel class is described by Table 6-572

Table 6-572 typeinfo for QSqlQueryModel

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSqlQueryModel
basetype:	typeinfo for QAbstractTableModel

6.10.1.6 Class data for QSqlTableModel

The virtual table for the QSqlTableModel class is described by Table 6-573

Table 6-573 Primary vtable for QSqlTableModel

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSqlTableModel
vfunc[0]:	QSqlTableModel::metaObject() const
vfunc[1]:	QSqlTableModel::qt_metacast(char const*)
vfunc[2]:	QSqlTableModel::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QSqlTableModel::~QSqlTableModel()
vfunc[4]:	QSqlTableModel::~QSqlTableModel()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QAbstractTableModel::index(int, int, QModelIndex const&) const
vfunc[13]:	QAbstractTableModel::parent(QModelIndex const&) const
vfunc[14]:	QSqlTableModel::rowCount(QModelIndex const&) const
vfunc[15]:	QSqlQueryModel::columnCount(QModelIndex const&) const
vfunc[16]:	QAbstractTableModel::hasChildren(

	QModelIndex const&) const
vfunc[17]:	QSqlTableModel::data(QModelIndex const&, int) const
vfunc[18]:	QSqlTableModel::setData(QModelIndex const&, QVariant const&, int)
vfunc[19]:	QSqlTableModel::headerData(int, Qt::Orientation, int) const
vfunc[20]:	QSqlQueryModel::setHeaderData(int, Qt::Orientation, QVariant const&, int)
vfunc[21]:	QAbstractItemModel::itemData(QModelIndex const&) const
vfunc[22]:	QAbstractItemModel::setItemData(QModelIndex const&, QMap<int, QVariant> const&)
vfunc[23]:	QAbstractItemModel::mimeTypes() const
vfunc[24]:	QAbstractItemModel::mimeData(QList<QModelIndex> const&) const
vfunc[25]:	QAbstractTableModel::dropMimeData(QMimeData const*, Qt::DropAction, int, int, QModelIndex const&)
vfunc[26]:	QAbstractItemModel::supportedDropActions() const
vfunc[27]:	QSqlTableModel::insertRows(int, int, QModelIndex const&)
vfunc[28]:	QSqlQueryModel::insertColumns(int, int, QModelIndex const&)
vfunc[29]:	QSqlTableModel::removeRows(int, int, QModelIndex const&)
vfunc[30]:	QSqlTableModel::removeColumns(int, int, QModelIndex const&)
vfunc[31]:	QSqlQueryModel::fetchMore(QModelIndex const&)
vfunc[32]:	QSqlQueryModel::canFetchMore(QModelIndex const&) const
vfunc[33]:	QSqlTableModel::flags(QModelIndex const&) const
vfunc[34]:	QSqlTableModel::sort(int, Qt::SortOrder)
vfunc[35]:	QAbstractItemModel::buddy(QModelIndex const&) const

vfunc[36]:	QAbstractItemModel::match(QModelIndex const&, int, QVariant const&, int, QFlags<Qt::MatchFlag>) const
vfunc[37]:	QAbstractItemModel::span(QModelIndex const&) const
vfunc[38]:	QSqlTableModel::submit()
vfunc[39]:	QSqlTableModel::revert()
vfunc[40]:	QSqlTableModel::clear()
vfunc[41]:	QSqlQueryModel::queryChange()
vfunc[42]:	QSqlTableModel::select()
vfunc[43]:	QSqlTableModel::setTable(QString const&)
vfunc[44]:	QSqlTableModel::setEditStrategy(QSqlTableModel::EditStrategy)
vfunc[45]:	QSqlTableModel::setSort(int, Qt::SortOrder)
vfunc[46]:	QSqlTableModel::setFilter(QString const&)
vfunc[47]:	QSqlTableModel::revertRow(int)
vfunc[48]:	QSqlTableModel::updateRowInTable(int, QSqlRecord const&)
vfunc[49]:	QSqlTableModel::insertRowIntoTable(QSqlRecord const&)
vfunc[50]:	QSqlTableModel::deleteRowFromTable(int)
vfunc[51]:	QSqlTableModel::orderByClause() const
vfunc[52]:	QSqlTableModel::selectStatement() const

The Run Time Type Information for the QSqlTableModel class is described by Table 6-574

Table 6-574 typeinfo for QSqlTableModel

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSqlTableModel
basetype:	typeinfo for QSqlQueryModel

6.10.1.7 Class data for QSqlRelationalTableModel

The virtual table for the QSqlRelationalTableModel class is described by Table 6-575

Table 6-575 Primary vtable for QSqlRelationalTableModel

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QSqlRelationalTableModel
vfunc[0]:	QSqlRelationalTableModel::metaObject() const
vfunc[1]:	QSqlRelationalTableModel::qt_metacast(char const*)
vfunc[2]:	QSqlRelationalTableModel::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QSqlRelationalTableModel::~QSqlRelationalTableModel()
vfunc[4]:	QSqlRelationalTableModel::~~QSqlRelationalTableModel()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QAbstractTableModel::index(int, int, QModelIndex const&) const
vfunc[13]:	QAbstractTableModel::parent(QModelIndex const&) const
vfunc[14]:	QSqlTableModel::rowCount(QModelIndex const&) const
vfunc[15]:	QSqlQueryModel::columnCount(QModelIndex const&) const
vfunc[16]:	QAbstractTableModel::hasChildren(QModelIndex const&) const
vfunc[17]:	QSqlRelationalTableModel::data(QModelIndex const&, int) const
vfunc[18]:	QSqlRelationalTableModel::setData(QModelIndex const&, QVariant const&, int)
vfunc[19]:	QSqlTableModel::headerData(int, Qt::Orientation, int) const

vfunc[20]:	QSqlQueryModel::setHeaderData(int, Qt::Orientation, QVariant const&, int)
vfunc[21]:	QAbstractItemModel::itemData(QModelIndex const&) const
vfunc[22]:	QAbstractItemModel::setItemData(QModelIndex const&, QMap<int, QVariant> const&)
vfunc[23]:	QAbstractItemModel::mimeTypes() const
vfunc[24]:	QAbstractItemModel::mimeData(QList<QModelIndex> const&) const
vfunc[25]:	QAbstractTableModel::dropMimeData(QMimeData const*, Qt::DropAction, int, int, QModelIndex const&)
vfunc[26]:	QAbstractItemModel::supportedDropActions() const
vfunc[27]:	QSqlTableModel::insertRows(int, int, QModelIndex const&)
vfunc[28]:	QSqlQueryModel::insertColumns(int, int, QModelIndex const&)
vfunc[29]:	QSqlTableModel::removeRows(int, int, QModelIndex const&)
vfunc[30]:	QSqlTableModel::removeColumns(int, int, QModelIndex const&)
vfunc[31]:	QSqlQueryModel::fetchMore(QModelIndex const&)
vfunc[32]:	QSqlQueryModel::canFetchMore(QModelIndex const&) const
vfunc[33]:	QSqlTableModel::flags(QModelIndex const&) const
vfunc[34]:	QSqlTableModel::sort(int, Qt::SortOrder)
vfunc[35]:	QAbstractItemModel::buddy(QModelIndex const&) const
vfunc[36]:	QAbstractItemModel::match(QModelIndex const&, int, QVariant const&, int, QFlags<Qt::MatchFlag>) const
vfunc[37]:	QAbstractItemModel::span(QModelIndex const&) const
vfunc[38]:	QSqlTableModel::submit()
vfunc[39]:	QSqlTableModel::revert()

vfunc[40]:	QSqlRelationalTableModel::clear()
vfunc[41]:	QSqlQueryModel::queryChange()
vfunc[42]:	QSqlRelationalTableModel::select()
vfunc[43]:	QSqlRelationalTableModel::setTable(QString const&)
vfunc[44]:	QSqlTableModel::setEditStrategy(QSqlTableModel::EditStrategy)
vfunc[45]:	QSqlTableModel::setSort(int, Qt::SortOrder)
vfunc[46]:	QSqlTableModel::setFilter(QString const&)
vfunc[47]:	QSqlRelationalTableModel::revertRow(int)
vfunc[48]:	QSqlRelationalTableModel::updateRowInTable(int, QSqlRecord const&)
vfunc[49]:	QSqlTableModel::insertRowIntoTable(QSqlRecord const&)
vfunc[50]:	QSqlTableModel::deleteRowFromTable(int)
vfunc[51]:	QSqlRelationalTableModel::orderByClause() const
vfunc[52]:	QSqlRelationalTableModel::selectStatement() const
vfunc[53]:	QSqlRelationalTableModel::setRelation(int, QSqlRelation const&)
vfunc[54]:	QSqlRelationalTableModel::relationModel(int) const

The Run Time Type Information for the QSqlRelationalTableModel class is described by Table 6-576

Table 6-576 typeinfo for QSqlRelationalTableModel

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSqlRelationalTableModel
basetype:	typeinfo for QSqlTableModel

6.10.1.8 Interfaces for QtSql

An LSB conforming implementation shall provide the architecture specific functions for QtSql specified in Table 6-577, with the full mandatory functionality as described in the referenced underlying specification.

Table 6-577 libQtSql - QSql Function Interfaces

<code>_ZThn16_N16QSqlDriverPluginD0E</code> v [QtSql]	<code>_ZThn16_N16QSqlDriverPluginD1E</code> v [QtSql]
--	--

6.11 Data Definitions for libQtSql

This section defines global identifiers and their values that are associated with interfaces contained in libQtSql. These definitions are organized into groups that correspond to system headers. This convention is used as a convenience for the reader, and does not imply the existence of these headers, or their content. Where an interface is defined as requiring a particular system header file all of the data definitions for that system header file presented here shall be in effect.

This section gives data definitions to promote binary application portability, not to repeat source interface definitions available elsewhere. System providers and application developers should use this ABI to supplement - not to replace - source interface definition specifications.

This specification uses the ISO C (1999) C Language as the reference programming language, and data definitions are specified in ISO C format. The C language is used here as a convenient notation. Using a C language description of these data objects does not preclude their use by other programming languages.

6.11.1 QSql/qsq1.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.11.2 QSql/qsq1database.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.11.3 QSql/qsq1driver.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.11.4 QSql/qsq1driverplugin.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.11.5 QSql/qsq1error.h

```
/*
```



```

* This header is architecture neutral
* Please refer to the generic specification for details
*/

```

6.11.6 QSql/qsqffield.h

```

/*
* This header is architecture neutral
* Please refer to the generic specification for details
*/

```

6.11.7 QSql/qsqindex.h

```

/*
* This header is architecture neutral
* Please refer to the generic specification for details
*/

```

6.11.8 QSql/qsquery.h

```

/*
* This header is architecture neutral
* Please refer to the generic specification for details
*/

```

6.11.9 QSql/qsquerymodel.h

```

/*
* This header is architecture neutral
* Please refer to the generic specification for details
*/

```

6.11.10 QSql/qsrecord.h

```

/*
* This header is architecture neutral
* Please refer to the generic specification for details
*/

```

6.11.11 QSql/qsrelationaltablemodel.h

```

/*
* This header is architecture neutral
* Please refer to the generic specification for details
*/

```

6.11.12 QSql/qsresult.h

```

/*
* This header is architecture neutral
* Please refer to the generic specification for details
*/

```

6.11.13 QSql/qsqtablemodel.h

```

/*

```

```

* This header is architecture neutral
* Please refer to the generic specification for details
*/

```

6.12 Interfaces for libQtSvg

Table 6-578 defines the library name and shared object name for the libQtSvg library

Table 6-578 libQtSvg Definition

Library:	libQtSvg
SONAME:	libQtSvg.so.4

The behavior of the interfaces in this library is specified by the following specifications:

[QtSvg] QtSvg 4.1.0

6.12.1 QtSvg

6.12.1.1 Class data for QSvgRenderer

The virtual table for the QSvgRenderer class is described by Table 6-579

Table 6-579 Primary vtable for QSvgRenderer

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSvgRenderer
vfunc[0]:	QSvgRenderer::metaObject() const
vfunc[1]:	QSvgRenderer::qt_metacast(char const*)
vfunc[2]:	QSvgRenderer::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QSvgRenderer::~~QSvgRenderer()
vfunc[4]:	QSvgRenderer::~~QSvgRenderer()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QSvgRenderer class is described by Table 6-580

Table 6-580 typeinfo for QSvgRenderer

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QSvgRenderer
basetype:	typeinfo for QObject

6.12.1.2 Class data for QSvgWidget

The virtual table for the QSvgWidget class is described by Table 6-581

Table 6-581 Primary vtable for QSvgWidget

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QSvgWidget
vfunc[0]:	QSvgWidget::metaObject() const
vfunc[1]:	QSvgWidget::qt_metacast(char const*)
vfunc[2]:	QSvgWidget::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QSvgWidget::~QSvgWidget()
vfunc[4]:	QSvgWidget::~QSvgWidget()
vfunc[5]:	QWidget::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QWidget::devType() const
vfunc[13]:	QWidget::setVisible(bool)
vfunc[14]:	QSvgWidget::sizeHint() const
vfunc[15]:	QWidget::minimumSizeHint() const
vfunc[16]:	QWidget::heightForWidth(int) const
vfunc[17]:	QWidget::paintEngine() const
vfunc[18]:	QWidget::mousePressEvent(QMouseEvent*)
vfunc[19]:	QWidget::mouseReleaseEvent(QMouseEvent*)

vfunc[20]:	QWidget::mouseDoubleClickEvent(QMouseEvent*)
vfunc[21]:	QWidget::mouseMoveEvent(QMouseEvent*)
vfunc[22]:	QWidget::wheelEvent(QWheelEvent*)
vfunc[23]:	QWidget::keyPressEvent(QKeyEvent*)
vfunc[24]:	QWidget::keyReleaseEvent(QKeyEvent*)
vfunc[25]:	QWidget::focusInEvent(QFocusEvent*)
vfunc[26]:	QWidget::focusOutEvent(QFocusEvent*)
vfunc[27]:	QWidget::enterEvent(QEvent*)
vfunc[28]:	QWidget::leaveEvent(QEvent*)
vfunc[29]:	QSvgWidget::paintEvent(QPaintEvent*)
vfunc[30]:	QWidget::moveEvent(QMoveEvent*)
vfunc[31]:	QWidget::resizeEvent(QResizeEvent*)
vfunc[32]:	QWidget::closeEvent(QCloseEvent*)
vfunc[33]:	QWidget::contextMenuEvent(QContextMenuEvent*)
vfunc[34]:	QWidget::tabletEvent(QTabletEvent*)
vfunc[35]:	QWidget::actionEvent(QActionEvent*)
vfunc[36]:	QWidget::dragEnterEvent(QDragEnterEvent*)
vfunc[37]:	QWidget::dragMoveEvent(QDragMoveEvent*)
vfunc[38]:	QWidget::dragLeaveEvent(QDragLeaveEvent*)
vfunc[39]:	QWidget::dropEvent(QDropEvent*)
vfunc[40]:	QWidget::showEvent(QShowEvent*)
vfunc[41]:	QWidget::hideEvent(QHideEvent*)
vfunc[42]:	QWidget::x11Event(_XEvent*)
vfunc[43]:	QWidget::changeEvent(QEvent*)
vfunc[44]:	QWidget::metric(QPaintDevice::Paint

	DeviceMetric) const
vfunc[45]:	QWidget::inputMethodEvent(QInputMethodEvent*)
vfunc[46]:	QWidget::inputMethodQuery(Qt::InputMethodQuery) const
vfunc[47]:	QWidget::focusNextPrevChild(bool)
vfunc[48]:	QWidget::styleChange(QStyle&)
vfunc[49]:	QWidget::enabledChange(bool)
vfunc[50]:	QWidget::paletteChange(QPalette const&)
vfunc[51]:	QWidget::fontChange(QFont const&)
vfunc[52]:	QWidget::windowActivationChange(bool)
vfunc[53]:	QWidget::languageChange()

Table 6-582 Secondary vtable for QSvgWidget

Base Offset	-16
Virtual Base Offset	0
RTTI	typeid for QSvgWidget
vfunc[0]:	non-virtual thunk to QSvgWidget::~~QSvgWidget()
vfunc[1]:	non-virtual thunk to QSvgWidget::~~QSvgWidget()
vfunc[2]:	non-virtual thunk to QWidget::devType() const
vfunc[3]:	non-virtual thunk to QWidget::paintEngine() const
vfunc[4]:	non-virtual thunk to QWidget::metric(QPaintDevice::PaintDeviceMetric) const

The Run Time Type Information for the QSvgWidget class is described by Table 6-583

Table 6-583 typeid for QSvgWidget

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QSvgWidget
basetype:	typeid for QWidget

6.12.1.3 Interfaces for QtSvg

An LSB conforming implementation shall provide the architecture specific functions for QtSvg specified in Table 6-584, with the full mandatory functionality as described in the referenced underlying specification.

Table 6-584 libQtSvg - QtSvg Function Interfaces

<code>_ZThn16_N10QSvgWidgetD0Ev</code> [QtSvg]	<code>_ZThn16_N10QSvgWidgetD1Ev</code> [QtSvg]
---	---

6.13 Data Definitions for libQtSvg

This section defines global identifiers and their values that are associated with interfaces contained in libQtSvg. These definitions are organized into groups that correspond to system headers. This convention is used as a convenience for the reader, and does not imply the existence of these headers, or their content. Where an interface is defined as requiring a particular system header file all of the data definitions for that system header file presented here shall be in effect.

This section gives data definitions to promote binary application portability, not to repeat source interface definitions available elsewhere. System providers and application developers should use this ABI to supplement - not to replace - source interface definition specifications.

This specification uses the ISO C (1999) C Language as the reference programming language, and data definitions are specified in ISO C format. The C language is used here as a convenient notation. Using a C language description of these data objects does not preclude their use by other programming languages.

6.13.1 QtSvg/qsvgrenderer.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.13.2 QtSvg/qsvgwidget.h

```
/*
 * This header is architecture neutral
 * Please refer to the generic specification for details
 */
```

6.14 Interfaces for libQtNetwork

Table 6-585 defines the library name and shared object name for the libQtNetwork library

Table 6-585 libQtNetwork Definition

Library:	libQtNetwork
SONAME:	libQtNetwork.so.4

6.14.1 QtNetwork

6.14.1.1 Class data for QHTTPHeader

The virtual table for the QHTTPHeader class is described by Table 6-586

Table 6-586 Primary vtable for QHTTPHeader

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QHTTPHeader
vfunc[0]:	QHTTPHeader::~~QHTTPHeader()
vfunc[1]:	QHTTPHeader::~~QHTTPHeader()
vfunc[2]:	QHTTPHeader::toString() const
vfunc[3]:	__cxa_pure_virtual
vfunc[4]:	__cxa_pure_virtual
vfunc[5]:	QHTTPHeader::parseLine(QString const&, int)

The Run Time Type Information for the QHTTPHeader class is described by Table 6-587

Table 6-587 typeinfo for QHTTPHeader

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QHTTPHeader

6.14.1.2 Class data for QHttpResponseHeader

The virtual table for the QHttpResponseHeader class is described by Table 6-588

Table 6-588 Primary vtable for QHttpResponseHeader

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QHttpResponseHeader
vfunc[0]:	QHttpResponseHeader::~~QHttpResponseHeader()
vfunc[1]:	QHttpResponseHeader::~~QHttpResponseHeader()
vfunc[2]:	QHttpResponseHeader::toString() const
vfunc[3]:	QHttpResponseHeader::majorVersion() const
vfunc[4]:	QHttpResponseHeader::minorVersion() const

	n() const
vfunc[5]:	QHttpResponseHeader::parseLine(QString const&, int)

The Run Time Type Information for the QHttpResponseHeader class is described by Table 6-589

Table 6-589 typeinfo for QHttpResponseHeader

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QHttpResponseHeader
basetype:	typeinfo for QHttpHeader

6.14.1.3 Class data for QHttpRequestHeader

The virtual table for the QHttpRequestHeader class is described by Table 6-590

Table 6-590 Primary vtable for QHttpRequestHeader

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QHttpRequestHeader
vfunc[0]:	QHttpRequestHeader::~~QHttpRequestHeader()
vfunc[1]:	QHttpRequestHeader::~~QHttpRequestHeader()
vfunc[2]:	QHttpRequestHeader::toString() const
vfunc[3]:	QHttpRequestHeader::majorVersion()) const
vfunc[4]:	QHttpRequestHeader::minorVersion()) const
vfunc[5]:	QHttpRequestHeader::parseLine(QString const&, int)

The Run Time Type Information for the QHttpRequestHeader class is described by Table 6-591

Table 6-591 typeinfo for QHttpRequestHeader

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QHttpRequestHeader
basetype:	typeinfo for QHttpHeader

6.14.1.4 Class data for QHttp

The virtual table for the QHttp class is described by Table 6-592

Table 6-592 Primary vtable for QHttp

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QHttp
vfunc[0]:	QHttp::metaObject() const
vfunc[1]:	QHttp::qt_metacast(char const*)
vfunc[2]:	QHttp::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QHttp::~QHttp()
vfunc[4]:	QHttp::~QHttp()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QHttp class is described by Table 6-593

Table 6-593 typeinfo for QHttp

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QHttp
basetype:	typeinfo for QObject

6.14.1.5 Class data for QAbstractSocket

The virtual table for the QAbstractSocket class is described by Table 6-594

Table 6-594 Primary vtable for QAbstractSocket

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QAbstractSocket
vfunc[0]:	QAbstractSocket::metaObject() const
vfunc[1]:	QAbstractSocket::qt_metacast(char

	const*)
vfunc[2]:	QAbstractSocket::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QAbstractSocket::~~QAbstractSocket()
vfunc[4]:	QAbstractSocket::~~QAbstractSocket()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QAbstractSocket::isSequential() const
vfunc[13]:	QIODevice::open(QFlags<QIODevice::OpenModeFlag>)
vfunc[14]:	QAbstractSocket::close()
vfunc[15]:	QIODevice::pos() const
vfunc[16]:	QIODevice::size() const
vfunc[17]:	QIODevice::seek(long long)
vfunc[18]:	QAbstractSocket::atEnd() const
vfunc[19]:	QIODevice::reset()
vfunc[20]:	QAbstractSocket::bytesAvailable() const
vfunc[21]:	QAbstractSocket::bytesToWrite() const
vfunc[22]:	QAbstractSocket::canReadLine() const
vfunc[23]:	QAbstractSocket::waitForReadyRead(int)
vfunc[24]:	QAbstractSocket::waitForBytesWritten(int)
vfunc[25]:	QAbstractSocket::readData(char*, long long)
vfunc[26]:	QAbstractSocket::readLineData(char*, long long)
vfunc[27]:	QAbstractSocket::writeData(char const*, long long)

The Run Time Type Information for the QAbstractSocket class is described by Table 6-595

Table 6-595 typeinfo for QAbstractSocket

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QAbstractSocket
basetype:	typeinfo for QIODevice

6.14.1.6 Class data for QUrlInfo

The virtual table for the QUrlInfo class is described by Table 6-596

Table 6-596 Primary vtable for QUrlInfo

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QUrlInfo
vfunc[0]:	QUrlInfo::~~QUrlInfo()
vfunc[1]:	QUrlInfo::~~QUrlInfo()
vfunc[2]:	QUrlInfo::setName(QString const&)
vfunc[3]:	QUrlInfo::setDir(bool)
vfunc[4]:	QUrlInfo::setFile(bool)
vfunc[5]:	QUrlInfo::setSymLink(bool)
vfunc[6]:	QUrlInfo::setOwner(QString const&)
vfunc[7]:	QUrlInfo::setGroup(QString const&)
vfunc[8]:	QUrlInfo::setSize(long long)
vfunc[9]:	QUrlInfo::setWritable(bool)
vfunc[10]:	QUrlInfo::setReadable(bool)
vfunc[11]:	QUrlInfo::setPermissions(int)
vfunc[12]:	QUrlInfo::setLastModified(QDateTi me const&)

The Run Time Type Information for the QUrlInfo class is described by Table 6-597

Table 6-597 typeinfo for QUrlInfo

Base Vtable	vtable for __cxxabiv1::__class_type_info
Name	typeinfo name for QUrlInfo

6.14.1.7 Class data for QFtp

The virtual table for the QFtp class is described by Table 6-598

Table 6-598 Primary vtable for QFtp

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QFtp
vfunc[0]:	QFtp::metaObject() const
vfunc[1]:	QFtp::qt_metacast(char const*)
vfunc[2]:	QFtp::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QFtp::~~QFtp()
vfunc[4]:	QFtp::~~QFtp()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)

The Run Time Type Information for the QFtp class is described by Table 6-599

Table 6-599 typeid for QFtp

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeid name for QFtp
basetype:	typeid for QObject

6.14.1.8 Class data for QTcpServer

The virtual table for the QTcpServer class is described by Table 6-600

Table 6-600 Primary vtable for QTcpServer

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QTcpServer
vfunc[0]:	QTcpServer::metaObject() const
vfunc[1]:	QTcpServer::qt_metacast(char const*)
vfunc[2]:	QTcpServer::qt_metacall(QMetaObject::Call, int, void**)

vfunc[3]:	QTcpServer::~~QTcpServer()
vfunc[4]:	QTcpServer::~~QTcpServer()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QTcpServer::hasPendingConnections() const
vfunc[13]:	QTcpServer::nextPendingConnection()
vfunc[14]:	QTcpServer::incomingConnection(int)

The Run Time Type Information for the QTcpServer class is described by Table 6-601

Table 6-601 typeinfo for QTcpServer

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QTcpServer
basetype:	typeinfo for QObject

6.14.1.9 Class data for QUdpSocket

The virtual table for the QUdpSocket class is described by Table 6-602

Table 6-602 Primary vtable for QUdpSocket

Base Offset	0
Virtual Base Offset	0
RTTI	typeinfo for QUdpSocket
vfunc[0]:	QUdpSocket::metaObject() const
vfunc[1]:	QUdpSocket::qt_metacast(char const*)
vfunc[2]:	QUdpSocket::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QUdpSocket::~~QUdpSocket()
vfunc[4]:	QUdpSocket::~~QUdpSocket()

vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QAbstractSocket::isSequential() const
vfunc[13]:	QIODevice::open(QFlags<QIODevice::OpenModeFlag>)
vfunc[14]:	QAbstractSocket::close()
vfunc[15]:	QIODevice::pos() const
vfunc[16]:	QIODevice::size() const
vfunc[17]:	QIODevice::seek(long long)
vfunc[18]:	QAbstractSocket::atEnd() const
vfunc[19]:	QIODevice::reset()
vfunc[20]:	QAbstractSocket::bytesAvailable() const
vfunc[21]:	QAbstractSocket::bytesToWrite() const
vfunc[22]:	QAbstractSocket::canReadLine() const
vfunc[23]:	QAbstractSocket::waitForReadyRead(int)
vfunc[24]:	QAbstractSocket::waitForBytesWritten(int)
vfunc[25]:	QAbstractSocket::readData(char*, long long)
vfunc[26]:	QAbstractSocket::readLineData(char*, long long)
vfunc[27]:	QAbstractSocket::writeData(char const*, long long)

The Run Time Type Information for the QUdpSocket class is described by Table 6-603

Table 6-603 typeinfo for QUdpSocket

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
-------------	--

Name	typeid name for QUdpSocket
basetype:	typeid for QAbstractSocket

6.14.1.10 Class data for QTcpSocket

The virtual table for the QTcpSocket class is described by Table 6-604

Table 6-604 Primary vtable for QTcpSocket

Base Offset	0
Virtual Base Offset	0
RTTI	typeid for QTcpSocket
vfunc[0]:	QTcpSocket::metaObject() const
vfunc[1]:	QTcpSocket::qt_metacast(char const*)
vfunc[2]:	QTcpSocket::qt_metacall(QMetaObject::Call, int, void**)
vfunc[3]:	QTcpSocket::~QTcpSocket()
vfunc[4]:	QTcpSocket::~QTcpSocket()
vfunc[5]:	QObject::event(QEvent*)
vfunc[6]:	QObject::eventFilter(QObject*, QEvent*)
vfunc[7]:	QObject::timerEvent(QTimerEvent*)
vfunc[8]:	QObject::childEvent(QChildEvent*)
vfunc[9]:	QObject::customEvent(QEvent*)
vfunc[10]:	QObject::connectNotify(char const*)
vfunc[11]:	QObject::disconnectNotify(char const*)
vfunc[12]:	QAbstractSocket::isSequential() const
vfunc[13]:	QIODevice::open(QFlags<QIODevice::OpenModeFlag>)
vfunc[14]:	QAbstractSocket::close()
vfunc[15]:	QIODevice::pos() const
vfunc[16]:	QIODevice::size() const
vfunc[17]:	QIODevice::seek(long long)
vfunc[18]:	QAbstractSocket::atEnd() const
vfunc[19]:	QIODevice::reset()
vfunc[20]:	QAbstractSocket::bytesAvailable() const
vfunc[21]:	QAbstractSocket::bytesToWrite() const

vfunc[22]:	QAbstractSocket::canReadLine() const
vfunc[23]:	QAbstractSocket::waitForReadyRead (int)
vfunc[24]:	QAbstractSocket::waitForBytesWritten (int)
vfunc[25]:	QAbstractSocket::readData(char*, long long)
vfunc[26]:	QAbstractSocket::readLineData(char*, long long)
vfunc[27]:	QAbstractSocket::writeData(char const*, long long)

The Run Time Type Information for the QTcpSocket class is described by Table 6-605

Table 6-605 typeinfo for QTcpSocket

Base Vtable	vtable for __cxxabiv1::__si_class_type_info
Name	typeinfo name for QTcpSocket
basetype:	typeinfo for QAbstractSocket

6.14.1.11 Interfaces for QtNetwork

No external functions are defined for libQtNetwork - QtNetwork in this part of the specification. See also the generic specification, ISO/IEC 23360 Part 1.

6.15 Data Definitions for libQtNetwork

This section defines global identifiers and their values that are associated with interfaces contained in libQtNetwork. These definitions are organized into groups that correspond to system headers. This convention is used as a convenience for the reader, and does not imply the existence of these headers, or their content. Where an interface is defined as requiring a particular system header file all of the data definitions for that system header file presented here shall be in effect.

This section gives data definitions to promote binary application portability, not to repeat source interface definitions available elsewhere. System providers and application developers should use this ABI to supplement - not to replace - source interface definition specifications.

This specification uses the ISO C (1999) C Language as the reference programming language, and data definitions are specified in ISO C format. The C language is used here as a convenient notation. Using a C language description of these data objects does not preclude their use by other programming languages.

6.15.1 QtNetwork/qabstractsocket.h

/*


```

* This header is architecture neutral
* Please refer to the generic specification for details
*/

```

6.15.2 QtNetwork/qftp.h

```

/*
* This header is architecture neutral
* Please refer to the generic specification for details
*/

```

6.15.3 QtNetwork/qhostaddress.h

```

/*
* This header is architecture neutral
* Please refer to the generic specification for details
*/

```

6.15.4 QtNetwork/qhostinfo.h

```

/*
* This header is architecture neutral
* Please refer to the generic specification for details
*/

```

6.15.5 QtNetwork/qhttp.h

```

/*
* This header is architecture neutral
* Please refer to the generic specification for details
*/

```

6.15.6 QtNetwork/qnetworkproxy.h

```

/*
* This header is architecture neutral
* Please refer to the generic specification for details
*/

```

6.15.7 QtNetwork/qtcpserver.h

```

/*
* This header is architecture neutral
* Please refer to the generic specification for details
*/

```

6.15.8 QtNetwork/qtcpsocket.h

```

/*
* This header is architecture neutral
* Please refer to the generic specification for details
*/

```

6.15.9 QtNetwork/qudpsocket.h

```

/*

```

```
* This header is architecture neutral  
* Please refer to the generic specification for details  
*/
```

6.15.10 QtNetwork/qurlinfo.h

```
/*  
* This header is architecture neutral  
* Please refer to the generic specification for details  
*/
```

Annex A GNU Free Documentation License (Informative)

This specification is published under the terms of the GNU Free Documentation License, Version 1.1, March 2000

Copyright (C) 2000 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

A.1 PREAMBLE

The purpose of this License is to make a manual, textbook, or other written document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

A.2 APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you".

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (For example, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, whose contents can be viewed and edited directly and straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup has been designed to thwart or discourage subsequent modification by readers is not Transparent. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML designed for human modification. Opaque formats include PostScript, PDF, proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A.3 VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

A.4 COPYING IN QUANTITY

If you publish printed copies of the Document numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a publicly-accessible computer-network location containing a complete Transparent copy of the Document, free of added material, which the general network-using public has access to download anonymously at no charge using public-standard network protocols. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

A.5 MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has less than five).
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section entitled "History", and its title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K. In any section entitled "Acknowledgements" or "Dedications", preserve the section's title, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section entitled "Endorsements". Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section as "Endorsements" or to conflict in title with any Invariant Section.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

A.6 COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the

name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections entitled "History" in the various original documents, forming one section entitled "History"; likewise combine any sections entitled "Acknowledgements", and any sections entitled "Dedications". You must delete all sections entitled "Endorsements."

A.7 COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

A.8 AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, does not as a whole count as a Modified Version of the Document, provided no compilation copyright is claimed for the compilation. Such a compilation is called an "aggregate", and this License does not apply to the other self-contained works thus compiled with the Document, on account of their being thus compiled, if they are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one quarter of the entire aggregate, the Document's Cover Texts may be placed on covers that surround only the Document within the aggregate. Otherwise they must appear on covers around the whole aggregate.

A.9 TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License provided that you also include the original English version of this License. In case of a disagreement between the translation and the original English version of this License, the original English version will prevail.

A.10 TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or

rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

A.11 FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

A.12 How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (c) YEAR YOUR NAME. Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.1 or any later version published by the Free Software Foundation; with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST. A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have no Invariant Sections, write "with no Invariant Sections" instead of saying which ones are invariant. If you have no Front-Cover Texts, write "no Front-Cover Texts" instead of "Front-Cover Texts being LIST"; likewise for Back-Cover Texts.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.